


2026 FCSS_SDW_AR-7.6-100% Free Actual Exam Dumps | Professional FCSS_SDW_AR-7.6 Exam Engine



The users will notice the above favorable qualities in the web-based Fortinet FCSS_SDW_AR-7.6 Practice Test. But the distinguishing factor that will add to your comfort is that it is suitable for all operating systems (IOS, Macs, Androids, and Windows). The valuable part of this format is that it does not require frustrating installations or heavy plugins.

The customization feature of these FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) practice questions (desktop or web-based) allows users to change the settings of their mock exams as per their preferences. Customers of Itexamguide can attempt multiple FCSS_SDW_AR-7.6 Exam Questions till their satisfaction. On each attempt, our FCSS_SDW_AR-7.6 practice exam will give your results on the spot.

>> FCSS_SDW_AR-7.6 Actual Exam Dumps <<


Multiple Formats Of Real FCSS_SDW_AR-7.6 Exam Questions

There is no doubt that the FCSS_SDW_AR-7.6 certification is a popular exam in the industry. And, FCSS_SDW_AR-7.6 is one of the most demanded certifications by the Cisco. We at Itexamguide, provide the money back guarantee on our FCSS_SDW_AR-7.6 practice exam questions and training material. Our FCSS_SDW_AR-7.6 certified professional team continuously works on updated exam content with Latest FCSS_SDW_AR-7.6 Questions. If you want to clear the FCSS_SDW_AR-7.6 exam in the best way, then you can utilize the best quality products and services provided by us. Our FCSS_SDW_AR-7.6 PDF questions have all the updated question answers for FCSS_SDW_AR-7.6 exams.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q78-Q83):

NEW QUESTION # 78

Refer to the exhibit.



The administrator analyzed the traffic between a branch FortiGate and the server located in the data center, and noticed the behavior shown in the diagram.

When the LAN clients located behind FGT1 establish a session to a server behind DC-1, the administrator observes that, on DC-1,

the reply traffic is routed over T2, even though T1 is the preferred member in the matching SD-WAN rule. What can the administrator do to instruct DC-1 to route the reply traffic through the member with the best performance?

- A. Enable reply-session under config system sdwan.
- B. Enable snat-route-change under config system global.
- C. Enable auxiliary-session under config system settings.
- D. FortiGate route lookup for reply traffic only considers routes over the original ingress interface.

Answer: A

Explanation:

When asymmetric routing is observed (such as reply traffic not following the optimal path), the solution is:

"The auxiliary-session feature, enabled under config system settings, allows FortiGate to consider multiple egress interfaces for reply traffic, not just the original ingress interface. This is crucial for SD-WAN environments where the best path may differ between forward and return directions, especially when performance or policy rules are dynamically evaluated." Activating this ensures reply traffic is always sent on the member with the best real-time metrics.

Reference:

[FCSS_SDW_AR-7.4 1-0.docx Q23]

FortiOS 7.4 CLI Reference, "auxiliary-session for SD-WAN Path Optimization"

NEW QUESTION # 79

You have configured the performance SLA with the probe mode as Prefer Passive.

What are two observable impacts of this configuration? (Choose two.)

- A. FortiGate can offload the traffic that is subject to passive monitoring to hardware.
- B. During passive monitoring, the SLA performance rule cannot detect dead members.
- C. FortiGate passively monitors the member if TCP traffic is passing through the member.
- D. After FortiGate switches to active mode, the SLA performance rule falls back to passive monitoring after 3 minutes.
- E. FortiGate passively monitors the member if ICMP traffic is passing through the member.

Answer: B,C

Explanation:

In FortiOS 7.6, when a Performance SLA probe mode is set to Prefer Passive, FortiGate attempts to measure link performance using passive monitoring first, based on real user traffic. Only when passive monitoring is not possible does FortiGate temporarily fall back to active probing.

With Prefer Passive, FortiGate passively monitors TCP traffic flowing through the SD-WAN member to calculate SLA metrics such as latency, jitter, and packet loss. This behavior directly matches option A.

During passive monitoring, FortiGate relies on observed traffic to infer link health. Because no synthetic probes are sent, a completely dead link (with no traffic passing) cannot be detected by the SLA during passive mode. As a result, dead members may not be immediately detected, which makes option D correct.

Option B is incorrect because there is no fixed 3-minute timer defined in FortiOS 7.6 that forces a return from active probing back to passive monitoring.

Option C is incorrect because passive SLA monitoring is based on TCP traffic, not ICMP traffic. ICMP is used for active probing, not passive monitoring.

Option E is incorrect because traffic subject to passive SLA monitoring cannot be offloaded to hardware. Passive SLA measurement requires software inspection of packets, which prevents NPU offloading.

Therefore, the two correct observable impacts of configuring the probe mode as Prefer Passive are A and D.

NEW QUESTION # 80

Refer to the exhibit.

```

# diagnose sys session list
session info: proto=6 proto_state=11 duration=180 expire=3424 timeout=3600
refresh_dir=both flags=00000000 socktype=0 sockport=0 av_idx=0 use=4
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/0
state=log may dirty ndr f00 app_valid route preserve
statistic (bytes/packets/allow_err): org=3369/19/1 reply=3881/19/1 tuples=3
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=7->3/3->7 gwy=192.2.0.2/0.0.0.0
hook=post dir=org act=snat 10.0.1.101:58630->128.66.0.1:22(192.2.0.100:58630)
hook=pre dir=reply act=dnat 128.66.0.1:22->192.2.0.100:58360(10.0.1.101:58360)
hook=post dir=reply act=hop 128.66.0.1:22->10.0.1.101:58630(0.0.0.0:0)
pos/ (before, after) 0/(0,0), 0/(0,0)
misc=0 policy id=1 pol_uuid_idx=15844 auth_info=0 chk_client_info=0 vd=0
serial=00000c0c tos=ff/ff app_list=2000 app=16060 url_cat=0
sdwan_mbr_seq=1 sdwan_service_id=4
rpdb_link_id=ff000004 ngfwid=n/a
npu_stave=0x001108
no_offload_reason: redir-to-ips denied-by-nturbo

```



The administrator configured the SD-WAN rule ID 4 with two members (port1 and port2) and strategy lowest cost (SLA). What are the two characteristics of the session shown in the exhibit? (Choose two.)

- A. FortiGate will never re-evaluate this session.
- B. FortiGate steered this flow according to an SD-WAN rule 4.
- C. FortiGate steered this flow according to the application detected and the outgoing interface is port3.
- D. FortiGate will re-evaluate this session if the outgoing interface goes down.

Answer: B,D

Explanation:

The line `sdwan_mbr_seq=1 sdwan_service_id=4` indicates that this session is part of an SD-WAN rule. `sdwan_service_id=4` confirms that the session is being handled by SD-WAN rule ID 4. This directly links the flow to the SD-WAN configuration. The line `no_offload_reason: redir-to-ips denied-by-nturbo` shows that the session is not offloaded to the NPU (Network Processing Unit) and is being processed by the main CPU. A session that is not offloaded can be re-evaluated. If the outgoing interface (the one currently being used) goes down, the FortiGate will re-evaluate the session against the SD-WAN rules to find a new active member to steer the traffic through. This is a fundamental behavior of SD-WAN, which ensures network resilience.

NEW QUESTION # 81

Refer to the exhibits.

Configuration for SD-WAN performance SLA, SD-WAN rule configuration, and application IDs

YouTube.

```

config system sdwan
    config health-check
        edit "Passive"
            set detect-mode passive
            set members 3 4
        next
    end
end

config system sdwan
    config service
        edit 1
            set name "Facebook-YouTube"
            set src "all"
            set internet-service enable
            set internet-service-app-ctrl 15832 31077
            set health-check "Passive"
            set priority-member 3 4
            set passive-measurement enable
    next

```



```
        next
    end
end

branch1_fgt # get application name status | grep "id: 15832" -B1
app-name: "Facebook"
id: 15832

branch1_fgt # get application name status | grep "id: 31077" -B1
app-name: "YouTube"
id: 31077
```

Firewall policy configuration

```
config firewall policy
    edit 1
        set name "DIA"
        set uid b973e4ec-5f90-51ec-cadb-017c830d9418
        set srcintf "port5"
        set dstintf "underlay"
        set action accept
        set srcaddr "LAN-net"
        set dstaddr "all"
        set schedule "always"
        set service "ALL"
        set passive-wan-health-measurement enable
        set utm-status enable
        set ssl-ssh-profile "certificate-inspection"
        set application-list "default"
        set logtraffic all
        set auto-asic-offload disable
        set nat enable
    next
end
```

Underlay zone status

```
branch1_fgt # diagnose sys sdwan zone | grep underlay -A1
Zone underlay index=3
    members(2): 3(port1) 4(port2)
```

The exhibits show the configuration for SD-WAN performance. SD-WAN rule, the application IDs of Facebook and YouTube along with the firewall policy configuration and the underlay zone status.

Which two statements are true about the health and performance of SD-WAN members 3 and 4? (Choose two.)

- A. Encrypted traffic is not used for the performance measurement.
- B. The performance is an average of the metrics measured for Facebook and YouTube traffic passing through the member.
- C. Only related TCP traffic is used for performance measurement.
- D. FortiGate identifies the member as dead when there is no Facebook and YouTube traffic passing through the member.

Answer: B,D

NEW QUESTION # 82

What are three key routing principles of SD-WAN? (Choose three.)

- A. SD-WAN members are skipped if they do not have a valid route to the destination.

- B. SD-WAN rules are skipped if the best route to the destination is not an SD-WAN member.
- C. Directly connected routes have precedence over SD-WAN rules.
- D. Policy routes have precedence over SD-WAN rules.
- E. SD-WAN rules are skipped if the best route to the destination is a static route

Answer: A,B,D

Explanation:

Fortinet outlines key SD-WAN routing principles:

"Policy routes are always evaluated before SD-WAN rules, meaning if a policy route matches, SD-WAN steering is bypassed. If the best route for a destination is not via an SD-WAN member, SD-WAN rules do not apply, and members are ignored if they lack a valid route. This hierarchy ensures traffic always follows the most deterministic and valid path according to configuration."

Understanding these principles is critical for correct SD-WAN and routing integration.

NEW QUESTION # 83

.....

Some customers may care about the private information problem while purchasing FCSS_SDW_AR-7.6 Training Materials, if you are concern about this problem, our company will end the anxiety for you if you buy FCSS_SDW_AR-7.6 training material of us . Our company is a professional company, we have lots of experiences in this field, and you email address and other information will be protected well, we respect the privacy of every customers. You give me trust , we give you privacy.

FCSS_SDW_AR-7.6 Exam Engine: https://www.itexamguide.com/FCSS_SDW_AR-7.6_braindumps.html

Fortinet FCSS_SDW_AR-7.6 Actual Exam Dumps No limitation for online APP version, If not, please pay attention to our FCSS_SDW_AR-7.6 exam training material, It is well known that FCSS_SDW_AR-7.6 exam is difficult to pass and test cost is quite high, most candidates hope to pass exam at first attempt surely, The Itexamguide guarantees their customers that if they have prepared with Fortinet FCSS_SDW_AR-7.6 practice test, they can pass the Fortinet FCSS_SDW_AR-7.6 certification easily, Fortinet FCSS_SDW_AR-7.6 Actual Exam Dumps ◆ Regularly Updated real test dumps.

Note that clear and well-understood communication among all stakeholders FCSS_SDW_AR-7.6 is essential throughout the project delivery phases to ensure success, How to draw transparent or blended geometry.

Pass with Fortinet Certified Solution Specialist FCSS_SDW_AR-7.6 valid cram & FCSS_SDW_AR-7.6 practice dumps

No limitation for online APP version, If not, please pay attention to our FCSS_SDW_AR-7.6 Exam Training material, It is well known that FCSS_SDW_AR-7.6 exam is difficult to pass and test cost is quite high, most candidates hope to pass exam at first attempt surely.

The Itexamguide guarantees their customers that if they have prepared with Fortinet FCSS_SDW_AR-7.6 practice test, they can pass the Fortinet FCSS_SDW_AR-7.6 certification easily.

◆ Regularly Updated real test dumps.

- Exam FCSS_SDW_AR-7.6 Study Guide □ FCSS_SDW_AR-7.6 Valid Exam Question □ FCSS_SDW_AR-7.6 Exam Tips □ Search for ▶ FCSS_SDW_AR-7.6 ▲ and download it for free on ➡ www.pdfdumps.com □ website □ □FCSS_SDW_AR-7.6 Exam Details
- FCSS_SDW_AR-7.6 Valid Examcollection □ FCSS_SDW_AR-7.6 Reliable Exam Book □ FCSS_SDW_AR-7.6 Valid Examcollection □ Easily obtain free download of □ FCSS_SDW_AR-7.6 □ by searching on ▶ www.pdfvce.com □ □FCSS_SDW_AR-7.6 Exam Tips
- FCSS_SDW_AR-7.6 Valid Exam Question □ Study Guide FCSS_SDW_AR-7.6 Pdf □ FCSS_SDW_AR-7.6 Valid Examcollection □ Go to website ➤ www.vceengine.com □ open and search for ➤ FCSS_SDW_AR-7.6 □ to download for free □ Exam Topics FCSS_SDW_AR-7.6 Pdf
- FCSS_SDW_AR-7.6 Exam Tips □ FCSS_SDW_AR-7.6 Pdf Demo Download □ Dumps FCSS_SDW_AR-7.6 Free ~ Download ➡ FCSS_SDW_AR-7.6 □ for free by simply entering ▶ www.pdfvce.com ▲ website □ □FCSS_SDW_AR-7.6 Practice Mock
- FCSS_SDW_AR-7.6 Reliable Exam Book □ Exam FCSS_SDW_AR-7.6 Study Guide □ FCSS_SDW_AR-7.6 Pdf Demo Download □ Download ▶ FCSS_SDW_AR-7.6 ▲ for free by simply searching on (www.examcollectionpass.com) □ Valid FCSS_SDW_AR-7.6 Test Forum

