


Lpi 101-500 Fragenpool & 101-500 Prüfungsfrage



Laden Sie die neuesten ZertSoft 101-500 PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
<https://drive.google.com/open?id=10qCjYkBboQb7CTwys2frZYhKgHUh4ZbA>

Das Expertenteam von ZertSoft nutzt ihre Erfahrungen und Kenntnisse aus, um die Schulungsunterlagen zur Lpi 101-500 Zertifizierungsprüfung zu bearbeiten. Unsere Schulungsunterlagen zur Lpi 101-500 Zertifizierungsprüfung sind bei den Kunden sehr beliebt. Das sind die Ergebnisse der fleißigen Experten-Teams. Diese Simulationsfragen und Antworten sind von guter Qualität. Und die Ähnlichkeit beträgt über 95%. Sie sind eher zuverlässig. Wenn Sie die Trainingsinstrumente von ZertSoft benutzen, können Sie 100% die Lpi 101-500 (LPIC-1 Exam 101, Part 1 of 2, version 5.0) Zertifizierungsprüfung bestehen.

Unsere Webseite ZertSoft ist eine Webseite mit langer Geschichte, die Zertifizierungsantworten zur Lpi 101-500 Prüfung bietet. Nach langjährigen Bemühungen beträgt die Bestehensrate der Lpi 101-500 Zertifizierungsprüfung bereits 100%. Der Inhalt unserer Lehrbücher aktualisieren sich ständig, damit die Schulungsunterlagen zur Lpi 101-500 Zertifizierungsprüfung immer korrekt sind. Darüber hinaus können Sie einjährige Aktualisierung genießen, wenn Sie unsere Dumps gekauft haben.

>> **Lpi 101-500 Fragenpool** <<

100% Garantie 101-500 Prüfungserfolg

Wollen Sie Lpi 101-500 Dumps von ZertSoft probieren? Diese Dumps sind unbedingt die besten Unterlagen auf dem Markt, die im Zusammenhang mit den Prüfungen sind. Warum? Es gibt die folgenden vier Gründen. Zuerst sind die Prüfungsfragen von ZertSoft von den reichen Erfahrungen der IT-Eliten entworfen und auch sehr genau. Zweitens beinhalten ZertSoft Dumps alle möglichen Prüfungsfragen in aktuellen Prüfungen. Drittens, die ZertSoft Dumps garantieren Ihnen, nur einmal die Lpi 101-500 Prüfung zu bestehen. Wenn die Teilnehmer durchgefallen sind, können Sie die volle Rückerstattung bekommen. Viertes gliedern sich ZertSoft in zwei verschiedenen Versionen, PDF-Versionen und Software-Versionen. Wenn Sie beide Dumps kaufen, können Sie diese Prüfung leichter vorbereiten.

LPIC-1-Prüfung 101, Teil 1 von 2, Version 5.0 ist eine Zertifizierungsprüfung für Linux-Systemadministratoren. Es wurde entwickelt, um das Wissen und das Verständnis des Kandidaten für die Grundlagen der Linux -Administration zu testen, einschließlich Installation und Konfiguration von Linux -Systemen, Befehlszeilennutzung, Dateiverwaltung und grundlegenden Netzwerken. Diese Prüfung ist der erste Teil des LPIC-1-Zertifizierungsprogramms, das weltweit als Standard für die Linux-Zertifizierung anerkannt wird.

Lpi LPIC-1 Exam 101, Part 1 of 2, version 5.0 101-500 Prüfungsfragen mit Lösungen (Q267-Q272):

267. Frage

Which of the following properties of a Linux system should be changed when a virtual machine is cloned? (Choose two.)

- A. The partitioning scheme
- B. The D-Bus Machine ID
- C. The permissions of /root/
- D. The file system

- E. The SSH host keys

Antwort: C,E

268. Frage

Which of the following commands brings a system running SysV init into a state in which it is safe to perform maintenance tasks?
(Choose TWO correct answers.)

- A. shutdown -single now
- B. runlevel 1
- C. shutdown -R 1 now
- D. init 1
- E. telinit 1

Antwort: D,E

Begründung:

The commands init 1 and telinit 1 both bring a system running SysV init into a state in which it is safe to perform maintenance tasks. This state is also known as single-user mode or runlevel 1, where only the root user can log in and no network services are running. The command shutdown -R 1 now is incorrect, because it reboots the system instead of entering single-user mode. The command shutdown -single now is invalid, because the -single option does not exist for the shutdown command. The command runlevel 1 is also invalid, because runlevel is a command that displays the current and previous runlevels, not a command that changes the runlevel. References:

* 1: SysVinit - ArchWiki

* 2: Linux: How to write a System V init script to start, stop, and restart my own application or service - nixCraft

* 3: sysvinit - Gentoo wiki

269. Frage

Which of the following commands can be used to enable a file for paging and swapping?.

- A. modswap
- B. mkswap
- C. swapon
- D. inswap

Antwort: C

270. Frage

Which of the following commands will mount an already inserted CD-ROM in /dev/sr0 onto an existing directory /mnt/cdrom when issued with root privileges?

- A. mount /dev/sr0 /mnt/cdrom
- B. mount -t cdrom /dev/sr0 /mnt/cdrom
- C. mount -f /dev/sr0 /mnt/cdrom
- D. mount -l cdrom /dev/sr0 /mnt/cdrom
- E. mount /dev/cdrom /mnt/cdrom

Antwort: A

Begründung:

The mount command is used to attach a filesystem to a directory on the system, which is called a mount point.

The mount command requires the device name or the UUID of the filesystem as the first argument, and the mount point as the second argument. Optionally, the mount command can also take some options, such as the filesystem type, the mount options, and the label. The syntax of the mount command is:

mount [options] device mountpoint

In this question, the device name of the CD-ROM is /dev/sr0, and the mount point is /mnt/cdrom. Therefore, the correct command to mount the CD-ROM is:

mount /dev/sr0 /mnt/cdrom

This command will mount the CD-ROM as a read-only filesystem with the type iso9660, which is the standard format for optical discs. The mount command can automatically detect the filesystem type and the mount options, so there is no need to specify them explicitly. However, if you want to specify them, you can use the -t and -o options, respectively. For example, the following command is equivalent to the previous one:

```
mount -t iso9660 -o ro /dev/sr0 /mnt/cdrom
```

The other options are not correct because:

* A. `mount /dev/cdrom /mnt/cdrom`: This command may work on some systems, but it is not guaranteed to be correct. The `/dev/cdrom` is usually a symbolic link to the actual device name of the CD-ROM, which can vary depending on the system. For example, on some systems, the `/dev/cdrom` may point to `/dev/sr0`, but on others, it may point to `/dev/scd0` or `/dev/hdc`. Therefore, it is better to use the actual device name of the CD-ROM, which can be found by using the `lsblk` or the `dmesg` command.

* C. `mount -t cdrom /dev/sr0 /mnt/cdrom`: This command is not valid because `cdrom` is not a valid filesystem type. The filesystem type for optical discs is `iso9660`, not `cdrom`. The mount command will fail with an error message saying:

```
mount: unknown filesystem type 'cdrom'
```

* D. `mount -l cdrom /dev/sr0 /mnt/cdrom`: This command is not valid because `-l` is not a valid option for the mount command. The `-l` option is used to list all the mounted filesystems, not to mount a filesystem.

The mount command will fail with an error message saying:

```
mount: can't find /dev/sr0 in /etc/fstab
```

* E. `mount -f /dev/sr0 /mnt/cdrom`: This command is not valid because it is missing a space between the device name and the mount point. The mount command requires two separate arguments for the device name and the mount point, separated by a space. Also, the `-f` option is used to fake the mount operation, not to perform the actual mount. The mount command will fail with an error message saying:

```
mount: /dev/sr0/mnt/cdrom: mount point does not exist.
```

References:

How to mount cdrom in Linux - Learn Linux Configuration

Mount CD-ROM in Linux using Command Line - nixCraft

Mounting the CD or DVD (Linux) - IBM

271. Frage

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

Antwort:

Begründung:

`dpkg-reconfigure`

Explanation

The command `dpkg-reconfigure` is a Debian package management tool that asks the configuration questions for a specific already installed package just as if the package were being installed for the first time. It can be used to reconfigure a package that was previously installed with default settings, or to change the settings of a package that requires user input during installation. It can also be used to fix a broken configuration file or to restore the original configuration file of a package. References:

* Debian Reference: Chapter 2. Debian package management

* LPI Linux Essentials: 1.3 Package Management

272. Frage

.....

Die Lpi 101-500 Prüfung macht man wirklich besorgt. Vielleicht vertragen Sie nicht mehr die große Menge von Prüfungsunterlagen, dann lassen Sie Lpi 101-500 Prüfungssoftware von ZertSoft Ihnen helfen, die Belastungen zu erleichtern! Unsere professionelle IT-Profis haben die anspruchsvolle Lpi 101-500 Prüfungssoftware entwickelt dadurch, dass die komplizierten Test-Bank geordnet und die Schwerpunkte der Prüfungen in den letzten Jahren analysiert haben. Trotzdem aktualisieren wir die Lpi 101-500 Prüfungsunterlagen immer weiter. Innerhalb einem Jahr nach Ihrem Kauf geben wir Ihnen sofort Bescheid, wenn die Lpi 101-500 aktualisiert hat.

101-500 Prüfungsfrage: <https://www.zertsoft.com/101-500-pruefungsfragen.html>

- 101-500 Exam Fragen ☐ 101-500 Exam Fragen ☐ 101-500 Examsfragen ☐ Suchen Sie auf der Webseite ► www.deutschpruefung.com ◀ nach “ 101-500 ” und laden Sie es kostenlos herunter ☐ 101-500 Vorbereitung
- 101-500 Fragen Beantworten ☐ 101-500 PDF Testsoftware ☐ 101-500 Kostenlos Downloaden ☐ ► www.itzert.com

- [illegible]

Übrigens, Sie können die vollständige Version der ZertSoft 101-500 Prüfungsfragen aus dem Cloud-Speicher herunterladen:
<https://drive.google.com/open?id=10qCjYkBboQb7CTwys2fZYhKgHUh4ZbA>