

>> PL-400최고덤프샘플 <<

완벽한 PL-400최고덤프샘플 공부자료

인재도 많고 경쟁도 많은 이 사회에, 업계인재들은 인기가 아주 많습니다. 하지만 팽팽한 경쟁률도 무시할 수 없습니다. 많은 Microsoft인재들도 어려운 인증 시험을 패스하여 자기만의 자리를 지키고 있습니다. 우리 KoreaDumps에서는 마침 전문적으로 이러한 Microsoft인사들에게 편리하게 시험을 PL-400패스할수 있도록 유용한 자료들을 제공하고 있습니다.

Microsoft PL-400 시험은 Microsoft Power Platform을 사용하여 솔루션을 개발하는 능력과 기술을 측정하는 시험입니다. 이 시험은 Power Platform을 사용하여 Microsoft Dynamics 365 및 Microsoft Power Apps 솔루션을 생성, 사용자 정의 및 확장하는 개발자들의 지식을 검증하기 위해 설계되었습니다. 또한 사용자 정의 비즈니스 워크플로우를 설계하고 구현하며 외부 시스템과 통합하는 개발자들도 이 시험을 응시할 수 있습니다.

최신 Microsoft Certified: Power Platform Developer Associate PL-400 무료 샘플문제 (Q338-Q343):

질문 # 338

You have a plug-in that performs business logic on contact records. The plug-in is registered in the post-operation stage and is executed when a field named `custom_field3` is updated.

The plug-in contains the following code:

```
var cols = new ColumnSet("lastname", "custom_field1");
var contact = service.Retrieve("contact", ctx.PrimaryEntityId, cols);
var updatedValue = contact.GetAttributeValue<string>("lastname");
updatedValue += contact.GetAttributeValue<string>("custom_field1");
contact["custom_field2"] = updatedValue;
service.Update(contact);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can improve code performance by using the following code instead of retrieving individual fields: <code>new ColumnSet(true)</code>	<input type="radio"/>	<input type="radio"/>
You can avoid retrieving the changed entity by using plug-in images.	<input type="radio"/>	<input type="radio"/>
You can avoid updating the changed entity by registering the plug-in in the pre-operation stage.	<input type="radio"/>	<input type="radio"/>

정답:

설명:

Statements	Yes	No
You can improve code performance by using the following code instead of retrieving individual fields: <code>new ColumnSet(true)</code>	<input type="radio"/>	<input checked="" type="radio"/>
You can avoid retrieving the changed entity by using plug-in images.	<input checked="" type="radio"/>	<input type="radio"/>
You can avoid updating the changed entity by registering the plug-in in the pre-operation stage.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
You can improve code performance by using the following code instead of retrieving individual fields: <code>new ColumnSet(true)</code>	<input type="radio"/>	<input checked="" type="radio"/>
You can avoid retrieving the changed entity by using plug-in images.	<input checked="" type="radio"/>	<input type="radio"/>
You can avoid updating the changed entity by registering the plug-in in the pre-operation stage.	<input checked="" type="radio"/>	<input type="radio"/>

질문 # 339

An organization has a Dynamics 365 Sales environment. In the development environment, you create a business rule named BusinessRule1 on the Account entity. You deploy BusinessRule1 to production as part of a managed solution. You need to remove BusinessRule1 from the production environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

In the development environment, navigate to Solutions.

Create a new managed solution in the production environment.

Export the solution as managed and import it in the production environment.

In the production environment, add a new business rule.

Select the solution that has BusinessRule1 and deactivate the rule.

Select the solution that has BusinessRule1, navigate to the appropriate entity, and delete the rule.



정답:

설명:

Actions

Answer Area

In the development environment, navigate to Solutions.

Create a new managed solution in the production environment.

Export the solution as managed and import it in the production environment.

In the production environment, add a new business rule.

Select the solution that has BusinessRule1 and deactivate the rule.

Select the solution that has BusinessRule1, navigate to the appropriate entity, and delete the rule.



Explanation:

In the development environment, navigate to Solutions.

Export the solution as managed and import it in the production environment.

Select the solution that has BusinessRule1, navigate to the appropriate entity, and delete the rule.

Step 1: In the development environment, navigate to Solutions.

The only supported way of transferring customizations from one CRM organization to another has been through Solutions. With Solution Management came the concept of Managed and Unmanaged Solutions.

Step 2: Export the solution as managed and import it in the production environment.

Managed is a way to protect your IP (Intellectual Property) with an easy concept of install and uninstall.

Step 3: Select the solution that has BusinessRule1, navigate to the appropriate entity, and delete the rule.

Reference:

<https://www.inogic.com/blog/2016/01/solution-management-with-dynamics-crm-2016/>

질문 # 340

You are creating a plug-in for a Power Apps app for the human resources department at the company. The app will be used to process new employees and help employees apply for an identification card.

You have the following requirements:

- * Applications must not be marked as complete if the employee has not completed mandatory drug screening.
- * Add logic that stores the name of the human resources team member that approves an application. This step must be completed before an ID card is created for the applicant.
- * Successful validation and ID card printing.

You need to configure the event pipeline. In which stage should you register each step?

To answer, drag the appropriate stages to the correct steps. Each stage may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Stages	Answer Area
PreValidation	
PreOperation	
PostOperation	

Step	Stage
Mandatory drug screening is completed.	
The application is reviewed and approved.	
The ID card is printed.	

정답:

설명:

Stages	Answer Area
PreValidation	
PreOperation	
PostOperation	

Step	Stage
Mandatory drug screening is completed.	PreValidation
The application is reviewed and approved.	PreOperation
The ID card is printed.	PostOperation

질문 # 341

A multinational company requires that all phone numbers be standardized as country code + area code + phone number.

The application design team decides that a custom PowerApps component framework (PCF) control should be used to prompt users for an area code and correctly format the phone number.

You need to get the list of valid area codes when a contact record is opened and before the user enters a new phone number.

In which function should you call `webAPI.retrieveMultipleRecords`?

- A. `init`
- B. `notifyOutputChanged`
- C. `getOutputs`
- D. `updateView`

정답: D

설명:

Explanation

The `updateView` method will be called when any value in the property bag has changed. This includes field values, data-sets, global values such as container height and width, offline status, component metadata values such as label, visible, etc.

Set the value of the field component to the raw value from the configured field.

Note: `webAPI.retrieveMultipleRecords` retrieves a collection of entity records.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/reference/control/updateview>

질문 # 342

A delivery service uses a canvas app to track and deliver packages. The app uses SQL Server as a data store. The database includes the following tables:

Table	Comments
Receivers	Stores information about customers who receive delivered goods. The table uses an identity column named <code>SBsqldid</code> to uniquely identify each record.
Packages	Stores information about package details. Employees update package details during delivery to reference the person who received the package.

The app includes the following code to save all required information. (Line numbers are included for reference only.)

```
ClearCollect(
    Result,
    Patch(
        Receivers,
        Defaults(Receivers),
        {
            SignedByFN: txtInFirstName.Text,
            SignedByID: txtInID.Text
        }
    )
);
Patch(
    Packages,
    Defaults(Packages),
    {
        SBsqldid: First(Result).SBsqldid,
        TrackingNo: lblPackage.Text
    }
);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

	Yes	No
The Patch statement populates the identity column when a record is created.	<input type="radio"/>	<input type="radio"/>
The Patch statement at line 03 creates a reference to the customer who received a specific package.	<input type="radio"/>	<input type="radio"/>
You must add a lookup function to ensure that the code correctly creates a reference to the customer who receives a package.	<input type="radio"/>	<input type="radio"/>
The Patch statement at line 12 merges records.	<input type="radio"/>	<input type="radio"/>

설명:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

• • • • •

<https://drive.google.com/open?id=1CQfevM1zpScMczcMk5EIjZA2cDT5B3IM>