

Fortinet FCSS_SASE_AD-25 Exam Torrent | FCSS_SASE_AD-25 Vce Format



BTW, DOWNLOAD part of SureTorrent FCSS_SASE_AD-25 dumps from Cloud Storage: https://drive.google.com/open?id=1jInksik6mTc_mzr5Xrqr4u031S8CkxX

With these mock exams, it is easy to track your progress by monitoring your marks each time you go through the FCSS_SASE_AD-25 practice test. Our FCSS_SASE_AD-25 practice exams will give you an experience of attempting the FCSS_SASE_AD-25 original examination. You will be able to deal with the actual exam pressure better when you have already experienced it in our Fortinet FCSS_SASE_AD-25 practice exams.

Fortinet FCSS_SASE_AD-25 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"> Analytics and Monitoring: This section of the exam measures the skills of Security Analysts and emphasizes the monitoring and reporting aspects of FortiSASE. Candidates are expected to configure dashboards, logging settings, and analyze reports for user traffic and security issues. Additionally, they must use FortiSASE logs to identify potential threats and provide insights into incidents or abnormal behavior. The focus is on leveraging analytics for operational visibility and strengthening the organization's security posture.
Topic 2	<ul style="list-style-type: none"> Advanced FortiSASE Solutions: This section of the exam measures the expertise of Solution Architects and validates the ability to work with advanced FortiSASE features. It covers deployment of SD-WAN using FortiSASE, implementation of Zero Trust Network Access (ZTNA), and the overall role of FortiSASE in optimizing enterprise connectivity. The section highlights how these advanced solutions improve flexibility, enforce zero-trust principles, and extend security controls across distributed networks and cloud systems.
Topic 3	<ul style="list-style-type: none"> SASE Deployment: This section of the exam measures the knowledge of Implementation Consultants and focuses on the practical aspects of deploying FortiSASE. Candidates will explore user onboarding methods, configuration of administration settings, and the application of security posture checks with compliance rules. The exam also includes key functions such as SIA, SSA, and SPA, alongside the design of security profiles that perform effective content inspection. By combining these tasks, learners demonstrate readiness to roll out secure and scalable deployments.

Topic 4	<ul style="list-style-type: none"> • SASE Architecture and Components: This section of the exam measures the skills of Network Engineers and introduces the fundamentals of SASE within enterprise environments. Candidates are expected to understand the SASE architecture, identify FortiSASE components, and build deployment cases for real-world scenarios. The content emphasizes how SASE can be integrated into a hybrid network, showcasing secure design principles and the use of FortiSASE capabilities to support business and security objectives.
---------	--

>> Fortinet FCSS_SASE_AD-25 Exam Torrent <<

FCSS_SASE_AD-25 Vce Format & Test FCSS_SASE_AD-25 Assessment

These features have made SureTorrent FCSS_SASE_AD-25 pdf questions format the most reputable prep material for the quick and restrictions-free exam preparation. As laptops, tablets, and smartphones support this Fortinet FCSS_SASE_AD-25 pdf format, you can easily learn from your comfort zone in your free time.

Fortinet FCSS - FortiSASE 25 Administrator Sample Questions (Q45-Q50):

NEW QUESTION # 45

Which statement applies to a single sign-on (SSO) deployment on FortiSASE?

- A. SSO identity providers can be integrated using public and private access types.
- **B. SSO overrides any other previously configured user authentication.**
- C. SSO users can be imported into FortiSASE and added to user groups.
- D. SSO is recommended only for agent-based deployments.

Answer: B


Explanation:

In FortiSASE, Single Sign-On (SSO) takes precedence and overrides other configured user authentication methods, ensuring a centralized and streamlined authentication process across services.

NEW QUESTION # 46

Refer to the exhibits.

Network diagram



Private access policy on FortiSASE

To hubs		From hubs					
+ Create		Edit		Delete		Search	
<input type="checkbox"/>	Name	Profile Group	Source	Destination	Action	User	
<input checked="" type="checkbox"/>	Custom 4						
<input type="checkbox"/>	Non-Compliant-SPA		FortiSASE-Non-Compliant	All Private Access Traffic	Deny	All VPN Users	
<input type="checkbox"/>	Allow-All Private Traffic	Default	FortiSASE-Compliant	All Private Access Traffic	Accept	All VPN Users	

BGP route information on FortiSASE



LEARNED BGP ROUTES (TO_HUB/VANCOUVER - CANADA)

Prefix	Next Hop	Learned From
10.160.160.0/24	10.11.11.1	10.11.11.1
100.65.17.0/24	0.0.0.0	0.0.0.0
100.65.32.0/20	0.0.0.0	0.0.0.0
100.65.176.0/20	0.0.0.0	0.0.0.0
100.65.17.0/24	0.0.0.0	0.0.0.0
100.65.32.0/20	0.0.0.0	0.0.0.0
100.65.176.0/20	0.0.0.0	0.0.0.0

Advertised routes on Hub

```
# get router info bgp neighbors 10.11.11.10 advertised-routes
VRF 0 BGP table version is 4, local router ID is 10.1.0.254
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal
Origin codes: i - IGP, e - EGP, ? - incomplete
  Network          Next Hop          Metric      LocPrf Weight RouteTag Path
*>i 10.12.11.1/32  10.11.11.13      100         0         0 i <-/1>
*>i 10.12.11.2/32  10.11.11.12      100         0         0 i <-/1>
*>i 10.12.11.4/32  10.11.11.11      100         0         0 i <-/1>
*>i 10.160.160.0/24 10.11.11.1       100 32768     0 i <-/1>
*>i 100.65.17.0/24  10.11.11.11      100         0         0 i <-/1>
*>i 100.65.18.0/24  10.11.11.13      100         0         0 i <-/1>
*>i 100.65.20.0/24  10.11.11.12      100         0         0 i <-/1>
*>i 100.65.32.0/20  10.11.11.11      100         0         0 i <-/1>
*>i 100.65.48.0/20  10.11.11.12      100         0         0 i <-/1>
*>i 100.65.128.0/20 10.11.11.12      100         0         0 i <-/1>
*>i 100.65.144.0/20 10.11.11.13      100         0         0 i <-/1>
*>i 100.65.160.0/20 10.11.11.13      100         0         0 i <-/1>
*>i 100.65.176.0/20 10.11.11.11      100         0         0 i <-/1>
```

A FortiSASE administrator has configured FortiSASE as a spoke to a FortiGate hub. The tunnel is up to the FortiGate hub. However, the remote FortiClient is not able to access the web server hosted behind the FortiGate hub. Based on the exhibits, what is the reason for the access failure?

- A. The hub is not advertising the required routes.
- B. The server subnet BGP route was not received on FortiSASE.
- C. The hub firewall policy does not include the FortiClient address range.
- D. A private access policy has denied the traffic because of failed compliance

Answer: C

NEW QUESTION # 47

Refer to the exhibits.

Traffic logs

Log Details

Details Security

Web Filter With Inline-CASB

Category 50
Category Description Information and Computer Security
Direction outgoing
Event Type ftgd_allow
Hostname www.eicar.org
Message URL belongs to an allowed category in policy
Profile Group Default (Internet Access)
Request Type direct
Source Domain trainingAD.training.lab
Sub Type webfilter
Type utm
Timezone +0000
Unauthenticated User Source forticlient
URL https://www.eicar.org/

Application Control With Inline-CASB

Direction incoming
Event Type signature
Hostname www.eicar.org
Incident Serial No. 36709018
Message Web.Client: HTTPS.BROWSER
Source Domain trainingAD.training.lab
Sub Type app-ctrl
Type utm
Timezone +0000
Unauthenticated User Source forticlient
URL /

Security profile group

Profiles Profile resources

SSL inspection: Certificate inspection mode

Inspects the headers up to the SSL/TLS layer. Limited security profile functionality for HTTPS traffic.



Configure SSL

AntiVirus

Threats	Count	Inspected Protocols
No Data		HTTP SMTP POP3 IMAP FTP CIFS

View All View Logs

Web Filter With Inline-CASB

Threats	Count	Filters
No Data		Allow 8 Block 7 Exempt 0 Monitor 82 Warning 0 Disable 1

View All View Logs

Intrusion Prevention

Threats	Count	Intrusion Prevention
No Data		Recommended Scanning traffic for threats and applying recommendations Disabled

View All View Logs

Customize

A FortiSASE administrator has configured an antivirus profile in the security profile group and applied it to the internet access policy. Remote users are still able to download the eicar.com-zip file from <https://eicar.org>. Which configuration on FortiSASE is allowing users to perform the download?

- A. Application control is exempting all the browser traffic.
- **B. Deep inspection is not enabled.**
- C. Intrusion prevention is disabled.
- D. Web filter is allowing the URL.

Answer: B

Explanation:

The SSL inspection mode is set to certificate inspection, which only inspects SSL/TLS headers and does not allow full scanning of encrypted content. Without full (deep) inspection, the antivirus profile cannot scan or block malicious files (like eicar.com-zip) delivered over HTTPS, allowing the download to proceed.

NEW QUESTION # 48

Refer to the exhibits.

Secure private access service connection

The screenshot shows the configuration for a service connection named 'To_FortiGate'. The fields are: Remote Gateway (203.221.192.0), Authentication Method (Pre-shared Key), BGP Peer IP (10.11.11.1), and Network Overlay ID (100). The Fortinet logo is visible at the bottom.

The screenshot shows the 'Network Configuration' tab for a secure private access network connection. The fields are: BGP Routing Design (BGP per overlay), BGP Router ID Subnet (10.12.11.0/24), Autonomous System Number (ASN) (65001), BGP Recursive Routing (checked), Hub Selection Method (Hub Health and Priority), and Health Check IP (10.1.0.254). A blue information box explains that jitter, latency, and packet loss measurements are periodically obtained for each service connection via the Health Check IP, and that within each PoP, the highest priority service connection that meets minimum SLA requirements is selected. The Fortinet logo is visible at the bottom.

Firewall policy configuration

```
config firewall policy
  edit 5
    set name "Spoke-to-Spoke"
    set uuid 4d949462-216b-51ee-83c7-d8662fdf9451
    set srcintf "To_SASE"
    set dstintf "To_SASE"
    set action accept
    set srcaddr "all"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
    set comments "VPN: To_SASE (Created by VPN wizard)"
  next
  edit 6
    set name "Lo-BGP-HC"
    set uuid f5a12c92-216b-51ee-4882-88cd013d6acf
    set srcintf "To_SASE"
    set dstintf "SASE_Health"
    set action accept
    set srcaddr "all"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
  next
  edit 9
    set name "Spoke-to-Hub"
    set uuid 617b81ee-cc64-51ee-8da6-6cdf3ca2cca
    set srcintf "To_SASE"
    set dstintf "internal3"
    set action accept
    set srcaddr "all"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
  next
end
```

IPsec VPN configuration

```
# show vpn ipsec phase1-interface To_SASE
config vpn ipsec phase1-interface
  edit "To_SASE"
    set type dynamic
    set interface "wan1"
    set peertype any
    set net-device disable
    set mode-cfg enable
    set proposal aes128-sha256 aes256-sha256 aes128-sha1 aes256-sha1
    set add-route disable
    set dpd on-idle
    set comments "VPN: To_SASE (Created by VPN wizard)"
    set wizard-type hub-fortigate-auto-discovery
    set auto-discovery-sender enable
    set ipv4-start-ip 10.11.11.10
    set ipv4-end-ip 10.11.11.200
    set ipv4-netmask 255.255.255.0
    set unity-support disable
    set psksecret ENC Sb10igpvIFFYSpRZ/hyxQVUXv9NZm7uq1tD9v+BViPd+7RWizmUA3ZINn0zbsxq70F
    iYkPLkxanWIo7VLiipkye1xt84NAwEfmSjTqqf1dMj/phYvBI3hzU0yXq==
  next
end

# show vpn ipsec phase2-interface To_SASE
config vpn ipsec phase2-interface
  edit "To_SASE"
    set phase1name "To_SASE"
    set proposal aes128-sha1 aes256-sha1 aes128-sha256 aes256-sha256 aes128gcm aes256gcm
    set comments "VPN: To_SASE (Created by VPN wizard)"
  next
end
```

```

BGP protocol configuration
#config router bgp
set as 65001
set router-id 10.1.0.254
config neighbor
edit "10.10.1.3"
set advertisement-interval 1
set ebgp-enforce-multihop enable
set link-down-failover enable
set remote-as 65001
set route-reflector-client enable
next
end
config neighbor-group
edit "To_SASE"
set capability-graceful-restart enable
set link-down-failover enable
set next-hop-self enable
set interface "To_SASE"
set remote-as 65001
set additional-path both
set adv-additional-path 4
set route-reflector-client enable
next
end
config neighbor-range
edit 1
set prefix 10.11.11.0 255.255.255.0
set neighbor-group "To_SASE"
next
end
config network
edit 1
set prefix 10.190.190.0 255.255.255.0
next
end

```

A FortiSASE administrator is trying to configure FortiSASE as a spoke to a FortiGate hub. The VPN tunnel does not establish. Based on the provided configuration, what configuration needs to be modified to bring the tunnel up?

- A. FortiSASE spoke devices do not support mode config.
- **B. The hub needs IKEv2 enabled in the IPsec phase 1 settings.**
- C. NAT needs to be enabled in the Spoke-to-Hub firewall policy.
- D. The BGP router ID needs to match on the hub and FortiSASE.

Answer: B

NEW QUESTION # 49

Which two advantages does FortiSASE bring to businesses with microbranch offices that have FortiAP deployed for unmanaged devices? (Choose two.)

- A. It eliminates the requirement for an on-premises firewall.
- **B. It secures internet access both on and off the network.**
- C. It uses zero trust network access (ZTNA) tags to perform device compliance checks.
- **D. It simplifies management and provisioning.**

Answer: B,D

Explanation:

FortiSASE extends secure internet access to users regardless of their location and streamlines the management and provisioning of security policies and services for microbranch offices with unmanaged devices.

NEW QUESTION # 50

.....

We all know that it is of great important to pass the FCSS_SASE_AD-25 exam and get the certification for someone who wants to find a good job in internet area. I will recommend our study materials to you. The FCSS_SASE_AD-25 test materials are mainly through three learning modes, Pdf, Online and software respectively. Among them, the software model is designed for computer users, can let users through the use of Windows interface to open the FCSS_SASE_AD-25 Test Prep of learning.

