

Fortinet FCSS_EFW_AD-7.6 Valid Exam Questions | FCSS_EFW_AD-7.6 Reliable Test Topics



2026 Latest Lead1Pass FCSS_EFW_AD-7.6 PDF Dumps and FCSS_EFW_AD-7.6 Exam Engine Free Share:
<https://drive.google.com/open?id=1jEpi1Ny3CKQ2hlnJdx0VvhLNmQ-XBtO>

Lead1Pass Fortinet FCSS_EFW_AD-7.6 Practice Test dumps are doubtless the best reference materials compared with other FCSS_EFW_AD-7.6 exam related materials. If you still don't believe it, come on and experience it and then you will know what I was telling you was true. You can visit Lead1Pass.com to download our free demo. There are two versions of Lead1Pass dumps. The one is PDF version and another is SOFT version. You can experience it in advance. In this, you can check its quality for yourself.

The Lead1Pass wants to win the trust of FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) certification exam candidates. To achieve this objective Lead1Pass is presenting Valid, Real, and Updated FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) exam questions in three different formats. These formats have high demand in the market and offer the easiest and quick way for FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) exam preparation.

>> Fortinet FCSS_EFW_AD-7.6 Valid Exam Questions <<

FCSS_EFW_AD-7.6 Reliable Test Topics & New FCSS_EFW_AD-7.6 Test Labs

Here our FCSS_EFW_AD-7.6 exam braindumps are tailor-designed for you. Unlike many other learning materials, our FCSS - Enterprise Firewall 7.6 Administrator guide torrent is specially designed to help people pass the exam in a more productive and time-saving way, and such an efficient feature makes it a wonderful assistant in personal achievement as people have less spare time nowadays. On the other hand, FCSS_EFW_AD-7.6 Exam Braindumps are aimed to help users make best use of their sporadic time by adopting flexible and safe study access.

Fortinet FCSS - Enterprise Firewall 7.6 Administrator Sample Questions (Q53-Q58):

NEW QUESTION # 53

Refer to the exhibit.

Routing table on FortiGate_A

FortiGate_A # get router info routing-table all

Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP

O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area

V - BGP VPNv4

* - candidate default

Routing table for VRF=0

S* 0.0.0.0/0 [10/0] via 10.1.0.254, port1, [1/0]

C 10.1.0.0/24 is directly connected, port1

C 10.1.4.0/24 is directly connected, port3

B 100.64.1.0/24 [200/0] via 10.1.0.254 (recursive is directly connected, port1), 00:39:45, [1/0]

B 172.16.1.252/30 [200/0] via 10.1.0.1 (recursive is directly connected, port1), 00:42:48, [1/0]

C 172.16.100.0/24 is directly connected, port8

Routing table on FortiGate_B

FortiGate_B # get router info routing-table all

Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP

O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area

V - BGP VPNv4

* - candidate default

Routing table for VRF=0

S* 0.0.0.0/0 [10/0] via 10.1.0.254, port1, [1/0]

S 4.2.2.2/32 [10/0] via 10.1.5.254, port4, [1/0]

C 10.1.0.0/24 is directly connected, port1

B 10.1.4.0/24 [200/0] via 10.1.0.100 (recursive is directly connected, port1), 00:41:02, [1/0]

C 10.1.5.0/24 is directly connected, port4

B 100.64.1.0/24 [200/0] via 10.1.0.254 (recursive is directly connected, port1), 00:38:14, [1/0]

C 172.16.1.248/30 is directly connected, C0

C 172.16.1.252/30 is directly connected, A0

C 172.16.100.0/24 is directly connected, port8

FORTINET

The routing tables of FortiGate_A and FortiGate_B are shown. FortiGate_A and FortiGate_B are in the same autonomous system. The administrator wants to dynamically add only route 172.16.1.248/30 on FortiGate_A. What must the administrator configure?

- A. A BGP route map out for 172.16.1.248/30 on FortiGate_B
- B. Enable Redistribute Connected in the BGP section on FortiGate_B.
- C. The prefix 172.16.1.248/30 in the BGP Networks section on FortiGate_B
- D. A BGP route map in for 172.16.1.248/30 on FortiGate_A

Answer: A

Explanation:


FortiGate_A and FortiGate_B are in the same autonomous system (AS), and FortiGate_A does not currently have route 172.16.1.248/30 in its routing table. However, FortiGate_B has this route as a connected route.

To dynamically advertise only 172.16.1.248/30 from FortiGate_B to FortiGate_A, the administrator must configure a BGP route map out on FortiGate_B that specifically permits only this prefix.

A BGP route map out on FortiGate_B controls which routes FortiGate_B advertises to FortiGate_A. If no filtering is applied, FortiGate_B might advertise all BGP-learned and connected routes, which is not what the administrator wants. The route map should include a prefix-list that explicitly allows only 172.16.1.248/30 and denies everything else.

NEW QUESTION # 54

Refer to the exhibit, which shows the VDOM section of a FortiGate device.



An administrator discovers that webfilter stopped working in Core1 and Core2 after a maintenance window.

Which two reasons could explain why webfilter stopped working? (Choose two.)

- A. The root VDOM does not have access to FortiManager in a closed network.
- B. The root VDOM does not have a VDOM link to connect with the Core1 and Core2 VDOMs.
- C. The root VDOM does not have access to any valid public FDN.
- D. The Core1 and Core2 VDOMs must also be enabled as Management VDOMs to receive FortiGuard updates

Answer: B,C

Explanation:

Since Core1 and Core2 are not designated as management VDOMs, they rely on the root VDOM for connectivity to external resources such as FortiGuard updates. If the root VDOM lacks a VDOM link to these VDOMs or cannot reach FortiGuard services, security features like web filtering will stop working.

NEW QUESTION # 55

Why does the ISDB block layers 3 and 4 of the OSI model when applying content filtering? (Choose two.)

- A. FortiGate has a predefined list of all IPs and ports for specific applications downloaded from FortiGuard.
- B. The ISDB blocks the IP addresses and ports of an application predefined by FortiGuard.
- C. The ISDB limits access by URL and domain.
- D. The ISDB works in proxy mode, allowing the analysis of packets in layers 3 and 4 of the OSI model.

Answer: A,B

Explanation:

The Internet Service Database (ISDB) in FortiGate is used to enforce content filtering at Layer 3 (Network Layer) and Layer 4 (Transport Layer) of the OSI model by identifying applications based on their predefined IP addresses and ports.

FortiGate has a predefined list of all IPs and ports for specific applications downloaded from FortiGuard:

FortiGate retrieves and updates a predefined list of IPs and ports for different internet services from FortiGuard.

This allows FortiGate to block specific services at Layer 3 and Layer 4 without requiring deep packet inspection.

The ISDB blocks the IP addresses and ports of an application predefined by FortiGuard:

ISDB works by matching traffic to known IP addresses and ports of categorized services.

When an application or service is blocked, FortiGate prevents communication by denying traffic based on its destination IP and port number.

NEW QUESTION # 56

An administrator is setting up an ADVPN configuration and wants to ensure that peer IDs are not exposed during VPN establishment.

Which protocol can the administrator use to enhance security?

- A. Stick with IKEv1 main mode because it offers better performance.
- **B. Use IKEv2, which encrypts peer IDs and prevents exposure.**
- C. Choose IKEv1 aggressive mode because it simplifies peer identification.
- D. Opt for SSL VPN web mode because it does not use peer IDs at all.

Answer: B

Explanation:

In ADVPN (Auto-Discovery VPN) configurations, security concerns include protecting peer IDs during VPN establishment. Peer IDs are exchanged in the IKE (Internet Key Exchange) negotiation phase, and their exposure could lead to privacy risks or targeted attacks.

IKEv2 encrypts peer IDs, making it more secure compared to IKEv1, where peer IDs can be exposed in plaintext in aggressive mode.

IKEv2 also provides better performance and flexibility while supporting dynamic tunnel establishment in ADVPN.

NEW QUESTION # 57

An administrator applied a block-all IPS profile for client and server targets to secure the server, but the database team reported the application stopped working immediately after.

How can an administrator apply IPS in a way that ensures it does not disrupt existing applications in the network?

- A. Limit the IPS profile to server targets only to avoid blocking connections from the server to clients.
- B. Set the IPS profile signature action to default to discard all possible false positives.
- **C. Use an IPS profile with all signatures in monitor mode and verify patterns before blocking.**
- D. Select flow mode in the IPS profile to accurately analyze application patterns.

Answer: C

Explanation:

Applying an aggressive IPS profile without prior testing can disrupt legitimate applications by incorrectly identifying normal traffic as malicious. To prevent disruptions while still monitoring for threats:

Enable IPS in "Monitor Mode" first:

This allows FortiGate to log and analyze potential threats without actively blocking traffic.

Administrators can review logs and fine-tune IPS signatures to minimize false positives before switching to blocking mode.

Verify and adjust signature patterns:

Some signatures might trigger unnecessary blocks for legitimate application traffic.

By analyzing logs, administrators can disable or modify specific rules causing false positives.

NEW QUESTION # 58

.....

In the PDF version, Lead1Pass have included real FCSS_EFW_AD-7.6 exam questions. All the Selling FCSS - Enterprise Firewall

- Quiz 2026 Pass-Sure Fortinet FCSS_EFW_AD-7.6: FCSS - Enterprise Firewall 7.6 Administrator Valid Exam Questions
□ Search for ➡ FCSS_EFW_AD-7.6 □ and easily obtain a free download on ▶ www.troytecdumps.com ◀ □
□FCSS_EFW_AD-7.6 Latest Dumps Questions
- FCSS_EFW_AD-7.6 Test Engine □ FCSS_EFW_AD-7.6 Test Pass4sure □ FCSS_EFW_AD-7.6 Test Pass4sure □
□ Search for ➡ FCSS_EFW_AD-7.6 □ and download it for free immediately on ➡ www.pdfvce.com □ □Valid
FCSS_EFW_AD-7.6 Test Practice
- FCSS_EFW_AD-7.6 Valid Exam Questions - Hot FCSS_EFW_AD-7.6 Reliable Test Topics and Effective New FCSS -
Enterprise Firewall 7.6 Administrator Test Labs □ ▶ www.testkingpass.com ◀ is best website to obtain ➤
FCSS_EFW_AD-7.6 □ for free download □FCSS_EFW_AD-7.6 Latest Dumps Questions
- FCSS_EFW_AD-7.6 Valid Exam Questions - Hot FCSS_EFW_AD-7.6 Reliable Test Topics and Effective New FCSS -
Enterprise Firewall 7.6 Administrator Test Labs □ Open website ➡ www.pdfvce.com □□□ and search for 《
FCSS_EFW_AD-7.6》 for free download □FCSS_EFW_AD-7.6 Latest Dumps Questions
- Latest FCSS_EFW_AD-7.6 Exam Registration □ New FCSS_EFW_AD-7.6 Test Preparation □ Latest
FCSS_EFW_AD-7.6 Braindumps □ Easily obtain ➡ FCSS_EFW_AD-7.6 □ for free download through ✓
www.troytecdumps.com □✓□ □FCSS_EFW_AD-7.6 New Braindumps
- FCSS_EFW_AD-7.6 New Braindumps □ FCSS_EFW_AD-7.6 Latest Exam Labs □ Regular FCSS_EFW_AD-7.6
Update □ Open ▶ www.pdfvce.com ◀ and search for 《 FCSS_EFW_AD-7.6 》 to download exam materials for free □
□ExamFCSS_EFW_AD-7.6 Simulations
- Well FCSS_EFW_AD-7.6 Prep □ FCSS_EFW_AD-7.6 Valid Test Vce Free □ Well FCSS_EFW_AD-7.6 Prep □
Search for ☼ FCSS_EFW_AD-7.6 □☼□ and download it for free immediately on （ www.validtorrent.com ） □New
FCSS_EFW_AD-7.6 Test Cram
- FCSS_EFW_AD-7.6 Test Engine □ FCSS_EFW_AD-7.6 New Braindumps □ Well FCSS_EFW_AD-7.6 Prep □
Search for （ FCSS_EFW_AD-7.6 ） and download it for free on ➡ www.pdfvce.com □ website □
□FCSS_EFW_AD-7.6 Latest Exam Labs
- Role of www.examcollectionpass.com Fortinet FCSS_EFW_AD-7.6 Exam Questions in Getting the Highest-Paid Job □
Copy URL { www.examcollectionpass.com } open and search for 《 FCSS_EFW_AD-7.6 》 to download for free □
□FCSS_EFW_AD-7.6 Latest Exam Labs
- FCSS_EFW_AD-7.6 Test Pass4sure □ Latest FCSS_EFW_AD-7.6 Exam Registration □ Latest FCSS_EFW_AD-7.6
Exam Registration □ Easily obtain free download of▶ FCSS_EFW_AD-7.6 ◀ by searching on （ www.pdfvce.com ） □
□Regular FCSS_EFW_AD-7.6 Update
- 100% Pass 2026 Fortinet FCSS_EFW_AD-7.6: FCSS - Enterprise Firewall 7.6 Administrator Updated Valid Exam
Questions □ Search for □ FCSS_EFW_AD-7.6 □ and download it for free immediately on （ www.prepaywaypdf.com
） □Regular FCSS_EFW_AD-7.6 Update
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, bonich.org, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, blingsandblanksacademy.com, www.stes.tyc.edu.tw, Disposable vapes

BTW, DOWNLOAD part of Lead1Pass FCSS_EFW_AD-7.6 dumps from Cloud Storage: <https://drive.google.com/open?id=1jEpi1Ny3CKQ2hlnJdx0VvhLNmQ-XBtO>