

準備SAP C-ADBTP-2601試験は簡単に高品質のC-ADBTP-2601トレーニング: Administrating SAP Business Technology Platform(C_ADBTP_2601)



クライアントはC-ADBTP-2601試験問題を学習し、テストの準備をするのに20~30時間しかかかりません。多くの人は、C-ADBTP-2601テストの準備が必要だと不満を言うかもしれませんが、一方でCertShiken、仕事、学習、家族などの最も重要なことにほとんどの時間を費やさなければなりません。ただし、C-ADBTP-2601学習ガイドを購入すると、テストの準備に時間と労力がほとんどかからないため、最も重要なことをうまくやり、C-ADBTP-2601テストに簡単に合格できます。

当社CertShikenのすべての専門家および教授の唯一の目標は、すべての人々に最適で適切なC-ADBTP-2601学習教材を設計することです。多くの顧客のさまざまな要求に応じて、彼らはすべての顧客向けに3つの異なるバージョンのC-ADBTP-2601認定試験ガイド資料を設計しました: PDF、ソフト、およびAPPバージョン。弊社のC-ADBTP-2601試験問題を使用するすべての人がC-ADBTP-2601試験に合格し、関連する認定資格を取得できることを心から願っています。そして、C-ADBTP-2601試験問題の合格率は98%以上です。

>> C-ADBTP-2601トレーニング <<

SAP C-ADBTP-2601試験問題 & C-ADBTP-2601認定内容

コンテンツの更新に加えて、C-ADBTP-2601トレーニング資料のシステムも更新されます。ご意見がありましたら、私たちの共通の目標は、ユーザーが満足する製品を作成することであると言えます。学習を開始した後、メールをチェックするための固定時間を設定できることを願っています。C-ADBTP-2601実践ガイドまたはシステムの内容が更新された場合、更新された情報を電子メールアドレスに送信します。もちろん、製品の更新状況については、当社の電子メールをご覧ください。C-ADBTP-2601模擬試験を使用してC-ADBTP-2601試験に合格するように協力できることを願っています。

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) 認定 C-ADBTP-2601 試験問題 (Q10-Q15):

質問 # 10

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name *
EU HCM Dev

Region *
Europe (Frankfurt) - AWS

Description
Human Resources Development

Subdomain * ⓘ
btpops xxxx-eu-hcm-dev

Parent *
Eurasia

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Create Subaccount

Display Name*

Description

Region*

Subdomain*

Parent*

Used for production

Enable beta features

Add labels to this subaccount.

Name: Values:

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount. This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test
under Human Resources.

Name	Environment	Provider	Region	Changed On
BTP Admin Certification XXXXX	Directory			March 26, 2026, 5:11:2...
Americas	Directory			March 26, 2026, 3:27:5...
Partner	Directory			March 26, 2026, 3:30:3...
AM FR Dev Test	Subaccount	Microsoft Azure	US West (OR)	March 26, 2026, 3:35:3...
AM FR Prod	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2026, 3:39:3...
Eurasia	Directory			March 26, 2026, 3:28:2...
Human Resources	Directory			March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Test	Subaccount	Multi-Environment Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:45:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btppops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name*

Region*

Subdomain*

Description

Parent*

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name: Values:

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev
Description: Human Resources Development
Subdomain: btpops####-eu-hcm-dev
Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10
2. EU HCM Test
Description: Human Resources Testing
Subdomain: btpops####-eu-hcm-test
Source Subaccount: EU HCM Dev
3. EU HCM Prod
Description: Human Resources Production
Subdomain: btpops####-eu-hcm-prod
Source Subaccount: EU HCM Dev
Used in Production: Yes

Directories and Subaccounts Subaccounts (5)

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WR)	March 26, 2026, 3:39:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WR)	March 26, 2026, 3:39:3...
Europe	Directory				March 26, 2026, 3:28:2...
Human Resources	Directory				March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory
All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

質問 # 11

SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Create Subaccount

Display Name *
AM PA Dev Test

Description
Partner Development and Testing

Region *
US West (WA)

Subdomain * ⓘ
btpops xxxx-am-pa-dev-test

Parent *
Partner

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the

source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.



A screenshot of the SAP BTP account list. The table shows several accounts with columns for Name, Type, Environment, Provider, Region, and Changed On. The account 'AM PA Dev Test' is highlighted in blue. A large 'SAP' watermark is visible across the image.

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 9:11:2...
Partner	Directory				March 26, 2026, 9:27:5...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 26, 2026, 9:29:3...

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:


Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

Create Subaccount



A screenshot of the SAP 'Create Subaccount' form. The form is titled 'Create Subaccount' and contains several input fields and checkboxes. The 'Display Name' field is filled with 'AM PA Prod'. The 'Description' field is filled with 'Partner Production'. The 'Region' dropdown is set to 'US West (WA)'. The 'Subdomain' field is filled with 'btpops xxxx-am-pa-prod'. The 'Parent' dropdown is set to 'Partner'. Under the 'Advanced' section, the 'Used for production' checkbox is checked. There are also fields for 'Add labels to this subaccount' with 'Name' and 'Values' input boxes. At the bottom, there are 'Create' and 'Cancel' buttons. A large 'SAP' watermark is visible across the image.

Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes



The screenshot shows the SAP BTP Cockpit interface with a tree view on the left and a table of accounts on the right. The tree view shows the hierarchy: STP Admin Certification (XXXX) > Americas > Partner > AM PA Dev Test > AM PA Prod. The table lists the following accounts:

Name	Type	Environment	Provider	Region	Changed On
STP Admin Certification (XXXX)	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Envi...	Microsoft Azure	US West (WA)	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Envi...	Microsoft Azure	US West (WA)	March 26, 2026, 3:39:3...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

質問 # 12

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.



Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.




Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.



Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.



Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Directory Partner: Add Service Plans

Solutions: All sap

Services available to this directory

- business process model connector for SAP Signavio solutions
- Master Data Integration
- SAP Build Work Zone, advanced edition
- SAP Build Work Zone, standard edition**
- SAP Master Data Integration Tenant
- SAP Task Center

1 selected plan
Services: SAP Build Work Zone, standard edition (1 plan)

Service Details: SAP Build Work Zone, standard edition

- foundation **Always Free**
Sets up the technical requirements for running SAP solutions that utilize the foundation service, such as SAP Start. Please don't manually subscribe to it.
Features: Sets up the technical requirements for running SAP solutions that utilize the foundation service, such as SAP Start. Please don't manually subscribe to it.
> Availability by Region and Data Center
> Entitlement Sources
- standard (Application)**
Build business sites that serve as a unified entry point to applications.
> Availability by Region and Data Center
Expand/Collapse
> Entitlement Sources
- foundation (Application) **Always Free**
Sets up the technical requirements for running SAP solutions that utilize the foundation service, such as SAP Start. Please don't manually subscribe to it.
> Availability by Region and Data Center
> Entitlement Sources

Add 1 Service Plan Cancel

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Log in to the SAP BTP Cockpit.
Make sure you are inside the correct Global Account.
Open the left-side navigation menu.
Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name * Americas

Description Americas Accounts

Parent * BTP Admin Certification xxxx

> **Advanced**

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation:

This creates a top-level directory directly under the global account.
It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name* Eurasia

Description Eurasia Accounts

Parent* BTP Admin Certification xxxxx

> Advanced

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas


Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.



Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification xxxxx	Global Account				March 25, 2026, 5:12:2...
Americas	Directory				March 26, 2026, 3:27:5...
Eurasia	Directory				March 26, 2026, 3:28...

Context menu for 'Americas':

- Edit
- Go to Overview
- More Info
- Create Directory
- Create Subaccount
- Delete

Select Parent

Search

Show only directories I can create in [Expand All](#) [Collapse All](#)

▼ BTP Admin Certification **xxxx**

- Americas
- Eurasia

[Select](#) [Cancel](#)

Create Directory

Display Name*

Partner

Description

Partner Accounts

Parent*

Americas

▼ Advanced

Enable entitlement management

Enable user management

Add labels to this directory.

Name:

access

Values:

external



[Create](#)

[Cancel](#)

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

The screenshot shows the 'Create Directory' form in SAP. The 'Display Name' field contains 'Human Resources' and the 'Description' field contains 'Human Resources Accounts'. The 'Parent' dropdown is set to 'Eurasia'. Below the form, there are checkboxes for 'Enable entitlement management' (checked) and 'Enable user management' (unchecked). The 'Add labels to this directory' section shows a table with one label: 'access' with a value of 'internal'. The 'Create' button is highlighted in blue.

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal



Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

質問 # 14

.....

SAP C-ADBTP-2601テスト質問の回答を注文する予定です。クレジットカードが必要です。ほとんどの場合、クレジットカードをサポートしています。デビットカードをお持ちの場合は、クレジットカードを申請するか、他の友人にC-ADBTP-2601テスト質問の回答の支払いを手伝ってもらってください。通常、候補者はPayPalで支払うことをお勧めします。ここでは、PayPalアカウントを持っている必要はありません。[PayPal]をクリックすると、クレジットカード支払いに振り替えられます。C-ADBTP-2601テストの質問の回答にSWREG支払いを選択した場合、一部の国では追加の税金がかかります。

C-ADBTP-2601試験問題: <https://www.certshiken.com/C-ADBTP-2601-shiken.html>

しかも、CertShikenのC-ADBTP-2601問題集はあなたが一回で試験に合格することを保証します、SAP C-ADBTP-2601トレーニング その後、我々はあなたの有効なメールボックスに製品を送ります、SAP C-ADBTP-2601トレーニング 知識を効果的かつ迅速に、当社はサービス全体を非常に重視しており、C-ADBTP-2601試験資料の配信に問題がある場合：Administrating SAP Business Technology Platform(C_ADBTP_2601)、お知らせください、SAPのC-ADBTP-2601の認定試験証明書を取りたいなら、CertShikenが貴方達を提供した資料をかったら、お得です、SAP C-ADBTP-2601トレーニング IT業界の発展とともに、IT業界で働いている人への要求がますます高くなります、どうしてCertShikenのSAPのC-ADBTP-2601試験トレーニング資料はほかのトレーニング資料よりはるかに人気があるのでしょうか。

あなた、本当に、自分の思い通りに物事が進まない、機嫌悪くするんだからいC-ADBTP-2601い加減、そういう性格、直さないよ、一連の動作に見惚れている内に、月島の精液でぬるついた秘部に熱を突き込まれ、まだ敏感な内部を刺激されて脚が跳ねた。

一番優秀なC-ADBTP-2601トレーニング試験-試験の準備方法-高品質なC-ADBTP-2601試験問題

しかも、CertShikenのC-ADBTP-2601問題集はあなたが一回で試験に合格することを保証します、その後、我々はあなたの有効なメールボックスに製品を送ります、知識を効果的かつ迅速に、当社はサービス全体を非常に重視しており、C-ADBTP-2601試験資料の配信に問題がある場合：Administrating SAP Business Technology Platform(C_ADBTP_2601)、お知らせください。

SAPのC-ADBTP-2601の認定試験証明書を取りたいなら、CertShikenが貴方達を提供した資料をかったら、お得です。

- 最新のSAPのC-ADBTP-2601試験の練習問題と解答を無料でダウンロードする 今すぐ[www.mogixexam.com]を開き、「C-ADBTP-2601」を検索して無料でダウンロードしてくださいC-ADBTP-2601技術問題
- 有用的なC-ADBTP-2601トレーニング | 最初の試行で簡単に勉強して試験に合格する - 100%パスレート C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601) URL 【 www.goshiken.com 】をコピーして開き、【 C-ADBTP-2601 】を検索して無料でダウンロードしてくださいC-ADBTP-2601模擬練習
- 試験の準備方法-最新のC-ADBTP-2601トレーニング試験-ユニークなC-ADBTP-2601試験問題 (www.xhs1991.com) サイトにて最新[C-ADBTP-2601]問題集をダウンロードC-ADBTP-2601日本語認定対策
- C-ADBTP-2601試験の準備方法 | 更新するC-ADBTP-2601トレーニング試験 | 権威のあるAdministrating SAP Business Technology Platform(C_ADBTP_2601)試験問題 ▶ www.goshiken.com ◀には無料の (C-ADBTP-2601) 問題集がありますC-ADBTP-2601日本語版試験解答
- 楽にSAP C-ADBTP-2601認定試験の準備を完了したい? 【 www.mogixexam.com 】で使える無料オンライン版 C-ADBTP-2601 の試験問題C-ADBTP-2601試験復習
- 楽にSAP C-ADBTP-2601認定試験の準備を完了したい? ウェブサイト【 www.goshiken.com 】から☀ C-ADBTP-2601 ☀を開いて検索し、無料でダウンロードしてくださいC-ADBTP-2601日本語版試験解答
- C-ADBTP-2601関連日本語内容 C-ADBTP-2601合格率書籍 C-ADBTP-2601日本語認定対策 ウェブサイト▶ www.mogixexam.com から{ C-ADBTP-2601 }を開いて検索し、無料でダウンロードしてくださいC-ADBTP-2601合格率書籍
- C-ADBTP-2601試験の準備方法 | 更新するC-ADBTP-2601トレーニング試験 | 権威のあるAdministrating SAP Business Technology Platform(C_ADBTP_2601)試験問題 ウェブサイト「 www.goshiken.com 」から⇒ C-ADBTP-2601 ⇐を開いて検索し、無料でダウンロードしてくださいC-ADBTP-2601復習資料
- C-ADBTP-2601試験合格攻略 C-ADBTP-2601テストトレーニング C-ADBTP-2601ソフトウェア ▶ www.passtest.jp で C-ADBTP-2601 を検索し、無料でダウンロードしてくださいC-ADBTP-2601テストトレーニング
- 試験の準備方法-最新のC-ADBTP-2601トレーニング試験-ハイパスレートのC-ADBTP-2601試験問題 検索するだけで▶ www.goshiken.com から{ C-ADBTP-2601 }を無料でダウンロードC-ADBTP-2601試験復習
- C-ADBTP-2601試験の準備方法 | 真実的なC-ADBTP-2601トレーニング試験 | 有難いAdministrating SAP Business Technology Platform(C_ADBTP_2601)試験問題 www.xhs1991.com サイトで✓ C-ADBTP-2601 ✓の最新問題が使えるC-ADBTP-2601ブロンズ教材
- anyalldh685009.izrablog.com, thekiwisocial.com, www.stes.tyc.edu.tw, jessegoar181742.shivawiki.com, idazrtv480414.verybigblog.com, myaxdsb262101.yomoblog.com, emilievkfh408469.dekaronwiki.com, aishavgtz196182.blog-kids.com, addirectoryurl.com, bookmarkfame.com, Disposable vapes