


# Three Easy-to-Use and Compatible ExamBoosts SAP C\_BW4H\_2505 Exam Questions



www.ERPPrep.com  
This SAP Certified Associate - Data Engineer - SAP BW/4HANA (C\_BW4H\_2505) exam guide is your strategic resource for mastering the core topics and passing the certification on your first attempt. It includes a comprehensive syllabus breakdown, key exam details, recommended study materials, and a curated set of realistic sample questions. Learn critical concepts such as SAP BW/4HANA modeling, data acquisition, query design, native HANA modeling, and analytics tools. This guide ensures you stay focused on high-impact areas, helping you earn your SAP certification with confidence.

What's more, part of that ExamBoosts C\_BW4H\_2505 dumps now are free: <https://drive.google.com/open?id=1ZCJkCW2Vuzn4N3mz7fCoueIHCv3YWQMZ>

Here in this Desktop practice test software, the SAP Certified Associate - Data Engineer - SAP BW/4HANA (C\_BW4H\_2505) practice questions given are very relevant to the actual SAP C\_BW4H\_2505 exam. It is compatible with Windows computers. ExamBoosts provides its valued customers with customizable SAP Certified Associate - Data Engineer - SAP BW/4HANA (C\_BW4H\_2505) practice exam sessions. The SAP C\_BW4H\_2505 practice test software also keeps track of the previous SAP C\_BW4H\_2505 practice exam attempts.

## SAP C\_BW4H\_2505 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Native SAP HANA Modeling: This section evaluates the ability of SAP Consultants to describe and apply native modeling options in SAP HANA. It emphasizes understanding how to build optimized data structures directly within the HANA platform.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>InfoObjects and InfoProviders: This section tests the knowledge of Data Engineers in working with InfoObjects and InfoProviders in SAP BW</li><li>4HANA. It involves handling data structures used for organizing, storing, and accessing analytical data.</li></ul>

Topic 3	<ul style="list-style-type: none"> <li>• <b>Fundamentals:</b> This section of the exam measures the foundational understanding of SAP Consultants and covers essential terms and concepts related to SAP BW</li> <li>• <b>4HANA and SAP Business Data Cloud.</b> It focuses on the core framework and architecture necessary to navigate and work with these platforms.</li> </ul>
Topic 4	<ul style="list-style-type: none"> <li>• <b>SAP BW</b></li> <li>• <b>4HANA Modeling:</b>This section targets the skills of Data Engineers in selecting appropriate modeling options and applying best practices like LSA++ within SAP BW</li> <li>• <b>4HANA.</b> It focuses on designing scalable, high-performing data models.</li> </ul>
Topic 5	<ul style="list-style-type: none"> <li>• <b>SAP BW Query Design:</b> This section of the exam assesses the ability of Data Engineers to create and run queries using SAP BW</li> <li>• <b>4HANA.</b> It evaluates how well candidates can work with query components to retrieve and structure data effectively for reporting and analysis.</li> </ul>
Topic 6	<ul style="list-style-type: none"> <li>• <b>Data Acquisition into SAP HANA:</b> This section evaluates the capacity of SAP Consultants to integrate various data sources into SAP HANA. It assesses their ability to understand different ingestion techniques and ensure data accessibility for processing.</li> </ul>
Topic 7	<ul style="list-style-type: none"> <li>• <b>SAP Analytics Tools and SAP Analytics Cloud:</b> This section evaluates the skills of SAP Consultants in using tools like SAP Analytics Cloud, Lumira, and Analysis for Office to visualize and interpret data. It focuses on the consultant's ability to apply business intelligence tools within the SAP ecosystem.</li> </ul>

>> C\_BW4H\_2505 Exam Material <<

## SAP C\_BW4H\_2505 Practice Exams | Exam C\_BW4H\_2505 Topic

I believe that people want to have good prospects of career whatever industry they work in. Of course, there is no exception in the competitive IT industry. IT Professionals working in the IT area also want to have good opportunities for promotion of job and salary. A lot of IT professional know that SAP Certification C\_BW4H\_2505 Exam can help you meet these aspirations. ExamBoosts is a website which help you successfully pass SAP C\_BW4H\_2505.

### SAP Certified Associate - Data Engineer - SAP BW/4HANA Sample Questions (Q36-Q41):

#### NEW QUESTION # 36

Which features of an SAP BW/4HANA InfoObject are intended to reduce physical data storage space? Note: There are 2 correct answers to this question.

- **A. Transitive attribute**
- **B. Reference characteristic**
- C. Compounding characteristic
- D. Enhanced master data update

**Answer: A,B**

#### NEW QUESTION # 37

Where can you assign analysis authorizations? Note: There are 2 correct answers to this question.

- A. In transaction SU01 directly to a user
- B. In transaction PFCG to a role using the authorization object S\_RS\_AUTH
- **C. In transaction PFCG to a role using the authorization object S\_RS\_AO**
- **D. In transaction RSEADMIN directly to a user**

**Answer: C,D**

Explanation:

Analysis authorizations in SAP BW/4HANA are used to restrict access to data based on specific criteria, such as organizational units or regions. These authorizations ensure that users can only view data they are authorized to access. Below is a detailed explanation of why the correct answers are A and B:

\* Correct: The RSECADMIN transaction is specifically designed for managing analysis authorizations in SAP BW/4HANA. You can assign analysis authorizations directly to a user in this transaction. This approach is useful when you need to apply fine-grained access control at the individual user level.

Option A: In transaction RSECADMIN directly to a user

\* Correct: The PFCG transaction is used for role-based authorization management in SAP systems. By assigning the authorization object S\_RS\_AO (which controls access to InfoProviders and queries) to a role, you can define analysis authorizations at the role level. This ensures that all users assigned to the role inherit the same data access restrictions.

Option B: In transaction PFCG to a role using the authorization object S\_RS\_AO

\* Incorrect: While SU01 is used to maintain user master data, it is not the appropriate transaction for assigning analysis authorizations. Analysis authorizations are managed either through RSECADMIN (directly to users) or PFCG (via roles).

Option C: In transaction SU01 directly to a user

\* Incorrect: The authorization object S\_RS\_AUTH is not used for managing analysis authorizations.

Instead, S\_RS\_AO is the correct authorization object for controlling access to data in SAP BW/4HANA.

Option D: In transaction PFCG to a role using the authorization object S\_RS\_AUTH

\* SAP BW/4HANA Security Guide: Explains the use of RSECADMIN and PFCG for managing analysis authorizations.

\* SAP Help Portal: Provides details on the authorization object S\_RS\_AO and its role in restricting data access.

\* SAP Data Fabric Architecture: Highlights the importance of role-based and user-based access control in ensuring data security.

References to SAP Data Engineer - Data Fabric Concepts

### NEW QUESTION # 38

What are the prerequisites for deleting business partner attribute master data in SAP BW/4HANA? Note:

There are 2 correct answers to this question.

- A. In SAP BW/4HANA there must be no hierarchy data related to business partner values that should be deleted.
- B. In SAP BW/4HANA there must be no analysis authorizations related to business partner values that should be deleted
- C. There must be no transaction data in a DataStore Object (advanced) referring to business partner values that should be deleted.
- D. There must be no BW query as InfoProvider in SAP BW/4HANA that uses business partner as a free characteristic.

**Answer: B,C**

Explanation:

Deleting master data in SAP BW/4HANA requires careful consideration of dependencies to ensure data integrity and system stability. Below is a detailed explanation of the prerequisites for deleting business partner attribute master data:

\* Explanation: While it is important to ensure that queries do not rely on specific master data values, this is not a strict prerequisite for deleting master data. Queries using business partner as a free characteristic will not prevent the deletion of master data, as long as there are no active dependencies such as transaction data or authorizations tied to those values.

\* SAP BW/4HANA allows master data deletion even if queries reference the characteristic, provided there are no underlying dependencies like transaction data or authorizations.

Option B: In SAP BW/4HANA there must be no hierarchy data related to business partner values that should be deleted

Explanation: While hierarchy data can be associated with master data, the presence of hierarchies does not directly prevent the deletion of master data. Hierarchies can be adjusted or removed independently of the master data deletion process. Therefore, this is not a prerequisite.

Reference: SAP documentation does not list hierarchy data as a blocking factor for master data deletion unless the hierarchy itself has active dependencies.

Option C: There must be no transaction data in a DataStore Object (advanced) referring to business partner values that should be deleted

Explanation: Transaction data in a DataStore Object (advanced) creates a dependency on the master data. If transaction data references specific business partner values, those values cannot be deleted until the transaction data is either archived or removed. This ensures data consistency and prevents orphaned records.

Reference: SAP BW/4HANA enforces this rule to maintain referential integrity between master data and transactional data. Deleting master data without addressing transaction data would lead to inconsistencies.

Option D: In SAP BW/4HANA there must be no analysis authorizations related to business partner values that should be deleted

Explanation: Analysis authorizations define access restrictions based on master data values. If analysis authorizations are configured to restrict access using specific business partner values, those values cannot be deleted until the authorizations are updated or removed. This ensures that security settings remain valid and consistent.

Reference: SAP BW/4HANA checks for dependencies in analysis authorizations before allowing master data deletion. Failing to

address these dependencies can result in authorization errors.

### NEW QUESTION # 39

Which of the following are possible delta-specific fields for a generic DataSource in SAP S/4HANA? Note: There are 3 correct answers to this question.

- A. Time stamp
- B. Record mode
- C. Calendar day
- D. Numeric pointer
- E. Request ID

**Answer: A,C,D**

### NEW QUESTION # 40

InfoObject "CITY" is defined as a display attribute for InfoObject "CUSTOMER". InfoObject "COUNTRY" is defined as a display attribute for InfoObject "CITY". In a master data report you want to display the "COUNTRY" of a "CUSTOMER".

Which options do you have to realize this scenario? Note: There are 3 correct answers to this question.

- A. Include "CUSTOMER" to the rows in the BW Query on "CUSTOMER" activate the Universal Display Hierarchy setting.
- B. Combine "CUSTOMER" "CITY" "COUNTRY" in an Open ODS View using a sequence of associations.
- C. Combine "CUSTOMER" "CITY" "COUNTRY" in a Composite Provider using a sequence of left outer join operators.
- D. Generate external views for "CUSTOMER" "CITY" "COUNTRY" join them in another calculation view.
- E. Add "COUNTRY" as a transitive attribute for "CUSTOMER" in InfoObject definition.

**Answer: C,D,E**

Explanation:

To display the "COUNTRY" of a "CUSTOMER" in a master data report, you need to establish a relationship between these InfoObjects. Below is an explanation of the correct answers:

B). Generate external views for "CUSTOMER", "CITY", "COUNTRY" join them in another calculation view. This approach leverages SAP HANA's native capabilities to model data relationships. By generating external views for each InfoObject ("CUSTOMER", "CITY", "COUNTRY"), you can create a calculation view that joins these views based on their relationships. This method is particularly useful for real-time reporting and ensures optimal performance by utilizing SAP HANA's in-memory processing.

\* The SAP BW/4HANA Modeling Guide highlights the ability to generate external HANA views for InfoObjects and combine them in calculation views for advanced reporting scenarios.

C). Combine "CUSTOMER", "CITY", "COUNTRY" in a Composite Provider using a sequence of left outer join operators. A Composite Provider can be used to combine data from multiple InfoObjects or InfoProviders.

By defining a sequence of left outer joins, you can link "CUSTOMER" to "CITY" and "CITY" to

"COUNTRY". This approach is suitable for scenarios where the data resides in different InfoProviders or when you need to create a unified view for reporting.

Reference: The SAP BW/4HANA Query Design Guide explains how Composite Providers can use join operators to combine data from multiple sources, enabling complex reporting scenarios.

D). Add "COUNTRY" as a transitive attribute for "CUSTOMER" in InfoObject definition. A transitive attribute allows you to define indirect relationships between InfoObjects. By adding "COUNTRY" as a transitive attribute of "CUSTOMER", you can directly access "COUNTRY" in reports without explicitly modeling the intermediate relationship with "CITY". This simplifies the reporting process and ensures that the relationship is maintained automatically.

Reference: The SAP BW/4HANA InfoObject Modeling Guide describes the concept of transitive attributes and their role in simplifying master data reporting.

Incorrect Options  
A. Include "CUSTOMER" to the rows in the BW Query on "CUSTOMER" activate the Universal Display Hierarchy setting. The Universal Display Hierarchy setting is used to display hierarchical relationships in a query. However, it does not address the requirement to display "COUNTRY" as an attribute of "CUSTOMER". This option is irrelevant to the scenario.

Reference: The SAP BW/4HANA Query Design Guide confirms that Universal Display Hierarchy is specific to hierarchical data and does not apply to attribute relationships.

E). Combine "CUSTOMER", "CITY", "COUNTRY" in an Open ODS View using a sequence of associations. While Open ODS Views support associations to model relationships, they are not designed to handle complex attribute relationships like those required in this scenario. Open ODS Views are better suited for real-time reporting on raw data rather than master data attributes.

Reference: The SAP BW/4HANA Modeling Guide states that Open ODS Views are limited in their ability to model complex attribute relationships.

Conclusion The three correct options to realize the scenario of displaying the "COUNTRY" of a "CUSTOMER" in a master data report are:

Generate external views for "CUSTOMER", "CITY", "COUNTRY" and join them in another calculation view.

Combine "CUSTOMER", "CITY", "COUNTRY" in a Composite Provider using a sequence of left outer join operators.

Add "COUNTRY" as a transitive attribute for "CUSTOMER" in InfoObject definition.

These approaches leverage the flexibility and power of SAP BW/4HANA and SAP HANA to model and report on complex master data relationships.

## NEW QUESTION # 41

.....

In order to meet the upcoming C\_BW4H\_2505 exam, we believe you must be anxiously searching for relevant test materials. After all, it may be difficult to pass the exam just on your own, so we're honored you can see this message today because our C\_BW4H\_2505 Guide quiz can solve your problems. Since inception, our company has devoted itself to studying the proposition outlines of various examinations so as to design materials closely to the contents of these C\_BW4H\_2505 exams.

**C\_BW4H\_2505 Practice Exams:** [https://www.examboosts.com/SAP/C\\_BW4H\\_2505-practice-exam-dumps.html](https://www.examboosts.com/SAP/C_BW4H_2505-practice-exam-dumps.html)

- C\_BW4H\_2505 Lead2pass Review □ Exam C\_BW4H\_2505 Objectives Pdf □ C\_BW4H\_2505 Demo Test □ Open website ➡ [www.practicevce.com](http://www.practicevce.com) □ and search for ⇒ C\_BW4H\_2505 ⇐ for free download □ C\_BW4H\_2505 Exam Papers
- Reliable C\_BW4H\_2505 Test Bootcamp □ C\_BW4H\_2505 Valid Test Simulator □ C\_BW4H\_2505 Valid Test Forum □ Search for ➡ C\_BW4H\_2505 □□□ and download it for free immediately on □ [www.pdfvce.com](http://www.pdfvce.com) □ □ □ Actual C\_BW4H\_2505 Test Answers
- C\_BW4H\_2505 Valid Test Forum □ C\_BW4H\_2505 100% Exam Coverage □ C\_BW4H\_2505 Demo Test □ Search for [ C\_BW4H\_2505 ] and obtain a free download on ➡ [www.easy4engine.com](http://www.easy4engine.com) □ □ 100% C\_BW4H\_2505 Accuracy
- Free PDF C\_BW4H\_2505 - SAP Certified Associate - Data Engineer - SAP BW/4HANA –Efficient Exam Material □ Search for ☀ C\_BW4H\_2505 □☀□ and obtain a free download on ▷ [www.pdfvce.com](http://www.pdfvce.com) ◁ □ C\_BW4H\_2505 Online Training
- Pass Guaranteed Quiz SAP - High Pass-Rate C\_BW4H\_2505 - SAP Certified Associate - Data Engineer - SAP BW/4HANA Exam Material □ Download 《 C\_BW4H\_2505 》 for free by simply searching on ⇒ [www.practicevce.com](http://www.practicevce.com) ⇐ □ C\_BW4H\_2505 Reliable Exam Vce
- Free PDF C\_BW4H\_2505 - SAP Certified Associate - Data Engineer - SAP BW/4HANA –Efficient Exam Material □ Search for □ C\_BW4H\_2505 □ and download it for free on ➡ [www.pdfvce.com](http://www.pdfvce.com) □ website □ Vce C\_BW4H\_2505 Download
- Latest SAP C\_BW4H\_2505: SAP Certified Associate - Data Engineer - SAP BW/4HANA Exam Material - Authoritative [www.prepawaypdf.com](http://www.prepawaypdf.com) C\_BW4H\_2505 Practice Exams □ Open □ [www.prepawaypdf.com](http://www.prepawaypdf.com) □ and search for □ C\_BW4H\_2505 □ to download exam materials for free □ C\_BW4H\_2505 Lead2pass Review
- C\_BW4H\_2505 Reliable Exam Vce □ C\_BW4H\_2505 Knowledge Points □ C\_BW4H\_2505 Valid Test Forum □ The page for free download of □ C\_BW4H\_2505 □ on 【 [www.pdfvce.com](http://www.pdfvce.com) 】 will open immediately □ □ C\_BW4H\_2505 Valid Test Simulator
- C\_BW4H\_2505 Valid Guide Files □ Reliable C\_BW4H\_2505 Test Bootcamp □ C\_BW4H\_2505 Latest Test Labs □ □ Copy URL 「 [www.troytecdumps.com](http://www.troytecdumps.com) 」 open and search for ➡ C\_BW4H\_2505 □□□ to download for free □ □ 100% C\_BW4H\_2505 Accuracy
- Updated SAP C\_BW4H\_2505 Exam Material - C\_BW4H\_2505 Free Download □ Open ▷ [www.pdfvce.com](http://www.pdfvce.com) ◁ and search for ▶ C\_BW4H\_2505 ◀ to download exam materials for free □ C\_BW4H\_2505 Lead2pass Review
- C\_BW4H\_2505 Lead2pass Review □ Actual C\_BW4H\_2505 Test Answers □ C\_BW4H\_2505 Demo Test □ Easily obtain free download of 【 C\_BW4H\_2505 】 by searching on 【 [www.easy4engine.com](http://www.easy4engine.com) 】 □ C\_BW4H\_2505 Exam Forum
- [bookmarks-hit.com](http://bookmarks-hit.com), [lucygtfe133767.plpwiki.com](http://lucygtfe133767.plpwiki.com), [fraserpqoz147982.blogaritma.com](http://fraserpqoz147982.blogaritma.com), [nelsonyqon937912.plpwiki.com](http://nelsonyqon937912.plpwiki.com), [shanialkxj573509.get-blogging.com](http://shanialkxj573509.get-blogging.com), [brianpsgi056229.csublogs.com](http://brianpsgi056229.csublogs.com), [mattixazq942446.wikikali.com](http://mattixazq942446.wikikali.com), [linkedbookmarker.com](http://linkedbookmarker.com), [janamxsl085395.ambien-blog.com](http://janamxsl085395.ambien-blog.com), [e-bookmarks.com](http://e-bookmarks.com), Disposable vapes

2026 Latest ExamBoosts C\_BW4H\_2505 PDF Dumps and C\_BW4H\_2505 Exam Engine Free Share:

<https://drive.google.com/open?id=1ZCJkCW2Vuzn4N3mz7fC0uelHCv3YWQMZ>