

FCSS_EFW_AD-7.6 Valid Test Blueprint - FCSS_EFW_AD-7.6 Reliable Exam Cram



FCSS_EFW_AD-7.6 training dumps are created in the most unique, customized way so it can cover different areas of exam with the Quality and Price of the product which is unmatched by our Competitors. The 100% guarantee pass pass rate of FCSS_EFW_AD-7.6 training materials that guarantee you to pass your Exam and will not permit any type of failure. You will find every question and answer within FCSS_EFW_AD-7.6 Training Materials that will ensure you get any high-quality certification you're aiming for.

Fortinet FCSS_EFW_AD-7.6 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• Routing: This section of the exam measures the skills of a Network Infrastructure Engineer and covers the implementation of dynamic routing protocols for enterprise network traffic management. It includes configuring both OSPF and BGP routing protocols to ensure efficient and reliable data transmission across complex organizational networks.
Topic 2	<ul style="list-style-type: none">• Central Management: This section of the exam measures the skills of a Security Operations Manager and covers the implementation of centralized management systems for coordinated control and oversight of distributed Fortinet security infrastructures across enterprise environments.
Topic 3	<ul style="list-style-type: none">• System Configuration: This section of the exam measures the skills of a Network Security Architect and covers the implementation and integration of core Fortinet infrastructure components. It includes deploying the Security Fabric, enabling hardware acceleration, configuring high availability operational modes, and designing enterprise networks utilizing VLANs and VDOM technologies to meet specific organizational requirements.
Topic 4	<ul style="list-style-type: none">• VPN: This section of the exam measures the skills of a VPN Solutions Engineer and covers the implementation of various virtual private network technologies. It includes configuring IPsec VPN using IKE version 2 protocols and implementing Automatic Discovery VPN solutions to establish on-demand secure tunnels between multiple sites within an enterprise network infrastructure.
Topic 5	<ul style="list-style-type: none">• Security Profiles: This section of the exam measures the skills of a Threat Prevention Specialist and covers the configuration and management of comprehensive security profiling systems. It includes implementing SSL• SSH inspection, combining web filtering and application control mechanisms, integrating intrusion prevention systems, and utilizing the Internet Service Database to create layered security protections for organizational networks.


2025 Newest Fortinet FCSS_EFW_AD-7.6 Valid Test Blueprint

Having a general review of what you have learnt is quite necessary, since it will make you have a good command of the knowledge points. FCSS_EFW_AD-7.6 Online test engine is convenient and easy to learn, and it has the testing history and performance review. It supports all web browsers, and you can also have offline practice. Before buying FCSS_EFW_AD-7.6 Exam Dumps, you can try free demo first, so that you can have a deeper understanding of the exam. We have online and offline chat service for FCSS_EFW_AD-7.6 training materials. If you have any questions, you can contact us, and we will give you reply as quickly as we can.

Fortinet FCSS - Enterprise Firewall 7.6 Administrator Sample Questions (Q35-Q40):

NEW QUESTION # 35

Refer to the exhibit, which shows a hub and spokes deployment.



An administrator is deploying several spokes, including the BGP configuration for the spokes to connect to the hub. Which two commands allow the administrator to minimize the configuration? (Choose two.)

- A. neighbor-group
- B. ibgp-enforce-multihop
- C. route-reflector-client
- D. neighbor-range

Answer: A,D

Explanation:

neighbor-group:

This command is used to group multiple BGP neighbors with the same configuration, reducing redundant configuration.

Instead of defining individual BGP settings for each spoke, the administrator can create a neighbor-group and apply the same policies, reducing manual work.

neighbor-range:

This command allows the configuration of a range of neighbor IPs dynamically, reducing the need to manually define each spoke neighbor.

It automatically adds BGP neighbors that match a given prefix, simplifying deployment.

NEW QUESTION # 36

A user reports that their computer was infected with malware after accessing a secured HTTPS website.

However, when the administrator checks the FortiGate logs, they do not see that the website was detected as insecure despite having an SSL certificate and correct profiles applied on the policy.

How can an administrator ensure that FortiGate can analyze encrypted HTTPS traffic on a website?

- A. The administrator must enable DNS over TLS to protect against fake Server Name Indication (SNI) that cannot be analyzed in common DNS requests on HTTPS websites.
- B. The administrator must enable reputable websites to allow only SSL/TLS websites rated by FortiGuard web filter.
- C. The administrator must enable URL extraction from SNI on the SSL certificate inspection to ensure the TLS three-way handshake is correctly analyzed by FortiGate.
- **D. The administrator must enable full SSL inspection in the SSL/SSH Inspection Profile to decrypt packets and ensure they are analyzed as expected.**

Answer: D

Explanation:

FortiGate, like other security appliances, cannot analyze encrypted HTTPS traffic unless it decrypts it first. If only certificate inspection is enabled, FortiGate can see the certificate details (such as the domain and issuer) but cannot inspect the actual web content.

To fully analyze the traffic and detect potential malware threats:

Full SSL inspection (Deep Packet Inspection) must be enabled in the SSL/SSH Inspection Profile.

This allows FortiGate to decrypt the HTTPS traffic, inspect the content, and then re-encrypt it before forwarding it to the user.

Without full SSL inspection, threats embedded in encrypted traffic may go undetected.

NEW QUESTION # 37

Refer to the exhibit, which contains the partial output of an OSPF command.

```
FortiGate # get router info ospf status
Routing Process "ospf 0" with ID 0.0.0.5
Process uptime is 0 minute
Process bound to VRF default
Conforms to RFC2328, and RFC1583Compatibility flag is enabled
Supports only single TOS(TOS0) routes
Supports opaque LSA
Do not support Restarting
This router is an ABR
```

An administrator is checking the OSPF status of a FortiGate device and receives the output shown in the exhibit.

What two conclusions can the administrator draw? (Choose two.)

- **A. The FortiGate device is connected to multiple areas**
- B. The FortiGate device is a backup designated router
- **C. The FortiGate device injects external routing information**
- D. The FortiGate device has OSPF ECMP enabled

Answer: A,C

Explanation:

The output of the get router info ospf status command provides key information about the OSPF (Open Shortest Path First) configuration on the FortiGate device.

The FortiGate device is connected to multiple areas

The output states: "This router is an ABR"

ABR (Area Border Router) means the device is connected to multiple OSPF areas and maintains routing information between them.

This confirms that the FortiGate is not just in one area, but at least one backbone area (Area 0) and another OSPF area.

The FortiGate device injects external routing information

The output states: "Supports opaque LSA"

Opaque LSAs (Type 9, 10, and 11) are used in OSPF extensions, including those that support external route injection.

Typically, ABRs or ASBRs (Autonomous System Boundary Routers) inject external routes, allowing routes from other routing protocols (such as BGP or static routes) to be advertised into OSPF.

NEW QUESTION # 38

Refer to the exhibit, which shows an ADVPN network



An administrator must configure an ADVPN using IBGP and EBGP to connect overlay network 1 with 2.

What two options must the administrator configure in BGP? (Choose two.)

- A. set next-hop-self enable
- B. set ibgp-enforce-multihop advpn
- C. set ebgp-enforce-multihop enable
- D. set attribute-unchanged next-hop

Answer: A,C

Explanation:

In this ADVPN (Auto-Discovery VPN) network, there are two hubs (Hub A and Hub B) connected via EBGP, while IBGP is used within each overlay. To ensure proper BGP routing between the overlays, the administrator must configure specific BGP options..

set ebgp-enforce-multihop enable

By default, EBGP requires directly connected neighbors. Since Hub A and Hub B are not directly connected but reach each other over an IPsec tunnel, multihop must be enabled for EBGP sessions to work.


set next-hop-self enable

In IBGP, the next-hop attribute does not change by default. When an IBGP route is advertised from a spoke to another hub or spoke, the next-hop needs to be updated to ensure proper reachability. Enabling next-hop-self forces the BGP speaker to advertise itself as the next-hop, ensuring that all spokes properly reach routes across the overlays.

NEW QUESTION # 39

Refer to the exhibit, which shows the ADVPN network topology and partial BGP configuration.

ADVPN network topology



Partial BGP configuration

```
Hub # config router bgp
set as 65100
set router-id 172.16.1.1
config neighbor-group
edit "advpn"
set remote-as 65100
...
end
config neighbor-range
edit 1
end
config network
..
end
```

Which two parameters must an administrator configure in the config neighbor range for spokes shown in the exhibit? (Choose two.)

- A. set prefix 172.16.1.0 255.255.255.0
- B. set route-reflector-client enable
- C. set max-neighbor-num 2
- D. set neighbor-group advpn

Answer: A,D

Explanation:

In the given ADVPN (Auto-Discovery VPN) topology, BGP is being used to dynamically establish routes between spokes. The neighbor-range configuration is crucial for simplifying BGP peer setup by automatically assigning neighbors based on their IP range.

set neighbor-group advpn
The neighbor-group parameter is used to apply pre-defined settings (such as AS number) to dynamically discovered BGP neighbors.

The advpn neighbor-group is already defined in the configuration, and assigning it to the neighbor-range ensures consistent BGP settings for all spoke neighbors.

set prefix 172.16.1.0 255.255.255.0

This command allows dynamic BGP peer discovery by defining a range of potential neighbor IPs (172.16.1.1 - 172.16.1.255).

Since each spoke has a unique /32 IP within this subnet, this ensures that any spoke within the 172.16.1.0

/24 range can automatically establish a BGP session with the hub.

NEW QUESTION # 40

.....

It is quite clear that many people would like to fall back on the most authoritative company no matter when they have any question about preparing for FCSS_EFW_AD-7.6 exam or met with any problem. I am proud to tell you that our company is definitely one of the most authoritative companies in the international market for FCSS_EFW_AD-7.6 exam. What's more, we will provide the most considerate after sale service for our customers in twenty four hours a day seven days a week, therefore, our company is really the best choice for you to buy the FCSS_EFW_AD-7.6 Training Materials. You can just feel rest assured that our after sale service staffs are always here waiting for offering you our services. Please feel free to contact us. We stand ready to serve you!

FCSS_EFW_AD-7.6 Reliable Exam Cram https://www.pass4suresvce.com/FCSS_EFW_AD-7.6-pass4sure-vce-dumps.html

- Exam FCSS_EFW_AD-7.6 Flashcards □ Reliable FCSS_EFW_AD-7.6 Test Bootcamp □ Reliable FCSS_EFW_AD-7.6 Test Pattern □ Search for ➡ FCSS_EFW_AD-7.6 □□□ on ➡ www.examsreviews.com □ immediately to obtain a free download □ New FCSS_EFW_AD-7.6 Test Online
- Professional FCSS_EFW_AD-7.6 Valid Test Blueprint | 100% Free FCSS_EFW_AD-7.6 Reliable Exam Cram □ Download 「 FCSS_EFW_AD-7.6 」 for free by simply entering □ www.pdfvce.com □ website □ Unlimited FCSS_EFW_AD-7.6 Exam Practice
- FCSS_EFW_AD-7.6 Mock Exam □ Reliable FCSS_EFW_AD-7.6 Exam Bootcamp □ Testking FCSS_EFW_AD-7.6 Exam Questions □ Download □ FCSS_EFW_AD-7.6 □ for free by simply entering [www.pass4leader.com] website □ Reliable FCSS_EFW_AD-7.6 Test Bootcamp
- FCSS_EFW_AD-7.6 Exam Simulations □ Reliable FCSS_EFW_AD-7.6 Test Pattern □ FCSS_EFW_AD-7.6 Mock Exam □ Search on ► www.pdfvce.com ◄ for (FCSS_EFW_AD-7.6) to obtain exam materials for free download □ □ Reliable FCSS_EFW_AD-7.6 Test Pattern
- Find Success In Exam With Fortinet FCSS_EFW_AD-7.6 PDF Questions □ Download ☀ FCSS_EFW_AD-7.6 □☀ □ for free by simply searching on ⇒ www.prep4away.com ⇐ □ Unlimited FCSS_EFW_AD-7.6 Exam Practice
- Reliable FCSS_EFW_AD-7.6 Exam Bootcamp □ Testking FCSS_EFW_AD-7.6 Exam Questions □ Reliable FCSS_EFW_AD-7.6 Test Pattern □ Search for ➡ FCSS_EFW_AD-7.6 □□□ and download exam materials for free through ➡ www.pdfvce.com □ □ Unlimited FCSS_EFW_AD-7.6 Exam Practice
- FCSS_EFW_AD-7.6 Latest Material □ FCSS_EFW_AD-7.6 Authorized Pdf □ Unlimited FCSS_EFW_AD-7.6 Exam Practice □ Search for [FCSS_EFW_AD-7.6] and download it for free on ➡ www.examcollectionpass.com □ website □ FCSS_EFW_AD-7.6 Latest Material
- Exam FCSS_EFW_AD-7.6 Flashcards □ Testking FCSS_EFW_AD-7.6 Exam Questions □ FCSS_EFW_AD-7.6 Exam Dumps Pdf □ Search for ➡ FCSS_EFW_AD-7.6 □□□ on ► www.pdfvce.com ◄ immediately to obtain a free download □ FCSS_EFW_AD-7.6 Exam Simulations
- FCSS_EFW_AD-7.6 Actual Questions □ Reliable FCSS_EFW_AD-7.6 Exam Bootcamp □ Reliable FCSS_EFW_AD-7.6 Exam Pattern □ Download 《 FCSS_EFW_AD-7.6 》 for free by simply searching on ➡ www.testkingpdf.com □ □ FCSS_EFW_AD-7.6 Latest Material
- Exam FCSS_EFW_AD-7.6 Demo □ FCSS_EFW_AD-7.6 Exam Quizzes □ Exam FCSS_EFW_AD-7.6 Demo □ Easily obtain 【 FCSS_EFW_AD-7.6 】 for free download through ► www.pdfvce.com ◄ □ FCSS_EFW_AD-7.6

Authorized Pdf

- [illegible]