

FCSS_NST_SE-7.4 Pass4sure Guide & FCSS_NST_SE-7.4 Exam Preparation & FCSS_NST_SE-7.4 Study Materials



The pass rate reaches 98.95%, and if you choose us, we can ensure you pass the exam. FCSS_NST_SE-7.4 study materials are edited by skilled professionals, and they are quite familiar with the dynamics of the exam center, therefore FCSS_NST_SE-7.4 study materials can meet your needs for exam. What's more, we offer you free demo to try before purchasing FCSS_NST_SE-7.4 Exam Dumps, so that you can know the mode of the complete version. If you have any questions about FCSS_NST_SE-7.4 study materials, you can ask for our service stuff for help.

Fortinet FCSS_NST_SE-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Authentication: This section evaluates the proficiency of Fortinet network and security professionals in resolving both local and remote authentication issues.
Topic 2	<ul style="list-style-type: none">System Troubleshooting: This part of the exam assesses the ability of Fortinet network and security professionals to diagnose and fix typical system-related problems within Fortinet solutions. It involves troubleshooting FortiGate-to-FortiGate Security Fabric issues, addressing automation stitch concerns, and detecting resource-related problems using integrated tools.
Topic 3	<ul style="list-style-type: none">VPN: This section tests the knowledge of IT professionals, such as system engineers in diagnosing and resolving VPN-related issues. It emphasizes troubleshooting IPsec IKE versions 1 and 2 to ensure secure and reliable communication between networks or remote users.
Topic 4	<ul style="list-style-type: none">Security Profiles: This segment of the exam tests the skills of IT professionals, such as network administrators in handling and troubleshooting security profile-related challenges.
Topic 5	<ul style="list-style-type: none">Routing: This part of the exam examines the expertise of Fortinet network and security professionals, in routing enterprise traffic effectively.

>> Instant FCSS_NST_SE-7.4 Access <<

2025 Fortinet Efficient Instant FCSS_NST_SE-7.4 Access

After purchasing the FCSS_NST_SE-7.4 exam dumps from ITPassLeader, you will have access to three formats designed by ITPassLeader for the preparation of the Fortinet FCSS_NST_SE-7.4 exam. These FCSS - Network Security 7.4 Support Engineer exam dumps formats will provide actual Fortinet FCSS_NST_SE-7.4 PDF Questions to help you prepare for the Fortinet FCSS_NST_SE-7.4 exam.

Fortinet FCSS - Network Security 7.4 Support Engineer Sample Questions (Q70-Q75):

NEW QUESTION # 70

Refer to the exhibit, which shows a partial output of diagnose npu np6 port-list on FortiGate 2000E.

Output of diagnose npu np6 port-list on FortiGate 2000E				
Chip	XAUI Ports	Max Speed	Cross-chip offloading	
np6_1	0	port1	1G	No
	0	port5	1G	No
	0	port9	1G	No
	0	port13	1G	No
	0	port17	1G	No
	0	port21	1G	No
-omitted-				

An administrator is unable to analyze traffic flowing between port1 and port17 using the diagnose sniffer command. Which two commands allow the administrator to view the traffic? (Choose two.) config firewall policy

- A. edit 5
set auto-asic-offload disable
end
next
- B. set fastpath disable
end
diagnose npu np6 port-list disable 5 17
- C. edit 17
set auto-asic-offload disable
end
config system npu
- D. diagnose npu np6 fastpath disable 1

Answer: B,D

Explanation:

diagnose npu np6 port-list disable 5 17

This command disables hardware offloading for traffic on ports 5 (port1) and 17 (port17) of the NP6 processor, ensuring the CPU path is used so that diagnose sniffer can capture the packets.

diagnose npu np6 fastpath disable 1

Disabling the fastpath on NP6 chip 1 (np6_1) forces all traffic through the regular processing path on that chip, which allows the sniffer to see the packets.

NEW QUESTION # 71

Refer to the exhibit, which shows a truncated output of a real-time LDAP debug.

```
# diagnose debug application fnbamd -1
# diagnose debug enable
fnbamd_fsm.c[1274] handle_req-Rcvd auth req 8781845 for jsmith in Lab opt=27 prot=0
fnbamd_ldap.c[637] resolve_ldap_FQDN-Resolved address 10.10.181.10, result 10.10.181.10
fnbamd_ldap.c[232] start_search_dn-base:'DC=TAC,DC=ottawa,DC=fortinet,DC=com' filter:sAMAccountName=jsmith
fnbamd_ldap.c[1351] fnbamd_ldap_get_result-Going to SEARCH state
fnbamd_fsm.c[1833] poll_ldap_servers-Continue reading for req 8781845
fnbamd_ldap.c[266] get_all_dn-Found DN 1:CN=John Smith,CN=Users,DC=TAC,DC=ottawa,DC=fortinet,DC=com
```

What two conclusions can you draw from the output? (Choose two.)

- A. FortiOS is able to locate the user in step 3 (Bind Request) of the LDAP authentication process.
- B. The name of the configured LDAP server is Lab.
- C. FortiOS is performing the second step (Search Request) in the LDAP authentication process.
- D. The user is authenticating using CN=John Smith.

Answer: C,D

NEW QUESTION # 72

Refer to the exhibit, which shows the output of a debug command.

```
FGT # get router info ospf interface port4
port4 is up, line protocol is up
  Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
  Process ID 0, VRF 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
  Transmit Delay is 1 sec, State DROther, Priority 1

  Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2

  Backup Designated Router (ID) 0.0.0.1, Interface Address 172.20.121.239
  Timer intervals configured, Hello 10.000, Dead 40, Wait 40, Retransmit 5

  Hello due in 00:00:05
  Neighbor Count is 4, Adjacent neighbor count is 2
  Crypt Sequence Number is 411
  Hello received 106 sent 27, DD received 6 sent 3
  LS-Req received 2 sent 2, LS-Upd received 7 sent 17
  LS-Ack received 4 sent 3, Discarded 1
```

Which two statements about the output are true? (Choose two.)

- A. In the network connected to port4, two OSPF routers are down.
- B. The interface is part of the OSPF backbone area.
- C. There are a total of five OSPF routers attached to the vorz4 network segment
- D. One of the neighbors has a router ID of 0.0.0.4.

Answer: A,B

NEW QUESTION # 73

Refer to the exhibit.

Debug output

FORTINET

An IPsec VPN tunnel is dropping, as shown by the debug output

Analyzing the debug output, what could be causing the tunnel to go down?

- A. The tunnel drops during rekey negotiation.
- B. Dead Peer Detection is not receiving its acknowledge packet.
- C. Phase 2 drops but Phase 1 is up.
- D. The tunnel drops after the timer expires.

Answer: B

NEW QUESTION # 74

Exhibit.

diagnose automation test fail
automation test failed, stitch:HAFailOver

Refer to the exhibit, which shows the output of diagnose automation test.

What can you observe from the output? (Choose two.)

- A. The automation stitch test failed but the HA failover was successful.
- B. The test was unsuccessful.
- C. The automation stitch test is not being logged.
- D. An HA failover occurred.

Answer: B,C

NEW QUESTION # 75

• • • • •

We are concerted company offering tailored services which include not only the newest and various versions of FCSS_NST_SE-7.4 practice materials, but offer one-year free updates services with patient staff offering help 24/7. So there is considerate and concerted cooperation for your purchasing experience accompanied with patient staff with amity. Their enrichment is dependable and reliable. You can find FCSS_NST_SE-7.4 practice materials on our official website we will deal with everything once your place your order.

Reliable FCSS NST SE-7.4 Dumps Free: https://www.itpassleader.com/Fortinet/FCSS_NST_SE-7.4-dumps-pass-exam.html

- Pass Guaranteed Useful Fortinet - FCSS NST SE-7.4 - Instant FCSS - Network Security 7.4 Support Engineer Access

