


FCSS_SDW_AR-7.4 Musterprüfungsfragen & FCSS_SDW_AR-7.4 Antworten



Wenn Sie finden, dass eine große Herausforderung in Ihrem Berufsleben vor Ihnen steht, so müssen Sie die Fortinet FCSS_SDW_AR-7.4 Zertifizierungsprüfung bestehen. It-Pruefung ist eine echte Website, die umfassende Kenntnisse zur Fortinet FCSS_SDW_AR-7.4 Zertifizierungsprüfung besitzt. Wir bieten exklusive Online-Fortinet FCSS_SDW_AR-7.4 Prüfungsfragen und Antworten. So ist es ganz leicht, die Prüfung zu bestehen. Unser It-Pruefung bietet Ihnen 100%-Pass-Garantie. It-Pruefung ist als Anführer der professionalen Zertifizierung anerkannt. Sie bietet die umfangreichste Zertifizierungsantworten. Sie werden feststellen, dass die Fortinet FCSS_SDW_AR-7.4 Prüfungsfragen und Antworten zur Zeit die gründlichste, genaueste und neueste Praxis sind. Wenn Sie die Fortinet FCSS_SDW_AR-7.4 Prüfungsfragen und Antworten haben, werden Sie sicher mehr sicher sein, die Prüfung zum ersten Mal zu bestehen.

Fortinet FCSS_SDW_AR-7.4 Prüfungsplan:

Thema	Einzelheiten
Thema 1	Centralized Management: This domain evaluates network administrators' competence in deploying and managing SD-WAN configurations centrally using FortiManager. It includes tasks such as implementing branch configurations and utilizing overlay templates to streamline network management.
Thema 2	Advanced IPsec: Intended for security engineers, this section covers the deployment of advanced IPsec topologies for SD-WAN, including hub-and-spoke models, ADVPN configurations, and complex multi-hub or multi-region deployments. Candidates need to demonstrate expertise in securing wide-area networks using IPsec technologies.
Thema 3	SD-WAN Troubleshooting: This part assesses the troubleshooting skills of network support specialists. Candidates should be able to diagnose and resolve issues related to SD-WAN rules, session behaviors, routing inconsistencies, and ADVPN connectivity problems to maintain seamless network operations.
Thema 4	Rules and Routing: Targeted at network engineers, this section assesses the ability to configure SD-WAN rules and routing policies. Candidates will be tested on managing traffic flow and prioritization across the SD-WAN infrastructure.
Thema 5	SD-WAN Configuration: This section of the exam measures the skills of network engineers and covers configuring a basic SD-WAN setup. Candidates are expected to demonstrate their ability to define SD-WAN members and zones effectively, ensuring foundational network segmentation and management.

>> FCSS_SDW_AR-7.4 Musterprüfungsfragen <<

FCSS_SDW_AR-7.4 Neuesten und qualitativ hochwertige

Prüfungsmaterialien bietet - quizfragen und antworten

Viele IT-Fachleute wollen Fortinet FCSS_SDW_AR-7.4 Zertifikate erhalten. Die IT-Zertifikate werden Ihnen helfen, in der IT-Branche befördert zu werden. Das Fortinet FCSS_SDW_AR-7.4 Zertifikat ist ein beliebtes unter den vielen Zertifikaten. Obwohl es nicht so leicht ist, die Fortinet FCSS_SDW_AR-7.4 Zertifizierungsprüfung zu bestehen, gibt es doch Methoden. Sie können viel Zeit und Energie für die Prüfung benutzen, um Ihr Know-How zu konsolidieren, oder an den effizienten Kursen teilnehmen. Die speziellen Simulationsprüfungen von It-Pruefung, die Ihnen viel Zeit und Energie ersparen und Ihr Ziel erreichen können, ist sehr effizient. It-Pruefung ist eine gute Wahl für Sie.

Fortinet FCSS - SD-WAN 7.4 Architect FCSS_SDW_AR-7.4 Prüfungsfragen mit Lösungen (Q36-Q41):

36. Frage

Refer to the exhibits.

You use FortiManager to configure SD-WAN on three branch devices.

SD-WAN template zones and rules configuration

The screenshot displays the FortiManager SD-WAN configuration interface, divided into two main sections: SD-WAN Zones and SD-WAN Rules.

SD-WAN Zones

ID	Interface	Gateway	Cost	Priority	Status	Installation Target
virtual-wan-link						
underlay						
1	port1	\$(sdwan_port1_gw)	0	1	Enable	
2	port2	0.0.0.0	0	1	Enable	
WAN3						
3	port4	\$(sdwan_port4_gw)	0	1	Enable	1 Device In Total branch1_fgt (root)
HUB1						
4	HUB1-VPN1	0.0.0.0	0	1	Enable	
5	HUB1-VPN2	0.0.0.0	0	1	Enable	
6	HUB1-VPN3	0.0.0.0	0	1	Enable	

SD-WAN Rules

ID	Category	Source	Destination	Outgoing Interface	Status
1	Critical-DIA	LAN-r (Salesforce, Microsoft)	any	port1, port2	Enable
2	Non-Critical-DIA	LAN-r (Facebook, LinkedIn, Game)	any	port2	Enable
3	Corp	LAN-r (Corp-net)	any	HUB1-VPN1, HUB1-VPN2, HUB1-VPN3	Enable
sd-wan	All	All	Source IP	All	any

FortiManager error message

Install Wizard - Validate Devices (3/4)

Task finished with errors.

Installation Preparation Total: 4/4. Success: 3. Warning: 0. Error: 1. Show Details 100%

✓ Ready to Install
Only successfully validated device may be installed. Please confirm and click "Install" button to continue.

Install Preview

Device Name	Status	Action
☐ branch1_fgt	Copy Failed	Log
☒ branch2_fgt	Connection Up	
☒ branch3_fgt	Connection Up	

View Install Log

```
Copy device global objects
Copy objects for vdom root
Commit failed:
error -999 - - (from Template Group Corp-SOT_Branch) (in Template branches)
invalid ip - prop[gateway]: ip4class(${sdwan_port1_gw}) invalid ip addr
```

When you install the device settings, FortiManager prompts you with the error "Copy Failed" for the device branch1_fgt. When you click the log button, FortiManager displays the message shown in the exhibit.

There are two different ways to resolve this issue. Based on the exhibits, which methods could you use? (Choose two.)

- A. Update the management IP address of branch1_fgt.
- B. Review the per-device mapping configuration for metadata variables
- C. Do not define installation targets for SD-WAN members.
- D. Specify the gateway of the SD-WAN member port1 with an IP address or use the default value.

Antwort: B,D

Begründung:

Specify the gateway of the SD-WAN member port1 with an IP address or use the default value # The error log shows invalid ip - prop[gateway]: ip4class(\${sdwan_port1_gw}) invalid ip addr, meaning the variable \${sdwan_port1_gw} does not have a valid mapping. Assigning a valid IP address or default value for the gateway resolves this error.

Review the per-device mapping configuration for metadata variables # The issue is tied to how the metadata variable \${sdwan_port1_gw} is mapped for branch1_fgt. If this device does not have the variable properly defined in per-device mapping, the configuration will fail. Correcting the mapping ensures that the install works.

37. Frage

The FortiGate devices are managed by FortiManager, and are configured for direct internet access (DIA). You confirm that DIA is working as expected for each branch, and check the SD-WAN zone configuration and firewall policies shown in the exhibits.

SD-WAN Zones

+ Create New
Edit
Delete
Where Used
Search...

ID	Interface	Gateway	Cost	Priority	Status
virtual-wan-link					
underlay					
1	port1	\$(sdwan_port1_gw)	0	1	Enable
2	port2	\$(sdwan_port2_gw)	0	1	Enable

Firewall Policy

ID	Name	From	To	Source	Destination	Service	Action	Schedule
1	DIA	LAN	underlay	LAN-net	all	All	Accept	always

Edit SD-WAN Overlay Template – Summary (5/5)

Secondary HUB
Branch 1

Underlay Assignment

Standalone HUB Underlays
Branch Underlays

Network Advertisement

Standalone HUB
Branch

SD-WAN Template Options

Add Overlay Objects to SD-WAN Template
Add Overlay Interfaces and Zones
Add Health Check Servers for Each HUB as Performance SLA
Normalize Interfaces
Add Health Check Firewall Policy to Hub Policy Package
Add Health Check Firewall Policy to Branch Policy Package

Then, you use the SD-WAN overlay template to configure the IPsec overlay tunnels. You create the associated SD-WAN rules to connect existing branches to the company hub device and apply the changes on the branches. After those changes, users complain that they lost internet access. DIA is no longer working. Based on the exhibit, which statement best describes the possible root cause of this issue?

- A. The SD-WAN overlay template defines a zone for each underlay interface and moves the interfaces into those zones.
- B. The SD-WAN overlay template didn't configure a firewall policy to allow traffic through the overlay.

- C. The SD-WAN overlay template redefines the interface gateway addresses if they are defined with metadata variables.
- D. The SD-WAN overlay template updates the SD-WAN template and the rules.

Antwort: A

Begründung:

The SD-WAN overlay template defines a zone for each underlay interface and moves the interfaces into those zones. This statement perfectly describes the likely sequence of events. The template, when applied, re-organizes the interfaces and zones, causing the existing firewall policy that relies on the old zone configuration to fail. This is the most plausible root cause.

38. Frage

The administrator uses the FortiManager SD-WAN overlay template to prepare an SD-WAN deployment. Using information provided through the SD-WAN overlay template wizard, FortiManager creates templates ready to install on the spoke and hub devices.

What are the three templates created by the SD-WAN overlay template for a spoke device?

(Choose three.)

- A. Static route template
- B. Rules template
- C. BGP template
- D. CLI template
- E. IPsec tunnel template

Antwort: B,C,E

Begründung:

Rules template → Defines the SD-WAN rules for traffic steering.

BGP template → Configures dynamic routing for overlay tunnels.

IPsec tunnel template → Builds the IPsec VPN tunnels from the spoke to the hubs.

39. Frage

Refer to the exhibit, which shows the SD-WAN rule status and configuration. Based on the exhibit, which change in the measured packet loss will make HUB1-VPN3 the new preferred member?

SD-WAN rules status and configuration

```
branch1_fgt # diagnose sys sdwan service4 3

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(43), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor(packet loss), link-cost-threshold(0), health-check(HUB1_HC)
Members(3):
  1: Seq_num(4 HUB1-VPN1 HUB1), alive, packet loss: 2.000%, selected
  2: Seq_num(5 HUB1-VPN2 HUB1), alive, packet loss: 4.000%, selected
  3: Seq_num(6 HUB1-VPN3 HUB1), alive, packet loss: 12.000%, selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.0.0.0-10.255.255.255

branch1_fgt (service) # show
config service
edit 3
  set name "Corp"
  set mode priority
  set dst "Corp-net"
  set src "LAN-net"
  set health-check "HUB1_HC"
  set link-cost-factor packet-loss
  set link-cost-threshold 0
  set priority-members 6 4 5
next
```

- A. When HUB1-VPN1 has 4% packet loss
- **B. When all three members have the same packet loss**
- C. When HUB1-VPN3 has 4% packet loss
- D. When HUB1-VPN1 has 12% packet loss

Antwort: B

40. Frage

As an IT manager for a healthcare company, you want to delegate the installation and management of your SD-WAN deployment to a managed security service provider (MSSP). Each site must maintain direct internet access and ensure that it is secure. You expected significant traffic flow between the sites and want to delegate as much of the network administration and management as possible to the MSSP.

Which two MSSP deployment blueprints best address the customer's requirements? (Choose two.)

- A. Use a shared hub at the MSSP premises and a dedicated hub at the customer premises and install the spokes at the customer premises.
- B. Install the hub and spokes at the customer premises and enable the MSSP to manage the SD-WAN deployment using FortiManager with a dedicated ADOM.
- **C. Install a dedicated hub at the MSSP premises for the new customer, and install the spokes at the customer premises.**
- **D. Use a shared hub at the MSSP premises with a dedicated VDOM for the new customer, and install the spokes at the customer premises.**

Antwort: C,D

Begründung:

Hosting the hub at the MSSP centralizes installation, security, and ongoing management while each site (spoke) keeps local DIA. This can be done multi-tenant with a shared hub using a dedicated VDOM or with a fully dedicated hub per customer for stricter isolation and control, both meeting the requirement to delegate administration to the MSSP and support high inter-site traffic.

• • • • •

FCSS_SDW_AR-7.4 Antworten: https://www.it-pruefung.com/FCSS_SDW_AR-7.4.html

- Aktuelle Fortinet FCSS_SDW_AR-7.4 Prüfung pdf Torrent für FCSS_SDW_AR-7.4 Examen Erfolg prep □ Suchen Sie einfach auf ✓ www.deutschpruefung.com □✓□ nach kostenloser Download von 《FCSS_SDW_AR-7.4》□
□FCSS_SDW_AR-7.4 Prüfungsfragen
- FCSS_SDW_AR-7.4 Prüfungsfragen □ FCSS_SDW_AR-7.4 Originale Fragen □ FCSS_SDW_AR-7.4 Examsfragen
□ Suchen Sie jetzt auf 【www.itzert.com】 nach 【FCSS_SDW_AR-7.4】 um den kostenlosen Download zu erhalten □FCSS_SDW_AR-7.4 Probesfragen
- Fortinet FCSS_SDW_AR-7.4 Quiz - FCSS_SDW_AR-7.4 Studienanleitung - FCSS_SDW_AR-7.4 Trainingsmaterialien
□ Öffnen Sie die Website 《www.examfragen.de》 Suchen Sie □ FCSS_SDW_AR-7.4 □ Kostenloser Download □
□FCSS_SDW_AR-7.4 Prüfungsaufgaben
- FCSS_SDW_AR-7.4 Zertifizierungsfragen □ FCSS_SDW_AR-7.4 German □ FCSS_SDW_AR-7.4 PDF
Testsoftware □ Öffnen Sie die Webseite ➤ www.itzert.com □ und suchen Sie nach kostenloser Download von 「
FCSS_SDW_AR-7.4」 ☺FCSS_SDW_AR-7.4 Prüfungsaufgaben
- Die seit kurzem aktuellsten Fortinet FCSS_SDW_AR-7.4 Prüfungsunterlagen, 100% Garantie für Ihren Erfolg in der
Prüfungen! □ Erhalten Sie den kostenlosen Download von “FCSS_SDW_AR-7.4” mühelos über □
www.zertpruefung.ch □ □FCSS_SDW_AR-7.4 Zertifizierungsfragen
- Fortinet FCSS_SDW_AR-7.4 Quiz - FCSS_SDW_AR-7.4 Studienanleitung - FCSS_SDW_AR-7.4 Trainingsmaterialien
□ Geben Sie ➤ www.itzert.com □ ein und suchen Sie nach kostenloser Download von ✓ FCSS_SDW_AR-7.4 □✓□
□FCSS_SDW_AR-7.4 Prüfungsfragen
- FCSS_SDW_AR-7.4 Probesfragen □ FCSS_SDW_AR-7.4 Prüfungsfragen □ FCSS_SDW_AR-7.4 Originale Fragen
□ Suchen Sie jetzt auf □ www.pass4test.de □ nach 「FCSS_SDW_AR-7.4」 und laden Sie es kostenlos herunter □
□FCSS_SDW_AR-7.4 Schulungsangebot
- Neueste FCSS - SD-WAN 7.4 Architect Prüfung pdf - FCSS_SDW_AR-7.4 Prüfung Torrent □ Suchen Sie auf►
www.itzert.com ◀ nach ► FCSS_SDW_AR-7.4 □ und erhalten Sie den kostenlosen Download mühelos □
□FCSS_SDW_AR-7.4 Examsfragen
- FCSS_SDW_AR-7.4 Prüfungs-Guide □ FCSS_SDW_AR-7.4 Probesfragen ~ FCSS_SDW_AR-7.4 Deutsche
Prüfungsfragen □ Erhalten Sie den kostenlosen Download von ⇒ FCSS_SDW_AR-7.4 ⇐ mühelos über □
www.zertpruefung.de □ □FCSS_SDW_AR-7.4 Prüfungs-Guide
- FCSS_SDW_AR-7.4 Vorbereitungsfragen □ FCSS_SDW_AR-7.4 Prüfungs-Guide □ FCSS_SDW_AR-7.4
Testfragen □ Suchen Sie jetzt auf[www.itzert.com] nach ✓ FCSS_SDW_AR-7.4 □✓□ und laden Sie es kostenlos
herunter □FCSS_SDW_AR-7.4 Originale Fragen
- Die seit kurzem aktuellsten Fortinet FCSS_SDW_AR-7.4 Prüfungsinformationen, 100% Garantie für Ihren Erfolg in der
Prüfungen! □ Suchen Sie auf 【www.zertpruefung.ch】 nach kostenlosem Download von ✓ FCSS_SDW_AR-7.4
□✓□ □FCSS_SDW_AR-7.4 Prüfungsfrage
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, bajarehabfamilies.com, www.stes.tyc.edu.tw, continuousalesgenerator.com,
ncon.edu.sa, deepcyclepower.com, rajeshnaidudigital.com, www.stes.tyc.edu.tw, pct.edu.pk, Disposable vapes