

CCRN-Pediatric權威認證， CCRN-Pediatric指南



PEDIATRIC CCRN
PRACTICE TEST



2026 Fast2test最新的CCRN-Pediatric PDF版考試題庫和CCRN-Pediatric考試問題和答案免費分享：https://drive.google.com/open?id=1cDzKL8l_noIPK9xUBCBTAEJmsG-lwMfw

在這個人才濟濟的社會裏，你不覺得壓力很大嗎，不管你的學歷有多高，它永遠不代表實力。學歷只是一個敲門磚，而實力確是你穩固自己地位的基石。AACN的CCRN-Pediatric考試認證就是一個流行的IT認證，很多人都想擁有它，有了它就可以穩固自己的職業生涯，Fast2test AACN的CCRN-Pediatric考試認證培訓資料是個很好的培訓工具，它可以幫助你成功的通過考試而獲得認證，有了這個認證，你將得到國際的認可及接受，那時的你再也不用擔心被老闆炒魷魚了。

AACN CCRN-Pediatric 考試涵蓋了與重症護理相關的各種主題，包括心血管、呼吸、神經、胃腸、內分泌和腎臟系統。它還包括疼痛管理、藥理學、血液動力學、專業關懷和倫理考慮等主題。考試包括 150 道多選題，考生有三個小時的時間完成考試。

>> CCRN-Pediatric權威認證 <<

CCRN-Pediatric指南 - CCRN-Pediatric更新

Fast2test AACN的CCRN-Pediatric考試培訓資料你可以得到最新的AACN的CCRN-Pediatric考試的試題及答案，它可以使你順利通過AACN的CCRN-Pediatric考試認證，AACN的CCRN-Pediatric考試認證有助於你的職業生涯，在以後不同的環境，給出一個可能，AACN的CCRN-Pediatric考試合格的使用，我們Fast2test AACN的CCRN-Pediatric考試培訓資料確保你完全理解問題及問題背後的概念，它可以幫助你很輕鬆的完成考試，並且一次通過。

AACN CCRN-PEDIATRIC（重症監護護理）考試是一項認證考試，專門為註冊護士設計，他們主要參與重症兒科患者的護理。該考試由美國關鍵護理護士協會（AACN）進行管理，該協會是一個專業組織，代表在急性和重症監護環境中工作的護士。CCRN-PEDIATRIC認證被廣泛認為是重症監護護理方面的卓越標誌，可以幫助護士提高職業並提高其收入潛力。

最新的 AACN CCRN CCRN-Pediatric 免費考試真題 (Q28-Q33):

問題 #28

When evaluating the effectiveness of a new skin care protocol, a nurse should assess the:

- A. Preventive measures implemented
- B. Documentation of nursing interventions
- C. Change in nursing care hours
- **D. Presence of lesions, ulcers, or erythema**

答案： D

解題說明：

When evaluating the effectiveness of a clinical intervention like a skin care protocol, you measure outcomes- not the process. In this context, the presence or absence of skin breakdown, including ulcers or erythema, reflects patient-centered results and effectiveness. "The presence of pressure injuries, ulcers, or erythema is a measurable outcome used to evaluate the efficacy of skin care protocols." (Referenced from CCRN Pediatric - Direct Care: Integumentary, Skin Integrity and Prevention of Pressure Injuries)

問題 #29

A family member has not left a child's bedside in 3 days and says, "I would leave, but I don't know where to go." The best nursing response is:

- **A. "Where do you normally go to relax and de-stress?"**
- B. "I can print off a list of area restaurants and shopping for you."
- C. "Would you like me to bring you some new magazines to read?"
- D. "Do you have a friend you could call to take you out?"

答案： A

解題說明：

This response uses reflective, supportive communication and encourages the family member to connect with their own coping mechanisms and preferences. It shows empathy, builds rapport, and helps the individual think about self-care without directing them or dismissing their feelings.

"Psychosocial support includes guiding family members to express their feelings and reconnect with their coping resources. Open-ended, supportive questions are most therapeutic." (Referenced from CCRN Pediatric - Direct Care: Psychosocial, Family Stress and Coping in Critical Illness)

問題 #30

An infant who weighed 6 pounds at birth now weighs 12 pounds at 1 year. The nurse at the clinic recognizes that this infant:

- A. has probably been neglected
- B. has not been offered adequate nourishment
- C. has the expected weight at 1 year of age.
- **D. has low weight compared to what is expected.**

答案： D

解題說明：

Explanation: The baby should have a weight of 18 pounds according to the weight charts of the national center for health statistics. The weight at birth is expected to be doubled at 6 months and be tripled at 1 year. We cannot say that the infant was neglected or offered inadequate nourishment because it is a judgmental conclusion.

問題 #31

A child was struck by an automobile 24 hours ago. There is an ICP monitor in place which has a spontaneous rise in ICP to 35 mm Hg. A nurse medicates the patient with analgesia and sedative, but the ICP remains elevated. Which of the following should be the next intervention?

- A. Increase the benzodiazepine infusion
- **B. Administer a hypertonic saline solution**
- C. Include a narcotic infusion
- D. Induce a pentobarbital coma

答案： B

解題說明:

Intracranial pressure (ICP) above 20-25 mm Hg is abnormal, and 35 mm Hg is a critical level requiring urgent intervention. After sedation and analgesia fail to reduce ICP, osmotic therapy is the next step, with hypertonic saline being a frontline choice for its rapid effect in reducing cerebral edema.

"In patients with traumatic brain injury and elevated ICP, first-line therapies include sedation, analgesia, and head positioning. If ineffective, hyperosmolar therapy such as hypertonic saline or mannitol is indicated to decrease cerebral edema and reduce ICP." (Referenced from CCRN Pediatric - Direct Care: Neurologic Dysfunction and Intracranial Hypertension Management) Hypertonic saline pulls fluid from the brain into the vascular space, lowering ICP and improving cerebral perfusion.

問題 #32

An infant presents with poor feeding and a blood glucose level of 50 mg/dL. A nurse should assess for which of the following symptoms?

- A. Flushed skin and tachycardia
- **B. Hypothermia and apnea**
- C. Hyperthermia and irritability
- D. Hyperthermia and tachycardia

答案: B

解題說明:

In neonates and infants, hypoglycemia is often symptomatically silent or presents with nonspecific signs, including hypothermia, lethargy, and apnea. These can quickly progress to seizures or coma if not corrected.

"Hypoglycemia in infants may manifest as apnea, poor feeding, jitteriness, or hypothermia. Immediate intervention is required to prevent neurological injury." (Referenced from CCRN Pediatric - Direct Care: Endocrine Function and Metabolic Monitoring)

問題 #33

.....

CCRN-Pediatric指南: <https://tw.fast2test.com/CCRN-Pediatric-premium-file.html>

- CCRN-Pediatric學習指南 □ CCRN-Pediatric題庫更新 □ CCRN-Pediatric考題寶典 ♡ 進入 { tw.fast2test.com } 搜尋【CCRN-Pediatric】免費下載CCRN-Pediatric認證考試解析
- 值得信賴的CCRN-Pediatric權威認證和資格考試領導者和準確的CCRN-Pediatric: Critical Care Nursing Exam □ 在▶ www.newdumpspdf.com ◀網站上查找▶ CCRN-Pediatric □□□的最新題庫CCRN-Pediatric考古題推薦
- 最有效的CCRN-Pediatric權威認證-最新考試題庫幫助妳壹次性通過考試CCRN-Pediatric: Critical Care Nursing Exam □ ⇒ tw.fast2test.com ⇐是獲取□ CCRN-Pediatric □免費下載的最佳網站CCRN-Pediatric測試題庫
- 值得信賴的CCRN-Pediatric權威認證和資格考試領導者和準確的CCRN-Pediatric: Critical Care Nursing Exam □ 透過▶ www.newdumpspdf.com □輕鬆獲取☀ CCRN-Pediatric □☀□免費下載CCRN-Pediatric指南
- CCRN-Pediatric最新考古題 □ CCRN-Pediatric熱門考題 □ CCRN-Pediatric最新考古題 ↓在□ www.kaoguti.com □上搜索▶ CCRN-Pediatric ◀並獲取免費下載CCRN-Pediatric考試題庫
- CCRN-Pediatric測試題庫 □ CCRN-Pediatric題庫最新資訊 □ CCRN-Pediatric考試 ⇔ 到□ www.newdumpspdf.com □搜索▶ CCRN-Pediatric □輕鬆取得免費下載CCRN-Pediatric考題寶典
- CCRN-Pediatric測試引擎 □ CCRN-Pediatric考試證照綜述 □ CCRN-Pediatric權威認證 □ 複製網址□ www.pdfexamdumps.com □打開並搜索▶ CCRN-Pediatric □免費下載CCRN-Pediatric最新考古題
- CCRN-Pediatric權威認證 □ CCRN-Pediatric資訊 □ CCRN-Pediatric最新考古題 □ ▷ www.newdumpspdf.com ◁上搜索▶ CCRN-Pediatric □輕鬆獲取免費下載CCRN-Pediatric指南
- 值得信賴的CCRN-Pediatric權威認證和資格考試領導者和準確的CCRN-Pediatric: Critical Care Nursing Exam □ 立即打開□ www.newdumpspdf.com □並搜索□ CCRN-Pediatric □以獲取免費下載CCRN-Pediatric考題寶典
- CCRN-Pediatric學習指南 □ CCRN-Pediatric考試題庫 □ CCRN-Pediatric學習資料 □ 免費下載“CCRN-Pediatric”只需進入✓ www.newdumpspdf.com □✓□網站CCRN-Pediatric考題寶典
- CCRN-Pediatric考古題推薦 □ CCRN-Pediatric測試題庫 □ CCRN-Pediatric題庫更新 □ 在□ tw.fast2test.com □上搜索▶ CCRN-Pediatric □□□並獲取免費下載CCRN-Pediatric題庫最新資訊
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

2026 Fast2test最新的CCRN-Pediatric PDF版考試題庫和CCRN-Pediatric考試問題和答案免費分享: https://drive.google.com/open?id=1cDzKL8l_noIPK9xUBCBTAEJmsG-lwMfw

