


Don't Waste Time Preparing for Nutanix NCP-CN-6.10 Exam. Crack it Instantly with This Proven Method



Individuals who pass the Nutanix Certified Professional - Cloud Native v6.10 certification exam demonstrate to their employers and clients that they have the knowledge and skills necessary to succeed in the industry. Actual4test is aware that preparing with outdated NCP-CN-6.10 Study Material results in a loss of time and money.

With over a decade's business experience, our NCP-CN-6.10 test torrent attached great importance to customers' purchasing experience. There is no need to worry about the speed on buying electronic products. For we make endless efforts to assess and evaluate our NCP-CN-6.10 exam prep' reliability for a long time and put forward a guaranteed purchasing scheme. If necessary, you can also have our remotely online guidance to use our NCP-CN-6.10 Test Torrent. Normally, you can get our NCP-CN-6.10 practice questions in a few minutes after purchase with high efficiency!

>> Valid NCP-CN-6.10 Test Syllabus <<

Nutanix NCP-CN-6.10 Exam Registration | Exam NCP-CN-6.10 Fee

As a reliable product website, we have the responsibility to protect our customers' personal information leakage and your payment security. So you can be rest assured the purchase of our NCP-CN-6.10 exam software. Besides, we have the largest IT exam repository, if you are interested in NCP-CN-6.10 Exam or any other exam dumps, you can search on our Actual4test or chat with our online support any time you are convenient. Wish you success in NCP-CN-6.10 exam.

Nutanix Certified Professional - Cloud Native v6.10 Sample Questions (Q14-Q19):

NEW QUESTION # 14

What common issues may cause a cluster detachment process to fail? (Select two)

- A. The cluster being paused in the infrastructure provider
- B. Incomplete uninstallation of workspace-level configurations
- C. Active platform applications still running on the cluster
- D. Mismatched Prometheus metrics retention settings

Answer: B,C

NEW QUESTION # 15

What steps are required to configure access control in a specific project? (Select two)

- A. Link the project to a workspace
- B. Enable cluster autoscaler for the project
- C. Add cluster to the project

- D. Define RoleBindings within the project

Answer: A,D

NEW QUESTION # 16

After loading the NKP bundles to a private registry in an air-gapped environment, a Platform Engineer now needs the Konvoy bootstrap image to create the bootstrap cluster. The Konvoy image has not been loaded into the registry. Which is the most viable command to load the Konvoy bootstrap image on the bastion host?

- A. `nkp push bundle --bundle konvoy-bootstrap-image-<version>.tar --to-registry=<REGISTRY_URL>`
- B. `docker load -i konvoy-bootstrap-image-<version>.tar`
- C. `docker image tag konvoy-bootstrap-image-<version>.tar version docker.io/konvoy-bootstrap version`
- D. `nkp load image -f konvoy-bootstrap-image-<version>.tar --to-registry=<REGISTRY_URL>`

Answer: B

NEW QUESTION # 17

A Platform Engineer has been tasked with setting up a secure and isolated environment for managing an NKP environment. The environment will have no access to the Internet but will be required to create additional NKP clusters in the future. The security team has recommended using a bastion host to achieve this goal. What is the primary purpose of a bastion host in this scenario?

- A. To provide a secure point for creating and operating NKP clusters.
- B. To store and manage sensitive data related to the cluster.
- C. To act as a firewall for the cluster, blocking all incoming traffic.
- D. To serve as a load balancer for the NKP clusters.

Answer: A

NEW QUESTION # 18

The cluster area will host a new application that needs to add more workers. The company cannot get more NKP licenses, so it has decided to delete the demo cluster and add the required workers to the arca cluster. How should the engineer delete the demo cluster from this UI?

Refer to the exhibit.

| Name | Type | Provider | Version | Status | Costs (Last 1 Day) | Costs (Last 7 Days) | Labels |
|------------|------|----------|---------|--------|--------------------|---------------------|----------|
| arca | NKP | Nutanix | v1.29.9 | Active | N/A | N/A | 4 labels |
| demo | NKP | Nutanix | v1.29.9 | Active | N/A | N/A | 4 labels |
| production | NKP | Nutanix | v1.29.9 | Active | N/A | N/A | 4 labels |

- A. Login with SSH to the kommander cluster and execute `kubectl delete cluster -c demo`
- B. Press the ("demo" cluster line) three-dot menu at the right and select Delete.
- C. Press the ("demo" cluster line) three-dot menu at the right and select Download kubeconfig, then use that file to execute `kubectl delete cluster -c demo --kubeconfig=demo.conf`
- D. Press the ("demo" cluster line) three-dot menu at the right and select Detach. Then ask the cluster owner to delete the cluster.

Answer: B

NEW QUESTION # 19

.....

Actual4test's Nutanix NCP-CN-6.10 Exam Training materials is no other sites in the world can match. Of course, this is not only the problem of quality, it goes without saying that our quality is certainly the best. More important is that Actual4test's exam training materials is applicable to all the IT exam. So the website of Actual4test can get the attention of a lot of candidates. They believe and

- [illegible]