

# Formats of SurePassExams Updated Oracle 1z0-1104-25 Exam Practice Questions



Once we have latest version, we will send it to your mailbox as soon as possible. our 1z0-1104-25 exam questions just need students to spend 20 to 30 hours practicing on the platform which provides simulation problems, can let them have the confidence to pass the 1z0-1104-25 exam, so little time great convenience for some workers. Our 1z0-1104-25 question torrent not only have reasonable price but also can support practice perfectly, as well as in the update to facilitate instant upgrade for the users in the first place, compared with other education platform on the market, the 1z0-1104-25 Exam Question can be said to have high quality performance. It must be your best tool to pass your exam and achieve your target.

On the final Oracle Cloud Infrastructure 2025 Security Professional 1z0-1104-25 exam day, you will feel confident and perform better in the Oracle Cloud Infrastructure 2025 Security Professional 1z0-1104-25 certification test. 1z0-1104-25 authentic dumps come in three formats: Oracle 1z0-1104-25 pdf questions formats, Web-based and desktop 1z0-1104-25 practice test software are the three best formats of SurePassExams 1z0-1104-25 Valid Dumps. 1z0-1104-25 pdf dumps file is the more effective and fastest way to prepare for the 1z0-1104-25 exam. Oracle PDF Questions can be used anywhere or at any time. You can download 1z0-1104-25 dumps pdf files on your laptop, tablet, smartphone, or any other device.

>> 1z0-1104-25 Dumps Vce <<

## Sample 1z0-1104-25 Questions Pdf & Test 1z0-1104-25 Guide

We hope you can feel that we sincerely hope to help you. We hope that after choosing our 1z0-1104-25 study materials, you will be able to concentrate on learning our 1z0-1104-25 learning guide without worry. It is our greatest honor that you can feel satisfied. Of course, we will value every user. We will never neglect any user. Our 1z0-1104-25 Exam Braindumps will provide perfect service for everyone.

## Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q31-Q36):

### NEW QUESTION # 31

When trying to encrypt plaintext using Command Line Interface (CLI), the developer gets a Service Error.

This is the command the developer tried to run:

```
oci kms crypto encrypt --key-id ocid1.key.oc1.iad.bbptfrz5aseuk.abcwclj532axq6e6x1swgluv052inrth62jq7enfe;fmlhb44nkv3ahsts --plaintext foobar --endpoint https://bbptfrz5aseuk-management.kms.us-ashburn-1.oraclecloud.com
```

What is the reason for this error?

- A. The user should pass the key version OCID instead of the key OCID.
- B. The plaintext needs to be in JSON form.
- C. The developer forgot to specify the region.
- D. The developer has the wrong endpoint.

**Answer: A**


## NEW QUESTION # 32

Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:  
Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 2: Create a Security Zone

Create a security Zone named IAD\_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe (IAD-SAP-PBT-CSP-01) created in the previous task.

Enter the OCID of the created Security zone in the box below.

```
Security Zone name: IAD-SP-PBT-CSZ-01
Associated Recipe: IAD-SP-PBT-CSP-01
Compartment: 98815992-C01
Purpose: Allow compute in Public Subnet
```

**Answer:**

Explanation:

See the solution below in Explanation.

Explanation:

To create a Security Zone named IAD\_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe IAD-SP-PBT-CSP-01 created in the previous task, follow these steps based on the Oracle Cloud Infrastructure (OCI) Security Zones documentation.

## Step-by-Step Solution for Task 2: Create a Security Zone

- \* Log in to the OCI Console:
- \* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).
- \* Ensure you have access to the assigned compartment.
- \* Navigate to Security Zones:
  - \* From the OCI Console, click the navigation menu (hamburger icon) on the top left.
  - \* Under Governance and Administration, select Security Zones.
- \* Create a New Security Zone:
  - \* In the Security Zones dashboard, click the Create Security Zone button.
  - \* Configure the Security Zone Details:
    - \* Name: Enter IAD\_SAP-PBT-CSZ-01.
    - \* Compartment: Select the assigned compartment provided.
    - \* Description (Optional): Add a description, e.g., "Security Zone for public subnet compute instances."
  - \* Associate the Custom Security Zone Recipe:
    - \* In the Recipes section, select the custom recipe IAD-SP-PBT-CSP-01 created in Task 1 from the dropdown list.
    - \* Ensure the recipe is correctly associated to enforce the policy allowing compute instances in the public subnet.
  - \* Define the Security Zone Scope:
    - \* Under Resources to Protect, select the compartment or specific resources (e.g., the VCN with CIDR 10.0.0.0/16 and public subnet 10.0.10.0/24) to apply the security zone.
    - \* Check the box to include all resources in the selected compartment if applicable.
  - \* Create the Security Zone:
    - \* Click Create to finalize the security zone creation.
  - \* Once created, note the OCID of the security zone from the security zone details page. The OCID will be a unique identifier starting with ocid1.securityzone.
- \* Verify the Security Zone:
  - \* Go to the Security Zone tab and locate IAD\_SAP-PBT-CSZ-01.
  - \* Confirm the associated recipe (IAD-SP-PBT-CSP-01) and the applied policies.

### OCID of the Created Security Zone

\* The exact OCID will be generated upon creation (e.g., ocid1.securityzone.oc1..<unique\_string>).


Please enter the OCID displayed in the OCI Console after completing Step 7.

## NEW QUESTION # 33

### Challenge 1 - Task 1

Integrate TLS Certificate Issued by the OCI Certificates Service with Load Balancer You are a cloud engineer at a tech company that is migrating its services to Oracle Cloud Infrastructure (OCI). You are required to set up secure communication for your web application using OCI's Certificate service. You need to create a Certificate Authority (CA), issue a TLS/SSL server certificate, and configure a load balancer to use this certificate to ensure encrypted traffic between clients and the backend servers.

Review the architecture diagram, which outlines the resources you'll need to address the requirement.



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

OCI Vault to store the secret required by the program, which is created in the root compartment as PBT\_Vault\_SP Task 1: Create and Configure a Virtual Cloud Network (VCN) Create a Virtual Cloud Network (VCN) named PBT-CERT-VCN-01 with the following specifications:

\* VCN with a CIDR block of 10.0.0.0/16

\* Subnet 1 (Compute Instance):

\* Name: Compute-Subnet-PBT-CERT

\* CIDR Block: 10.0.1.0/24

Subnet 2 (Load Balancer):

\* Name: LB-Subnet-PBT-CERT-SNET-02

\* CIDR Block: 10.0.2.0/24

Internet Gateway for external connectivity

Route table and security lists:

\* Security List named PBT-CERT-CS-SL-01 for Subnet 1 (Compute-Subnet-PBT-CERT) to allow SSH (port 22) traffic

\* Security List named PBT-CERT-LB-SL-01 for Subnet 2 (LB-Subnet-PBT-CERT) to allow HTTPS (port 443) traffic

"Enter the OCID of the created VCN in the text box below.

### **Answer:**

Explanation:

See the solution below in Explanation.

Explanation:

Challenge 1: Integrate TLS Certificate Issued by the OCI Certificates Service with Load Balancer Task 1: Create and Configure a Virtual Cloud Network (VCN) Step 1: Create the Virtual Cloud Network (VCN)

\* Log in to the OCI Console.

\* Navigate to Networking > Virtual Cloud Networks.

\* Click Create Virtual Cloud Network.

\* Select VCN with Internet Connectivity (to include an Internet Gateway by default).

\* Enter the following details:

\* Name: PBT-CERT-VCN-01

\* Compartment: Select your assigned compartment.

\* VCN CIDR Block: 10.0.0.0/16

\* Leave other settings as default (e.g., create a new public subnet and route table).

\* Click Create Virtual Cloud Network. Wait for the VCN to be created.

Step 2: Create Subnet 1 (Compute-Subnet-PBT-CERT)

\* In the VCN details page for PBT-CERT-VCN-01, click Subnets under Resources.

\* Click Create Subnet.

\* Enter the following details:

\* Name: Compute-Subnet-PBT-CERT

\* Subnet Type: Regional

\* CIDR Block: 10.0.1.0/24

\* Route Table: Select the default route table created with the VCN.

\* Subnet Access: Public Subnet (to allow internet access).

\* DNS Resolution: Enabled.

\* Click Create.

Step 3: Create Subnet 2 (LB-Subnet-PBT-CERT-SNET-02)

\* In the VCN details page, click Subnets under Resources.

\* Click Create Subnet.

\* Enter the following details:

\* Name: LB-Subnet-PBT-CERT-SNET-02

\* Subnet Type: Regional

\* CIDR Block: 10.0.2.0/24

\* Route Table: Select the default route table created with the VCN.

\* Subnet Access: Public Subnet (to allow internet access for the load balancer).

\* DNS Resolution: Enabled.

\* Click Create.

Step 4: Verify Internet Gateway

\* In the VCN details page, under Resources, click Internet Gateways.

\* Ensure an Internet Gateway is listed and attached to PBT-CERT-VCN-01. If not created, click Create Internet Gateway, name it (e.g., PBT-CERT-IGW), and attach it.

#### Step 5: Configure Route Table

- \* In the VCN details page, underResources, clickRoute Tables.
- \* Select the default route table or create a new one named PBT-CERT-RT-01.
- \* ClickAdd Route Rule. 4 -Destination CIDR Block: 0.0.0.0/0
- \* Target Type: Internet Gateway
- \* Target: Select the Internet Gateway created (e.g., PBT-CERT-IGW).
- \* ClickAdd Route Ruleand save.

#### Step 6: Create Security List for Subnet 1 (Compute-Subnet-PBT-CERT)

- \* In the VCN details page, underResources, clickSecurity Lists.
- \* ClickCreate Security List.
- \* Enter the following:
  - \* Name: PBT-CERT-CS-SL-01
  - \* Compartment: Your assigned compartment.
- \* Add the following ingress rule:
  - \* Source CIDR: 0.0.0.0/0 (allow from any source, adjust as per security needs)
  - \* IP Protocol: TCP
  - \* Source Port Range: All
  - \* Destination Port Range: 22 (for SSH)
  - \* Allows: Traffic
- \* ClickCreate.

#### Step 7: Create Security List for Subnet 2 (LB-Subnet-PBT-CERT-SNET-02)

- \* In the VCN details page, underResources, clickSecurity Lists.
- \* ClickCreate Security List.
- \* Enter the following:
  - \* Name: PBT-CERT-LB-SL-01
  - \* Compartment: Your assigned compartment.
- \* Add the following ingress rule:
  - \* Source CIDR: 0.0.0.0/0 (allow from any source, adjust as per security needs)
  - \* IP Protocol: TCP
  - \* Source Port Range: All
  - \* Destination Port Range: 443 (for HTTPS)
  - \* Allows: Traffic
- \* ClickCreate.

#### Step 8: Retrieve and Enter VCN OCID

- \* Go to the VCN details page for PBT-CERT-VCN-01.
- \* Copy theOCIDfrom the VCN information section.
- \* Enter the OCID in the provided text box.

### NEW QUESTION # 34

#### Task 3: Create a Master Encryption Key

Note: OCI Vault to store the key required by this task is created in the root compartment as PBI\_Vault\_SP Create an RSA Master Encryption Key (MEK), where:

Key name: PBT-CERT-MEK-01-<username>

For example, if your username is 99008677-lab.user01, then the MEK name should be PBT-CERT-MEK-01990086771abuser01

Ensure you eliminate special characters from the user name.

Key shape: 4096 bits

Enter the OCID of the Master Encryption Key created in the provided text box:

#### Answer:

Explanation:

See the solution below in Explanation.

Explanation:

#### Task 3: Create a Master Encryption Key

##### Step 1: Access the OCI Vault

- \* Log in to the OCI Console.
- \* Navigate toIdentity & Security>Vault.
- \* Select the root compartment.
- \* Locate and click on the vault named PBI\_Vault\_SP.

#### Step 2: Create the Master Encryption Key

- \* In the PBI\_Vault\_SP vault details page, underResources, clickKeys.
- \* ClickCreate Key.
- \* Enter the following details:
  - \* Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-MEK-0199008677labuser01).
  - \* Key Shape: SelectRSAwith4096 bits.
  - \* Protection Mode: SelectHSM(Hardware Security Module) if available, orSoftwareif HSM is not required (based on vault capabilities).
  - \* Compartment: Ensure it's set to the root compartment (where PBI\_Vault\_SP resides).
  - \* Leave other settings (e.g., key usage) as default unless specified.
  - \* ClickCreate Keyand wait for the key to be generated.
- Step 3: Retrieve and Enter the OCID
  - \* After the key is created, go to theKeyssection under PBI\_Vault\_SP.
  - \* Click on the key named PBT-CERT-MEK-01<username> (e.g., PBT-CERT-MEK-0199008677labuser01).
  - \* Copy theOCID(a long string starting with oid1.key., unique to your tenancy) from the key details page.
  - \* Enter the copied OCID exactly as it appears into the provided text box.

#### NEW QUESTION # 35

"Your company is in the process of migrating its sensitive data to Oracle Cloud Infrastructure (OCI) and is prioritizing the strongest possible security measures. Encryption is a key part of this strategy, but you are particularly concerned about the physical security of the hardware where your encryption keys will be stored.

Which characteristic of OCI Key Management Service (KMS) helps ensure the physical security of your encryption keys?

- A. Utilization of FIPS 140-2 validated Hardware Security Modules (HSMs)"
- B. Granular customer control over key access permissions
- C. Seamless integration with other OCI services for streamlined workflows
- D. Centralized key management for simplified administration

**Answer: A**

#### NEW QUESTION # 36

.....

Getting the Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) certification exam is necessary in order to get a job in your desired tech company. Success in the Oracle Cloud Infrastructure 2025 Security Professional certification exam gives you an edge over the others because you will have certified skills. The Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) certification exam badge will make a good impression on the interviewer. Most of the people planning to attempt the Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) exam are confused that how will they prepare and pass Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) exam with good grades.

**Sample 1z0-1104-25 Questions Pdf:** <https://www.surepassexams.com/1z0-1104-25-exam-bootcamp.html>

Oracle 1z0-1104-25 Dumps Vce You will pass exams easily, Our 1z0-1104-25 study materials will help you save money, energy and time, Oracle 1z0-1104-25 Dumps Vce When you feel that you should register for Premium Version, Just choose your exam from the Certification List and Proceed Payment, you will receive your Username/Password in your Email within 5 to 10 minutes, We will continue improving 1z0-1104-25 exam study materials.

Then, tap the Stop button to end the recording process, or tap 1z0-1104-25 Pause/Resume to stop and then restart the recording process, Right-click the ribbon and choose Customize the Ribbon.

You will pass exams easily, Our 1z0-1104-25 Study Materials will help you save money, energy and time, When you feel that you should register for Premium Version, Just choose your exam from the Certification Sample 1z0-1104-25 Questions Pdf List and Proceed Payment, you will receive your Username/Password in your Email within 5 to 10 minutes.

**Professional Oracle 1z0-1104-25 Dumps Vce Are Leading Materials &**

# Authorized Sample 1z0-1104-25 Questions Pdf

We will continue improving 1z0-1104-25 exam study materials, This Oracle Cloud Infrastructure brain dumps exam testing tool introduces you not only with the actual exam paper formation but also allows you to master various significant segments of the 1z0-1104-25 syllabus.