

# Free NSE7\_LED-7.0 Pdf Guide - NSE7\_LED-7.0 Valuable Feedback



P.S. Free & New NSE7\_LED-7.0 dumps are available on Google Drive shared by Exams4Collection:  
[https://drive.google.com/open?id=1XhFNizlnnODLLK9CVFAA\\_JKEmz\\_OZsSq](https://drive.google.com/open?id=1XhFNizlnnODLLK9CVFAA_JKEmz_OZsSq)

Our NSE7\_LED-7.0 test braindumps are carefully developed by experts in various fields, and the quality is trustworthy. What's more, after you purchase our products, we will update our NSE7\_LED-7.0 exam questions according to the new changes and then send them to you in time to ensure the comprehensiveness of learning materials. We also have data to prove that 99% of those who use our NSE7\_LED-7.0 Latest Exam torrent to prepare for the exam can successfully pass the exam and get NSE7\_LED-7.0 certification. As long as you decide to choose our NSE7\_LED-7.0 exam questions, you will have an opportunity to prove your abilities, so you can own more opportunities to embrace a better life.

Fortinet NSE7\_LED-7.0 Certification Exam is a vendor-neutral certification, which means that it is not tied to any specific vendor or product. This makes it an excellent choice for network professionals who want to demonstrate their expertise in LAN Edge technologies and network security without being limited to a single vendor.

Fortinet NSE7\_LED-7.0 certification exam consists of multiple-choice questions and requires the candidates to have a deep understanding of the Fortinet Security Fabric and its implementation in a LAN Edge environment. NSE7\_LED-7.0 Exam is a challenging one, and the candidates need to have hands-on experience with the Fortinet Security Fabric to pass the exam.

>> [Free NSE7\\_LED-7.0 Pdf Guide](#) <<

## NSE7\_LED-7.0 Valuable Feedback & Latest NSE7\_LED-7.0 Mock Exam

NSE7\_LED-7.0 dump at Exams4Collection are always kept up to date. Every addition or subtraction of NSE7\_LED-7.0 exam questions in the exam syllabus is updated in our brain dumps instantly. Practice on real NSE7\_LED-7.0 exam questions and we have provided their answers too for your convenience. If you put just a bit of extra effort, you can score the highest possible score in the Real NSE7\_LED-7.0 Exam because our NSE7\_LED-7.0 exam preparation dumps are designed for the best results.

### Fortinet NSE 7 - LAN Edge 7.0 Sample Questions (Q51-Q56):

### NEW QUESTION # 51

An administrator is testing the connectivity for a new VLAN. The devices in the VLAN are connected to a FortiSwitch device that is managed by FortiGate. Quarantine is disabled on FortiGate. While testing the administrator noticed that devices can ping FortiGate and FortiGate can ping the devices. The administrator also noticed that inter-VLAN communication works. However intra-VLAN communication does not work. Which scenario is likely to cause this issue?

- A. Access VLAN is enabled on the VLAN
- B. The native VLAN configured on the ports is incorrect
- C. The FortiSwitch MAC address table is missing entries
- D. The FortiGate ARP table is missing entries

**Answer: A**

### NEW QUESTION # 52

Refer to the exhibit.

The screenshot shows the 'Radius' configuration page on a FortiGate interface. The 'Name' field is set to 'FAC-Lab'. The 'Authentication method' is set to 'Default'. The 'NAS IP' field is empty. The 'Include in every user group' checkbox is checked. Under the 'Primary Server' section, the 'IP/Name' field contains '10.0.1.150' and the 'Secret' field contains a masked password. The 'Connection status' is marked as 'Successful'. Below the primary server section are two buttons: 'Test Connectivity' and 'Test User Credentials'.

Examine the RADIUS server configuration shown in the exhibit.

An administrator has configured a RADIUS server on FortiGate that points to FortiAuthenticator. FortiAuthenticator is acting as an authentication proxy and is configured to relay all authentication requests to a remote Windows AD server using LDAP. While testing the configuration, the administrator noticed that the 'diagnose test authserver' command worked with PAP, however authentication requests failed when using MSCHAP2. Which two solutions can the administrator implement to get MSCHAP2 authentication to work? (Choose two.)

- A. On FortiGate, configure the NAS IP setting on the RADIUS server.
- B. On FortiGate, update the Secret setting on the RADIUS server.
- C. On FortiAuthenticator, enable Windows Active Directory Domain Authentication to add FortiAuthenticator to the Windows domain.
- D. On FortiAuthenticator, change the back-end authentication server from LDAP to RADIUS.

**Answer: C,D**

Explanation:

According to the exhibit, the RADIUS server configuration on FortiGate points to FortiAuthenticator, which is acting as an authentication proxy and is configured to relay all authentication requests to a remote Windows AD server using LDAP. However, LDAP does not support MSCHAP2 authentication, which is required for RADIUS. Therefore, option A is true because on FortiAuthenticator, enabling Windows Active Directory Domain Authentication will add FortiAuthenticator to the Windows domain and allow it to use MSCHAP2 authentication with the AD server. Option C is also true because on FortiAuthenticator, changing the back-end authentication server from LDAP to RADIUS will allow it to use MSCHAP2 authentication with the AD server. Option B is false because on FortiGate, configuring the NAS IP setting on the RADIUS server will not affect the MSCHAP2 authentication, but rather the source IP address of the RADIUS packets. Option D is false because on FortiGate, updating the Secret setting on the RADIUS server will not affect the MSCHAP2 authentication, but rather the shared secret between FortiGate and FortiAuthenticator.

### NEW QUESTION # 53

Which CLI command should an administrator use to view the certificate verification process in real time?

- A. diagnose debug application authd -1
- B. diagnose debug application radiusd -1
- C. **diagnose debug application foauthd -1**
- D. diagnose debug application fnbamd -1

**Answer: C**

Explanation:

Explanation

According to the FortiOS CLI Reference Guide, "The diagnose debug application foauthd command enables debugging of certificate verification process in real time." Therefore, option A is true because it describes the CLI command that an administrator should use to view the certificate verification process in real time. Option B is false because diagnose debug application radiusd -1 enables debugging of RADIUS authentication process, not certificate verification process. Option C is false because diagnose debug application authd -1 enables debugging of authentication daemon process, not certificate verification process. Option D is false because diagnose debug application fnbamd -1 enables debugging of FSSO daemon process, not certificate verification process.

### NEW QUESTION # 54

Refer to the exhibit.

The screenshot shows the configuration of a RADIUS server named 'FAC-Lab'. The 'Authentication method' is set to 'Default'. The 'Primary Server' section displays the IP/Name as '10.0.1.150' and the secret as a masked string. The connection status is marked as 'Successful' with a green checkmark. There are buttons for 'Test Connectivity' and 'Test User Credentials'.

Examine the RADIUS server configuration shown in the exhibit

An administrator has configured a RADIUS server on FortiGate that points to FortiAuthenticator. FortiAuthenticator is acting as an authentication proxy and is configured to relay all authentication requests to a remote Windows AD server using LDAP. While testing the configuration, the administrator noticed that the `diagnotest authserver` command worked with PAP, however authentication requests failed when using MSCHAP2. Which two solutions can the administrator implement to get MSCHAP2 authentication to work? (Choose two.)

- A. On FortiGate configure the NAS IP setting on the RADIUS server
- B. On FortiGate update the Secret setting on the RADIUS server
- C. **On FortiAuthenticator enable Windows Active Directory Domain Authentication to add FortiAuthenticator to the Windows domain**
- D. **On FortiAuthenticator change the back-end authentication server from LDAP to RADIUS**

**Answer: C,D**

Explanation:

Explanation

According to the exhibit, the RADIUS server configuration on FortiGate points to FortiAuthenticator, which is acting as an authentication proxy and is configured to relay all authentication requests to a remote Windows AD server using LDAP. However, LDAP does not support MSCHAP2 authentication, which is required for RADIUS. Therefore, option A is true because on FortiAuthenticator, enabling Windows Active Directory Domain Authentication will add FortiAuthenticator to the Windows domain and allow it to use MSCHAP2 authentication with the AD server. Option C is also true because on FortiAuthenticator, changing the back-end authentication server from LDAP to RADIUS will allow it to use MSCHAP2 authentication with the AD server. Option B is false because on FortiGate, configuring the NAS IP setting on the RADIUS server will not affect the MSCHAP2 authentication, but rather the source IP address of the RADIUS packets. Option D is false because on FortiGate, updating the Secret setting on the RADIUS server will not affect the MSCHAP2 authentication, but rather the shared secret between FortiGate and FortiAuthenticator.

### NEW QUESTION # 55

You are configuring a FortiGate wireless network to support automated wireless client quarantine using IOC. Which two configurations must you put in place for a wireless client to be quarantined successfully? (Choose two)

- A. Configure a firewall policy to allow communication
- B. **Configure the FortiGate device in the Security Fabric with a FortiAnalyzer device**
- C. **Configure the wireless network to be in tunnel mode**
- D. Configure the wireless network to be in bridge mode

**Answer: B,C**

Explanation:

Explanation

According to the FortiGate Administration Guide, "To enable automated wireless client quarantine using IOC, you must configure the following settings: Configure your wireless network to be in tunnel mode. This allows FortiGate to inspect all wireless traffic and apply security policies. Configure your FortiGate device in the Security Fabric with a FortiAnalyzer device. This allows FortiAnalyzer to detect indicators of compromise (IOC) from wireless traffic and send quarantine commands to FortiGate." Therefore, options A and B are true because they describe the configurations that must be put in place for a wireless client to be quarantined successfully using IOC. Option C is false because configuring a firewall policy to allow communication is not required, as the default firewall policy for tunnel mode wireless networks is to allow all traffic. Option D is false because configuring the wireless network to be in bridge mode is not supported, as FortiGate cannot inspect or quarantine wireless traffic in bridge mode.

### NEW QUESTION # 56

.....

Time is flying and the exam date is coming along, which is sort of intimidating considering your status of review process. The more efficient the materials you get, the higher standard you will be among competitors. So, high quality and high accuracy rate NSE7\_LED-7.0 practice materials are your ideal choice this time. By adding all important points into NSE7\_LED-7.0 practice materials with attached services supporting your access of the newest and trendiest knowledge, our NSE7\_LED-7.0 practice materials are quite suitable for you right now.

**NSE7\_LED-7.0 Valuable Feedback:** [https://www.exams4collection.com/NSE7\\_LED-7.0-latest-braindumps.html](https://www.exams4collection.com/NSE7_LED-7.0-latest-braindumps.html)

- Reliable NSE7\_LED-7.0 Test Guide  NSE7\_LED-7.0 Latest Training  Reliable NSE7\_LED-7.0 Exam Papers  Easily obtain (NSE7\_LED-7.0) for free download through ➔ [www.dumpsquestion.com](http://www.dumpsquestion.com)   NSE7\_LED-7.0 Practice Exam Pdf
- Quiz Fortinet - Authoritative NSE7\_LED-7.0 - Free Fortinet NSE 7 - LAN Edge 7.0 Pdf Guide  Easily obtain free download of ➔ NSE7\_LED-7.0   by searching on { [www.pdfvce.com](http://www.pdfvce.com) }   Interactive NSE7\_LED-7.0 Course
- Quiz Fortinet - Authoritative NSE7\_LED-7.0 - Free Fortinet NSE 7 - LAN Edge 7.0 Pdf Guide  Search for ➤ NSE7\_LED-7.0  and download it for free immediately on ➤ [www.testsdump.com](http://www.testsdump.com)   NSE7\_LED-7.0 Official Study Guide
- NSE7\_LED-7.0 Valid Exam Voucher  NSE7\_LED-7.0 Pdf Pass Leader  NSE7\_LED-7.0 Pdf Pass Leader  Copy URL ➔ [www.pdfvce.com](http://www.pdfvce.com)  open and search for ➤ NSE7\_LED-7.0  to download for free  Reliable NSE7\_LED-7.0 Test Guide
- Updated Fortinet NSE7\_LED-7.0 exam practice material in 3 different formats  Easily obtain ➔ NSE7\_LED-7.0   for free download through ➔ [www.testkingpdf.com](http://www.testkingpdf.com)   NSE7\_LED-7.0 Reliable Torrent
- Pass Guaranteed Fortinet - Useful Free NSE7\_LED-7.0 Pdf Guide  Simply search for ➤ NSE7\_LED-7.0  for free download on  [www.pdfvce.com](http://www.pdfvce.com)   NSE7\_LED-7.0 Valid Exam Bootcamp

- Updated Fortinet NSE7\_LED-7.0 exam practice material in 3 different formats □ Copy URL ↗ www.prep4away.com □ Open and search for ➡ NSE7\_LED-7.0 □ to download for free □ NSE7\_LED-7.0 Pdf Pass Leader
- Fortinet NSE 7 - LAN Edge 7.0 latest study torrent - NSE7\_LED-7.0 advanced testing engine - Fortinet NSE 7 - LAN Edge 7.0 valid exam dumps □ ➤ www.pdfvce.com ↗ is best website to obtain ➤ NSE7\_LED-7.0 □ for free download □ Exam NSE7\_LED-7.0 Simulator Fee
- NSE7\_LED-7.0 Reliable Torrent □ NSE7\_LED-7.0 Valid Exam Voucher □ NSE7\_LED-7.0 Reliable Torrent □ The page for free download of ➤ NSE7\_LED-7.0 □ on [ www.testsadumps.com ] will open immediately □ Exam NSE7\_LED-7.0 Simulator Fee
- NSE7\_LED-7.0 Pdf Pass Leader □ NSE7\_LED-7.0 Practice Exam Pdf □ NSE7\_LED-7.0 Official Study Guide □ Search on ➡ www.pdfvce.com □ □ for ↗ NSE7\_LED-7.0 □ ↗ □ to obtain exam materials for free download □ Reliable NSE7\_LED-7.0 Test Guide
- Pass Guaranteed Fortinet - Useful Free NSE7\_LED-7.0 Pdf Guide □ Search for ➡ NSE7\_LED-7.0 □ and download it for free immediately on ➡ www.testsimulate.com □ □ NSE7\_LED-7.0 Relevant Questions
- bbs.abacus-dft.com, matrixbreach.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, course.clickcode.in, goodlifewithsukanya.com, tonylee855.bloginwi.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, developer.codesys.cn, Disposable vapes

BTW, DOWNLOAD part of Exams4Collection NSE7\_LED-7.0 dumps from Cloud Storage: [https://drive.google.com/open?id=1XhFNizhnODLLK9CVFAA\\_JKEnz\\_OZsSq](https://drive.google.com/open?id=1XhFNizhnODLLK9CVFAA_JKEnz_OZsSq)