Free PDF 1z1-076 - Oracle Database 19c: Data Guard Administration Pass-Sure Vce File



P.S. Free & New 1z1-076 dumps are available on Google Drive shared by BraindumpStudy: https://drive.google.com/open?id=1dX_Z7mT2q8kzoazFXRC1pCxIMwRSTn3j

The world is changing, so we should keep up with the changing world's step as much as possible. Our BraindumpStudy has been focusing on the changes of 1z1-076 exam and studying in the exam, and now what we offer you is the most precious 1z1-076 test materials. After you purchase our dump, we will inform you the 1z1-076 update messages at the first time; this service is free, because when you purchase our study materials, you have bought all your 1z1-076 exam related assistance.

You don't need to install any separate software or plugin to use it on your system to practice for your actual Oracle Database 19c: Data Guard Administration (1z1-076) exam. Oracle web-based practice software is supported by all well-known browsers like Chrome, Firefox, Opera, Internet Explorer, etc.

>> 1z1-076 Vce File <<

New 1z1-076 Vce File | Efficient Oracle 1z1-076: Oracle Database 19c: Data Guard Administration 100% Pass

It will make them scrutinize how our formats work and what we offer them, for example, the form and pattern of Oracle 1z1-076 exam dumps, and their relevant and updated answers. It is convenient for our consumers to check Oracle 1z1-076 Exam Questions free of charge before purchasing the Oracle 1z1-076 practice exam.

Oracle 1z1-076 Exam Syllabus Topics:

Topic	Details
Topic 1	Managing Physical Standby Files After Structural Changes on the Primary Database: The topic covers managing structural changes in the primary database and their impact on physical standby files.
Topic 3	Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions.

Topic 4	Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery.
Topic 5	Patching and Upgrading Databases in a Data Guard Configuration: This section provides guidance on patching and upgrading databases in a Data Guard environment, along with performance optimization techniques and monitoring considerations.
Topic 6	Creating a Data Guard Broker Configuration: This section delves into the practical aspects of creating and managing a Data Guard broker configuration, including command-line and Enterprise Manager approaches.
Topic 7	Monitoring a Data Guard Broker Configuration: The topic covers the use of Enterprise Manager and DGMGRL to monitor Data Guard configurations and explains the various data protection modes available.
Topic 8	Performing Role Transitions: Here, the concept of database roles is explained, along with the steps for performing switchovers, failovers, and maintaining physical standby sessions during role transitions.
Topic 9	Oracle Data Guard Broker Basics: An overview of the Data Guard broker, its architecture, components, benefits, and configurations, is provided here. It serves as an introduction to the tool used for managing Data Guard configurations.

Oracle Database 19c: Data Guard Administration Sample Questions (Q43-Q48):

NEW QUESTION #43

You must configure an Oracle Data......

- 1. A primary database
- 2. A physical standby database

Examine these requirements: 1. Data loss is not permitted.

- 1. Data loss is not permitted.
- 2. It should be possible to convert the physical standby database to a snapshot standby database.
- 3. Under normal operations, transactions should commit when redo is written to disk on the primary database and as soon as it has been received by the standby database instance.
- 4. The availability of the primary database should not be compromised by the availability of the standby database.
- 5. It should be possible to convert the physical standby database to a logical standby database
- 6. It should be possible to deploy Real Application Clusters on the primary database.
- 7. It should be possible to deploy Real Application Clusters on the physical standby database.

You configure SYNC redo transport mode in combination with Maximum Protection mode.

- A. 1, 6, and 7
- B. 1, 2, and 5
- C. 1, 2, 3, 6, and 7
- D. 1, 2, 6, and 7
- E. 1, 2, 3, 4, 5, 6, and 7

Answer: E

Explanation:

When SYNC redo transport mode is combined with Maximum Protection mode, it ensures that no data loss will occur (requirement 1). The physical standby can be converted to a snapshot standby (requirement 2) and later to a logical standby database (requirement 5), satisfying both transformation requirements. Transactions commit as soon as redo data is received by the standby database (requirement 3). The availability of the primary is not dependent on the standby database in Maximum Protection mode, as the primary database will halt if the standby cannot acknowledge the redo (requirement 4), thus indirectly ensuring its availability. It is also possible to deploy Real Application Clusters on both the primary (requirement 6) and the physical standby database (requirement 7), providing high availability and scalability.

Reference

Oracle Data Guard documentation detailing the requirements for different database roles, protection modes, and redo transport

modes, as well as the capabilities and limitations of each configuration.

NEW QUESTION #44

Which TWO are benefits of using Transaction Guard in a Data Guard environment?

- A. It provides application continuity by replaying transactions interrupted by a failover or a switchover
- B. It protects against user errors being replicated to standby databases.
- C. It protects against recoverable errors during a planned or an unplanned outage of a primary database.
- D. It protects against logical corruptions being replicated to standby databases.
- E. It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover.

Answer: C,E

Explanation:

Transaction Guard provides benefits in terms of transaction consistency and recovery in a Data Guard environment:

- * It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover (B): Transaction Guard ensures that any uncommitted transactions at the time of an outage are rolled back consistently, thus preserving the integrity of the application's data and state.
- * It protects against recoverable errors during a planned or an unplanned outage of a primary database (D): Transaction Guard offers protection against errors that can occur during outages, allowing applications to resume operations more quickly and reliably after recovery. References:
- * Oracle Database High Availability Overview
- * Oracle Real Application Clusters Administration and Deployment Guide

NEW QUESTION #45

Examine the Data Guard configuration:

DGMGRL> show configuration;

Configuration - Animals

Protection Mode: MaxAvailability

Databases:

dogs - Primary database

cats - Physical standby database sheep - Physical standby database

Fast-Start Failover: DISABLED

Configuration Status:

ORA-01034: ORACLE not available

ORA-16625: cannot reach database "dogs"

DGM-17017: unable to determine configuration status

Which three will be true after a successful failover to Cats?

- A. The configuration will be in Maximum Availability mode.
- B. The configuration will be in Maximum Performance mode.
- C. Sheep will be in the disabled state.
- D. Sheep will be in the enabled state.
- E. Dogs will be in the disabled state and has to be manually reinstated.

Answer: A,D,E

Explanation:

After a successful failover to the 'cats' database in a Data Guard configuration:

* B: Sheep, being another standby database, would typically remain in the enabled state unless specifically disabled or if there was a

configuration issue.

- * D: Dogs, which was the primary database prior to failover, will be in a disabled state as part of the failover process. Manual intervention is required to re-establish 'dogs' as a standby database or to return it to the primary role through another role transition.
- * E: If the configuration was in Maximum Availability mode before failover, it would remain in this mode after failover, provided all settings were properly configured and no changes were made to the protection mode.

Option A is incorrect because failover does not automatically change the protection mode to Maximum Performance. The protection mode remains as it was prior to the failover unless manually altered.

References: The behavior of Oracle Data Guard during failover and the resulting configuration state is described in the Oracle Data Guard Broker documentation.

NEW QUESTION #46

Which TWO are TRUE about offloading backups to a physical standby database in a Data Guard environment?

- A. The standby database must be registered in an RMAN catalog before the primary database has been registered.
- B. Backups of the standby control file taken while connected to the catalog where the database is registered, may be used to restore the control file on the primary database.
- C. The standby database can not be registered in an RMAN catalog if the primary database has not been registered.
- D. The standby database must be registered in an RMAN catalog after the primary database has been registered.

Answer: B,D

Explanation:

In a Data Guard environment, offloading backups to a physical standby database has certain requirements:

A: Once the primary database is registered in an RMAN catalog, the standby database can also be registered. This allows RMAN to manage backups coherently across both databases and leverage the standby database for backup purposes without interfering with the primary database's workload.

C: Backups of the standby control file taken while connected to the catalog where the database is registered can be used to restore the control file on the primary database. This ensures that backup metadata is consistent across the Data Guard configuration. Options B and D are incorrect because there is no strict requirement for the order in which the primary and standby databases must be registered in an RMAN catalog. However, it is a common practice to register the primary database first.

NEW QUESTION #47

Which TWO statements are true about configuring Oracle Net Service in a Data Guard environment?

- A. A static service must be registered with the local listener to enable DGMGRL to restart instances during the course of broker operations.
- B. Enterprise Manager does not require static service registration to restart instances during the course of broker operations.
- C. Installing the oracle-database-preinstall-19c package is NOT sufficient to set up operating system kernel parameters for Oracle Net.
- D. It is necessary to use the failover clause for an address list with multiple address lists in the trisnames ora file.
- E. Install the oracle-database-preinstall-19c package to set the kernel parameters for Oracle Net based on the Data Guard best practice guidelines.

Answer: A,C

Explanation:

A static service must be registered with the local listener to enable DGMGRL to restart instances during the course of broker operations (A): For DGMGRL (Data Guard Manager Command-Line Interface) to perform instance management operations, such as restarting instances, a static service registration in the listener is required. This allows the broker to connect to the database instance even when the instance is not fully up and the dynamic service registration is not available.

Installing the oracle-database-preinstall-19c package is NOT sufficient to set up operating system kernel parameters for Oracle Net (C): While the oracle-database-preinstall-19c package automates the setting of several kernel parameters to meet the preinstallation requirements for Oracle Database, it does not specifically tailor all settings for Oracle Net in a Data Guard configuration. Additional manual configuration may be required to optimize Oracle Net services for Data Guard operations.

Reference:

Oracle Data Guard Broker documentation

Oracle Net Services Administrator's Guide

NEW QUESTION #48

.....

The pass rate of the 1z1-076 exam braindumps is 98.75%, and pass guarantee and money back guarantee, if you indeed fail in the exam by using 1z1-076 exam dumps of us , we will refund your money or if you need to attend other exam, we will replace other 2 valid exam dumps for free. Besides, the 1z1-076 Exam Dumps contain both quality and certain quantity, it is good for you to practice and pass the exam successfully.

1z1-076 Latest Braindumps: https://www.braindumpstudy.com/1z1-076 braindumps.html

•	1z1-076 PDF Dumps - Effortless Solution To Pass Exam □ Search for (1z1-076) on ✔ www.exam4pdf.com □ ✔
Ĭ	•
	immediately to obtain a free download □1z1-076 Latest Exam Simulator
•	Oracle - High Pass-Rate 1z1-076 - Oracle Database 19c: Data Guard Administration Vce File ☐ Search for 《 1z1-076
	» and download it for free on 【 www.pdfvce.com 】 website □1z1-076 Examcollection
•	1z1-076 Pass Rate □ 1z1-076 Latest Test Testking □ 1z1-076 Latest Test Testking □ Search for ⇒ 1z1-076 □□□
	and easily obtain a free download on { www.itcerttest.com } □Valid 1z1-076 Test Registration
•	2025 1z1-076 – 100% Free Vce File Efficient 1z1-076 Latest Braindumps □ ► www.pdfvce.com ◄ is best website to
	obtain ☐ 1z1-076 ☐ for free download ☐ Valid Test 1z1-076 Testking
•	Reliable 1z1-076 Exam Guide □ 1z1-076 Dumps PDF □ 1z1-076 Pass Rate □ Enter ➤ www.testsdumps.com □
	and search for ▷ 1z1-076 ▷ to download for free □Valid Test 1z1-076 Testking
•	1z1-076 Dumps PDF □ 1z1-076 Dumps PDF □ Valid Test 1z1-076 Testking 🌁 Immediately open 🕨
	www.pdfvce.com □ and search for 《 1z1-076 》 to obtain a free download □Latest 1z1-076 Exam Pdf
•	Real Oracle Exam Questions And Answers From 1z1-076 □ Enter (www.getvalidtest.com) and search for > 1z1-
	076 □ to download for free □Latest 1z1-076 Exam Objectives
•	Valid Test 1z1-076 Testking □ 1z1-076 Latest Test Testking □ Valid Test 1z1-076 Testking → Search for □ 1z1-076
	□ and obtain a free download on ➤ www.pdfvce.com □ • Latest 1z1-076 Test Notes
•	Latest 1z1-076 Exam Pdf □ Test 1z1-076 Sample Questions □ Practice 1z1-076 Test Engine □ Enter 《
	www.dumps4pdf.com » and search for → 1z1-076 □ to download for free □Pass 1z1-076 Guarantee
•	2025 100% Free 1z1-076 – Useful 100% Free Vce File Oracle Database 19c: Data Guard Administration Latest
	Braindumps \square Simply search for \square 1z1-076 \square for free download on \square www.pdfvce.com \square \square 1z1-076 Examcollection
•	New 1z1-076 Test Bootcamp □ Latest 1z1-076 Test Notes □ Pass 1z1-076 Guarantee □ Open ■
	www.pass4leader.com \square enter (1z1-076) and obtain a free download \square Latest 1z1-076 Test Notes
•	academy.nuzm.ee, poshditt.in, adamree449.blogcudinti.com, study.stcs.edu.np, alba-academy.com,
	mikemil988.elbloglibre.com, study.stcs.edu.np, learn.nolimit.id, www.primetrain.co.za, mikemil988.humor-blog.com

 $P.S.\ Free \&\ New\ 1z1-076\ dumps\ are\ available\ on\ Google\ Drive\ shared\ by\ BraindumpStudy:\ https://drive.google.com/open?id=1dX_Z7mT2q8kzoazFXRC1pCxIMwRSTn3j$