

Free PDF Quiz Salesforce - PDII - Efficient Salesforce Certified Platform Developer II (PDII) Exam Voucher



P.S. Free & New PDII dumps are available on Google Drive shared by Getcertkey: <https://drive.google.com/open?id=1dixlWAt0D-OpKhChXI6kRmaN06t-OyqG>

As long as you can provide us with a transcript or other proof of your failure, we can refund you the full amount immediately. The goal of our PDII exam questions is always to get you through the PDII exam. If you don't pass, we won't earn you any money. This is what we should do for you as a responsible company. But our PDII Study Materials have the high pass rate as 98% to 100%, so it is guarantee for you to pass.

Salesforce PDII certification exam is a comprehensive exam that covers a wide range of topics such as Apex development, Lightning components, integration with external systems, and security. PDII exam is designed to test the developer's knowledge and expertise in designing and developing scalable, secure, and efficient applications using the Salesforce platform. It is a tough exam that requires a deep understanding of the Salesforce platform and its capabilities.

Salesforce Certified Platform Developer II (PDII) is a highly respected certification that validates the skills of advanced Salesforce developers. Salesforce Certified Platform Developer II (PDII) certification demonstrates a deep understanding of the advanced elements of the Salesforce platform, including Apex programming, data modeling, and integration. PDII Exam is intended for experienced Salesforce developers who are able to design and develop advanced business logic and interfaces for custom applications.

>> PDII Exam Voucher <<

Reliable PDII Exam Voucher | Amazing Pass Rate For PDII Exam | Trustable PDII: Salesforce Certified Platform Developer II (PDII)

Quality of PDII learning quiz you purchased is of prior importance for consumers. Our PDII practice materials make it easier to prepare exam with a variety of high quality functions. The quality function of our PDII exam questions is observably clear once you download them. We have three kinds of PDII Real Exam moderately priced for your reference: the PDF, Software and APP online. And you can choose any version according to your interests and hobbies.

Salesforce Certified Platform Developer II (PDII) Sample Questions (Q133-Q138):

NEW QUESTION # 133

[FIND 'map' IN ALL FIELDS RETURNING Account (Id, Name), Contact, Opportunity, Lead] What is a valid return type for the following SOSL query?

- A. List<sObject>
- B. List<AggregateResult>
- C. List<List<sObject>>
- D. List<Account>

Answer: C

NEW QUESTION # 134

An Apex trigger and Apex class increment a counter, Edit_Count_c, any time that the Case is changed.

```
public class CaseTriggerHandler {  
    public static void handle(List<Case> cases) {  
        for (Case c : cases) {  
            c.Edit_Count__c = c.Edit_Count__c + 1;  
        }  
    }  
}  
  
trigger on Case(before update) {  
    CaseTriggerHandler.handle(Triiger.new);  
}
```

A new process on the case object was just created in production for when a Case is created or updated< since the process was created, they are reports that the Count is being incremented by more than one on Case edit.

Which change in the Apex code will fix the problem?

A)

```
trigger on Case(before update) {  
    Boolean firstRun = true;  
    if (firstRun) {  
        CaseTriggerHandler.handle(Triiger.newMap);  
    }  
    firstRun = false;  
}
```

B)

```
public class CaseTriggerHandler {  
    Boolean firstRun = true;  
    public static void handle(List<Case> cases) {  
        if (firstRun) {  
            CaseTriggerHandler.handle(Triiger.newMap);  
        }  
    }  
}
```

C)

```
public class CaseTriggerHandler {  
    public static Boolean firstRun = true;  
    public static void handle(List<Case> cases) {  
        for (Case c : cases) {  
            c.Edit_Count__c = c.Edit_Count__c + 1;  
        }  
    }  
}  
  
trigger on Case(before update) {  
    if (CaseTriggerHandler.firstRun) {  
        CaseTriggerHandler.handle(Triiger.new);  
    }  
}
```

D)

```

public class CaseTriggerHandler {
    public static Boolean firstRun = true;
    public static void handle(List<Case> cases) {
        for (Case c : cases) {
            c.Edit_Count__c = c.Edit_Count__c + 1;
        }
    }
}

trigger on Case (before update) {
    CaseTriggerHandler.firstRun = true;
    if (CaseTriggerHandler.firstRun) {
        CaseTriggerHandler.handle(Triquer.newMap);
    }
    CaseTriggerHandler.firstRun = false;
}

```

- A. Option C
- B. Option D
- C. Option B
- **D. Option A**

Answer: D

NEW QUESTION # 135

A corporation has many different Salesforce orgs, with some different objects and some common objects, and wants to build an application that can create, retrieve, and update common object records in all of the different orgs.

Which method of integration should the application use?

- A. Metadata API
- B. SOAP API with the Enterprise WSDL
- **C. Apex REST Web Service**
- D. SOAP API with the partner WSDL

Answer: C

NEW QUESTION # 136

A developer wrote an Apex method that makes an HTTP callout to an external system to get specialized data when a button is clicked from a custom Lightning web component on the Account record page.

Recently, users have complained that it takes longer than desired for the data to appear on the page after clicking the button.

What should the developer use to troubleshoot this issue?

- **A. Developer Console**
- B. Event Logs
- C. Salesforce CU
- D. Lightning Inspector

Answer: A

NEW QUESTION # 137

As part of their quoting and ordering process, a company needs to send POFs to their document storage system's REST endpoint that supports OAuth 2.0. Each Salesforce user must be individually authenticated with the document storage system to send the PDF.

What is the optimal way for a developer to implement the authentication to the REST endpoint?

- Answer: C**

.....

BTW, DOWNLOAD part of Getcertkey PDI! dumps from Cloud Storage: <https://drive.google.com/open?id=1dixlWAf0D-OpKhChXI6kRmaN06t-OyqG>