

FSCP Testing Center | FSCP Latest Exam Camp



We provide free PDF demo for each exam. This free demo is a small part of the official complete Forescout FSCP training dumps. The free demo can show you the quality of our exam materials. You can download any time before purchasing. You can tell if our products and service have advantage over others. I believe our Forescout FSCP training dumps will be the highest value with competitive price comparing other providers.

In the past ten years, our company has never stopped improving the quality of our FSCP study materials. For a long time, we have invested much money to perfect our FSCP exam questions. At the same time, we have introduced the most advanced technology and researchers to perfect our FSCP Test Torrent. At present, the overall strength of our company is much stronger than before. We are the leader in the market and master the most advanced technology. With our high quality of FSCP training guide, you will pass the FSCP exam for sure.

>> FSCP Testing Center <<

FSCP Latest Exam Camp & FSCP Latest Braindumps Ebook

Forescout FSCP certification exam is among those popular IT certifications. It is also the dream of ambitious IT professionals. This part of the candidates need to be fully prepared to allow them to get the highest score in the FSCP Exam, make their own configuration files compatible with market demand.

Forescout Certified Professional Exam Sample Questions (Q54-Q59):

NEW QUESTION # 54

Which of the following must be configured in the User Directory plugin to allow active directory credentials to authenticate console logins?

- A. Use as directory
- B. Authentication
- C. Target Group Resolution
- D. Include Parent groups
- E. Use for console login

Answer: E

Explanation:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout User Directory Plugin Configuration Guide, to allow Active Directory credentials to authenticate console logins, the "Use for console login" option must be configured.

Three Key Checkboxes in User Directory Configuration:

According to the User Directory plugin documentation:

When configuring a User Directory server (such as Active Directory), three important checkboxes are available:

- * Use as directory - Allows LDAP queries for user information
- * Use for authentication - Allows user authentication via AD credentials
- * Use for console login - Allows AD credentials to authenticate console logins

"Use for console login" Purpose:

According to the documentation:

"When checked, this option enables Forescout Console administrators to log in using their Active Directory (or other configured directory server) credentials." This checkbox specifically enables:

- * Administrators to use their Active Directory usernames and passwords
- * Console authentication via the configured directory server
- * Elimination of the need for separate Forescout Console accounts

Separate Functions of Each Checkbox:

According to the configuration guide:

Checkbox

Purpose

Use as directory

LDAP queries for user properties and group membership

Use for authentication

802.1X, RADIUS, and other authentication protocols

Use for console login

Console login authentication for Forescout administrators

Each serves a distinct purpose and must be configured independently.

Why Other Options Are Incorrect:

- * A. Include Parent groups - This relates to group hierarchy, not console login authentication
- * B. Authentication - This is the protocol/method name, not a specific configuration checkbox
- * C. Use as directory - This enables LDAP queries for user information, not console login authentication
- * D. Target Group Resolution - This is not a standard configuration option for User Directory plugins Console Login Workflow with Active Directory.

According to the documentation:

When "Use for console login" is enabled:

- * Administrator enters username and password at Forescout Console login screen
- * Credentials are sent to the configured Active Directory server
- * Active Directory validates the credentials
- * If valid, administrator is granted console access
- * No separate Forescout password needed

Referenced Documentation:

- * User Directory Plugin - Name and Type Step configuration
- * User Directory readiness section
- * User Directory server configuration documentation

NEW QUESTION # 55

Which of the following is a User Directory feature?

- A. Query Switches
- **B. Guest authentication**
- C. Radius authorization
- D. Dashboard
- E. Assets portal

Answer: B

Explanation:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

Guest authentication is a User Directory feature. According to the Forescout Authentication Module Overview Guide and the User Directory Plugin Configuration Guide, the User Directory Plugin enables guest authentication and management through configured directory servers.

User Directory Plugin Features:

The User Directory Plugin (version 6.4+) provides the following core features:

- * Endpoint User Resolution - Resolves endpoint user details by querying directory servers
- * User Authentication - Performs user authentication via configured internal and external directory servers (Active Directory, LDAP, etc.)
- * Guest Authentication - Enables authentication and registration of guest users on the network
- * Guest Sponsorship - Allows corporate employee sponsors to approve guest network access
- * Guest Management Portal - Provides functionality for managing guest hosts and guest portal access
- * Directory Server Integration - Integrates with enterprise directory servers for credential validation

The User Directory Plugin specifically enables:

- * Guest user registration and authentication
- * Guest approval workflows through sponsor groups
- * Guest session management
- * Guest password policies
- * Guest tag management for categorization

Why Other Options Are Incorrect:

- * B. Dashboard - This is a general console feature, not specific to the User Directory plugin
- * C. Radius authorization - This is the function of the RADIUS plugin, not the User Directory plugin (though they work together in the Authentication Module)
- * D. Query Switches - This is a function of the Switch plugin, not the User Directory plugin
- * E. Assets portal - This is a general Forescout platform feature, not specific to the User Directory plugin Authentication Module

Structure:

According to the documentation, the Authentication Module consists of two plugins:

- * RADIUS Plugin - Handles 802.1X authentication, authorization, and accounting
- * User Directory Plugin - Handles user resolution, authentication, and guest management These work together but have distinct responsibilities. The User Directory Plugin specifically handles guest authentication among its feature set.

Referenced Documentation:

- * Forescout Authentication Module Overview Guide Version 1.1
- * About the User Directory Plugin documentation
- * User Directory Plugin Server and Guest Management Configuration Guide

NEW QUESTION # 56

When configuring policy conditions, which of the statements is true regarding this image?



Select one:

- A. Irresolvable hosts would match the condition
- B. Generates a NOT condition in the sub-rule condition
- **C. Negates the criteria as part of the property**
- D. Modifies the irresolvable condition to TRUE
- E. Modifies the evaluate irresolvable condition to FALSE

Answer: C

Explanation:

Based on the policy condition image showing "Does not meet the following criteria", the correct statement is that it negates the criteria as part of the property.

Understanding "Does not meet the following criteria":

According to the Forescout Administration Guide:

The "Does not meet the following criteria" radio button option in policy conditions creates a logical negation of the condition:

- * "Meets the following criteria" - Endpoint matches if the condition is true

- * "Does not meet the following criteria" - Endpoint matches if the condition is FALSE (negated) How the Negation Works:

According to the documentation:

"Use the AND value between both properties: Windows>Manageable Domain>Does not meet the following criteria" This syntax shows that "Does not meet the following criteria" negates the entire criteria evaluation:

- * Normal condition: "Windows Antivirus Running = True"

- * Result: Matches endpoints WITH antivirus running

- * Negated condition: "Windows Antivirus Running Does not meet the following criteria (= True)"

- * Result: Matches endpoints WITHOUT antivirus running (negates the criteria) Negation Happens at Property Level:

The negation is applied as part of the property evaluation, not as a separate NOT operator. When you select

"Does not meet the following criteria":

- * The condition is evaluated normally

- * The result is then negated/inverted

- * The endpoint matches only if the negated result is true

Why Other Options Are Incorrect:

- * B. Modifies the irresolvable condition to TRUE - "Does not meet the following criteria" doesn't specifically affect irresolvable property handling

- * C. Generates a NOT condition in the sub-rule condition - The negation is part of this property's evaluation, not a separate sub-rule NOT condition

- * D. Irresolvable hosts would match the condition - "Does not meet the following criteria" doesn't specifically target irresolvable hosts

- * E. Modifies the evaluate irresolvable condition to FALSE - This setting doesn't affect the "Evaluate irresolvable as" setting

Referenced Documentation:

- * Forescout Administration Guide v8.3

- * Forescout Administration Guide v8.4

- * ForeScout CounterACT Administration Guide - Policy Conditions section

- * Manage Actions documentation

NEW QUESTION # 57

Why would the patch delivery optimization mechanism used for Windows 10 updates be a potential security concern?

- **A. It can be configured to use a peer-to-peer file sharing protocol**
- B. The registry DWORD controlling this behavior cannot be changed
- C. It always uses a peer-to-peer file sharing protocol
- D. CounterACT cannot initiate Windows updates for Windows 10 devices
- E. It uses a peer-to-peer file sharing protocol by default

Answer: A

Explanation:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Windows Update Delivery Optimization documentation and security analysis, the potential security concern with patch delivery optimization for Windows 10 updates is that it CAN BE CONFIGURED to use a peer-to-peer file sharing protocol. While the feature includes security mechanisms like cryptographic signing, the capability to enable P2P sharing does create potential security concerns depending on the configuration.

Windows Update Delivery Optimization Overview:

According to the Windows Delivery Optimization documentation:

"Windows Update Delivery Optimization is a feature in Microsoft's Windows designed to improve the efficiency of downloading and distributing updates. Instead of each device independently downloading updates from Microsoft's servers, Update Delivery Optimization allows devices to share update files with each other, either within a local network or over the internet. This peer-to-peer (p2p) approach reduces bandwidth consumption and accelerates the update process." Configuration Flexibility:

According to the documentation:

The P2P feature is configurable, not mandated:

- * Default Setting - By default, Delivery Optimization is enabled for local network sharing

- * Configurable Options:

- * PCs on my local network only (safer)
- * PCs on my local network and the internet (broader sharing, higher risk)
- * Disabled entirely

Security Concerns Related to P2P Configuration:

According to the security analysis:

When P2P is enabled, potential concerns include:

- * Network Isolation Risks - In firewalled or segmented networks, P2P discovery can expose endpoints
- * Bandwidth Consumption - Improperly configured P2P can saturate network resources
- * Peer Discovery Vulnerabilities - Devices must discover each other, potentially exposing endpoints
- * Internet-based Sharing Risks - When "internet peers" are enabled, updates are shared across the internet
- * Privacy Implications - Devices communicating for update sharing may leak information

Cryptographic Protection Does NOT Eliminate Configuration Risk:

According to the documentation:

"While Update Delivery Optimization ensures that all update files are cryptographically signed and verified before installation, some organizations may still be concerned about allowing peer-to-peer data sharing." While the updates themselves are protected, the act of enabling P2P configuration creates the security concern.

Why Other Options Are Incorrect:

- * B. CounterACT cannot initiate Windows updates for Windows 10 - Incorrect; CounterACT can initiate Windows updates; this is not the security concern
- * C. It uses peer-to-peer by default - Incorrect; while enabled by default for local networks, internet P2P sharing requires explicit configuration
- * D. The registry DWORD cannot be changed - Incorrect; the DO modes registry value (DODownloadMode) CAN be changed via GPO or registry
- * E. It always uses peer-to-peer - Incorrect; P2P is configurable, not mandatory; organizations can disable it entirely

Registry Configuration Options:

According to the Windows documentation:

The DODownloadMode DWORD value can be configured to:

- * 0 = HTTP only, no peering (addresses security concern)
- * 1 = HTTP blended with local peering (moderate risk)
- * 3 = HTTP blended with internet peering (higher risk - the security concern)
- * 99 = Simple download mode

This demonstrates that P2P can be configured, which is the security concern mentioned in the question.

Referenced Documentation:

- * What is Windows Update Delivery Optimization - Scalefusion Blog
- * Windows Delivery Optimization: Risks & Challenges - LinkedIn Article
- * Introduction to Windows Update Delivery Optimization - Sygnia Analysis

NEW QUESTION # 58

Which field is NOT editable in the User Directory plugin once it is configured?

- A. Password
- **B. Server Name**
- C. Administrator
- D. Port
- E. Address

Answer: B

Explanation:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout User Directory Plugin Configuration Guide and YouTube tutorial for User Directory integration, the Server Name field is NOT editable once the User Directory server is configured.

Once a server configuration is saved, the Server Name cannot be changed; it can only be modified by deleting and reconfiguring the server entry.

User Directory Server Configuration Fields:

According to the User Directory plugin configuration documentation:

When initially adding a server, these fields are configured:

- * Server Name - Identifier for the server (e.g., "lab", "production-ad")
- * Address - IP address or FQDN (e.g., 192.168.1.100)
- * Port - Connection port (e.g., 389, 636)

- * Domain - Domain name (e.g., example.com)
- * Administrator - Account credentials for authentication
- * Password - Password for the administrator account

Editable Fields After Configuration:

According to the configuration workflow:

After the User Directory server is initially configured, the following fields CAN be edited:

- * Administrator - Can be changed to update authentication credentials
- * Password - Can be updated if credentials change
- * Port - Can be modified if the connection port changes
- * Address - Can be changed to point to a different server
- * Domain - Can be updated if domain name changes

Non-Editable Field:

According to the User Directory plugin behavior:

The Server Name is used as the primary identifier for the User Directory server configuration in Forescout.

Once created, this identifier cannot be modified because it:

- * Serves as the unique identifier in the Forescout database
- * Is referenced by other configurations and policies
- * Changing it would break existing policy references
- * Must be deleted and recreated to change

Verification Workflow:

According to the tutorial documentation:

After creating a User Directory server configuration with:

- * Server Name: "lab"
- * Address: 192.168.1.50
- * Port: 389
- * Domain: example.com
- * Administrator: domain\admin
- * Password: [configured]

Once saved and applied, the Server Name "lab" cannot be edited. To change it, you would need to delete the entire configuration and create a new one with a different name.

Why Other Fields Are Editable:

- * A. Administrator -#Editable; credentials may need to be updated
 - * C. Password -#Editable; security practice requires periodic password changes
 - * D. Address -#Editable; server may move to a different IP
 - * E. Port -#Editable; port configuration may change based on security requirements
- Referenced Documentation:
- * Forescout User Directory Plugin - Integration tutorial
 - * Configure server settings documentation
 - * User Directory Plugin Configuration - Initial Setup documentation

NEW QUESTION # 59

.....

With our FSCP exam questions, the most important and the most effective reward is that you can pass the exam and get the FSCP certification. And it is also what all of the candidates care about. At the same time, you can also get some more practical skills. Your work efficiency will increase and your life will be more capable. Our FSCP Guide questions are such a very versatile product to change your life and make you become better.

FSCP Latest Exam Camp: <https://www.vce4plus.com/Forescout/FSCP-valid-vce-dumps.html>

Forescout FSCP Testing Center You can carry the material anywhere with you while travelling, Forescout FSCP Testing Center Then our system will give you an assessment based on your actions, Forescout FSCP Testing Center Make sure Apply to is set to This Folder subfolders and files, Forescout FSCP Testing Center Getting a certification is not only a certainty of your ability but also can improve your competitive force in the job market, The Certified Production and FSCP certification is a valuable credential earned by individuals to validate their skills and competence to perform certain job tasks.

Use pandas and Python date and time methods, In general, the New FSCP Test Cram longer you wait to sell a used device and the more outdated it becomes, the less you'll be able to sell it for.

You can carry the material anywhere with you while travelling, Then FSCP Latest Exam Camp our system will give you an assessment based on your actions, Make sure Apply to is set to This Folder subfolders and files.

Getting a certification is not only a certainty of FSCP your ability but also can improve your competitive force in the job market, The Certified Production and FSCP certification is a valuable credential earned by individuals to validate their skills and competence to perform certain job tasks.

- [illegible]