


Get Reliable 1z0-076 Valid Vce Dumps and Pass Exam in First Attempt



What's more, part of that NewPassLeader 1z0-076 dumps now are free: <https://drive.google.com/open?id=1FCEuZ2CAWhAotooVK0ZdhrHzxTEC3uUg>

Facing the incoming Oracle 1z0-076 Exam, you may feel stained and anxious, suspicious whether you could pass the exam smoothly and successfully. Actually, you must not impoverish your ambition. Our suggestions are never boggle at difficulties. It is your right time to make your mark. Preparation of exam without effective materials is just like a soldier without gun.

You must improve your skills and knowledge to stay current and competitive. You merely need to obtain the 1z0-076 certification exam badge in order to achieve this. You must pass the 1z0-076 Exam to accomplish this, which can only be done with thorough exam preparation. Download the 1z0-076 exam questions right away for immediate and thorough exam preparation.

>> 1z0-076 Valid Vce Dumps <<

Valid 1z0-076 Real Test - Reliable 1z0-076 Test Testking

The NewPassLeader team regularly revises the Oracle Database 19c: Data Guard Administration (1z0-076) PDF version to add new questions and update Oracleation, so candidates are always up-to-date. We provide candidates with comprehensive Oracle Database 19c: Data Guard Administration (1z0-076) exam questions with up to 1 year of free updates. If you are doubtful, feel free to download a free demo of NewPassLeader Oracle Database 19c: Data Guard Administration (1z0-076) PDF dumps, desktop practice exam software, and web-based Oracle Database 19c: Data Guard Administration (1z0-076) practice exam. Don't wait. Purchase Oracle Database 19c: Data Guard Administration (1z0-076) exam dumps at an affordable price and start preparing for the updated Oracle 1z0-076 certification exam today.

Oracle Database 19c: Data Guard Administration Sample Questions (Q63-Q68):

NEW QUESTION # 63

Your Data Guard environment has two remote physical standby databases.

Client applications use the local naming method to connect to the primary database instance.

You want applications to automatically connect to the new primary database instance in case of a switchover or a failover. Which set of actions will fulfill this requirement?

- A. Set the LOCAL_LISTENER parameter for all the database instance to register services with the default listener on the primary database host.
- B. Set DB_NAME and DB_UNIQUE_NAME identically on all databases; modify the connection descriptors on client applications to include all the standby hosts and connect to the database instance using that service name.
- C. Set the INSTANCE_NAME parameter identically on all databases; modify the connection descriptor on client applications to include all the standby hosts and connect to the database instance using that service name.
- **D. Create a database service on the primary database that is started automatically by a trigger, when the database role is PRIMARY; modify the connection descriptors used by client applications to include all the standby hosts and connect to the database instance using that service name.**

Answer: D

Explanation:

For seamless client redirection in a Data Guard environment, the following steps should be taken:

* Create a database service on the primary database that is started automatically by a trigger when the database role is PRIMARY (B). This ensures that the service is only available on the primary database and is automatically started after a role transition due to switchover or failover.

* Modify the connection descriptors used by client applications to include all the standby hosts and connect to the database instance using that service name (B): Client applications use the connection descriptors that include all potential primary hosts (i.e., the current primary and all standbys). This enables clients to connect to whichever database is currently acting as the primary using the service name. References:

* Oracle Data Guard Concepts and Administration Guide

* Oracle Real Application Clusters Administration and Deployment Guide

NEW QUESTION # 64

In Oracle Database 19c, you can set the value of database initialization parameters in a database using the EDIT DATABASE...

SET PARAMETER Command:

```
DGMGRL> EDIT DATABASE 'boston' SET PARAMETER log_archive_trace - 1;
```

Which THREE statements are TRUE about the command?

- A. The EDIT DATABASE PARAMETER command can be used to set the value of a static parameter in a database.
- **B. The edit database parameter command can only be used to modify the value of a dynamic parameter in a database.**
- C. The value set using this command is directly stored in the broker configuration file.
- **D. The database must be available when the above command is run.**
- **E. The value set using this command is directly applied to the boston database.**

Answer: B,D,E

Explanation:

The EDIT DATABASE...SET PARAMETER command in Data Guard Management (DGMGRL) is used to modify the value of initialization parameters for a database within a Data Guard configuration. This command can be used to modify both static and dynamic parameters, but if a static parameter is changed, the new value will take effect only after the database is restarted. The database must be up and running for the command to execute, and the values set using the command are directly applied to the specified database (in this case, 'boston').

NEW QUESTION # 65

You created a physical standby database prodsbyi from the primary database prod using SQL and RMAN. Which THREE are prerequisites for creating a Data Guard Broker configuration to manage these databases?

- A. The primary database must have FORCE LOGGING enabled.
- **B. A local net service name to enable connectivity to the PRODSBYI database instance must be defined on the primary database host.**
- **C. The primary database must have supplemental logging enabled.**
- D. The standby database must have supplemental logging enabled.
- **E. The DG_BROKER_START parameter must be set to TRUE for both database instances.**

- F. The LOG_ARCHIVE_DEST_n parameters with the service attribute set must be cleared.

Answer: B,C,E

Explanation:

When setting up a Data Guard Broker configuration for a primary database and its physical standby, the following prerequisites must be met:

A: Oracle Net connectivity must be defined on both the primary and standby hosts to enable the respective database instances to communicate with each other.

B: Supplemental logging is required on the primary database because it provides additional logging necessary for the standby database to be able to apply changes from the primary database accurately.

F: The DG_BROKER_START parameter must be set to TRUE for both the primary and standby database instances. This parameter is used to start the Data Guard Broker process which manages the configuration.

Options C and D are not prerequisites for creating a Data Guard Broker configuration. Additionally, while FORCE LOGGING mode (option E) is recommended as a best practice to prevent possible data inconsistencies during media recovery, it is not a strict prerequisite for creating a Data Guard Broker configuration.

NEW QUESTION # 66

Which THREE statements are true about snapshot standby databases?

- A. A snapshot standby database can have Real-Time apply enabled.
- B. FLASHBACK DATABASE must be manually enabled on a physical standby database before converting it into a snapshot standby database.
- C. A snapshot standby database may be opened read-only.
- D. FLASHBACK DATABASE is enabled automatically on a snapshot standby database after converting it from a physical standby database if not already enabled.
- E. A snapshot standby database may be opened read-write.
- F. FLASHBACK DATABASE is enabled automatically on a physical standby database as part of the conversion into a snapshot standby database, if not already enabled.

Answer: D,E,F

Explanation:

Snapshot standby databases are a feature of Oracle Data Guard that allows a physical standby database to be temporarily converted into a read-write database for testing or other purposes. The true statements about snapshot standby databases are: FLASHBACK DATABASE is enabled automatically on a snapshot standby database after converting it from a physical standby database if not already enabled (B): When a physical standby is converted to a snapshot standby, FLASHBACK DATABASE is automatically enabled to allow the database to be easily reverted back to its original state.

FLASHBACK DATABASE is enabled automatically on a physical standby database as part of the conversion into a snapshot standby database, if not already enabled (C): As part of the conversion process, FLASHBACK DATABASE is turned on to ensure that changes made while the database is in snapshot standby mode can be undone.

A snapshot standby database may be opened read-write (E): Once a physical standby is converted to a snapshot standby, it can be opened for read-write operations, allowing for testing and other tasks that require a writable database.

Reference:

Oracle Data Guard Concepts and Administration

Oracle Database Backup and Recovery User's Guide

NEW QUESTION # 67

Your Data Guard environment has a remote physical standby database with real-time query enabled, which is used for reporting, and a logical standby database used for DSS reporting.

Switchovers or failovers are possible due to testing or in case of a disaster.

Clients use local TNSNAMES.ORA files to define connection strings to the database instances.

Which three will prevent clients from connecting to the wrong database instances?

- A. Oracle Net connectivity to the primary database instance must be established on all the standby database instances.
- B. The DB_NAME and DB_UNIQUE_NAME parameters must be set to the same value for all the databases in the Data Guard environment.
- C. Client TNS entries for the databases use the correct service names for the intended service.
- D. The standby database services must be defined statically with the Listeners running on the standby database hosts.

- E. The LOCAL_LISTENER parameter on the primary database instance must always be set.
- F. The client applications must use the correct TNS entries when requesting connections to the database instances.
- G. A service name is registered with the local listener of each database instance.

Answer: C,D,F

Explanation:

Based on Oracle Database 19c: Data Guard Administration documents, the three measures that can prevent clients from connecting to the wrong database instances during switchovers, failovers, or regular operations in a Data Guard environment are:

- B . The standby database services must be defined statically with the Listeners running on the standby database hosts.
- D . The client applications must use the correct TNS entries when requesting connections to the database instances.
- E . Client TNS entries for the databases use the correct service names for the intended service.

In an Oracle Data Guard configuration, correctly configuring Oracle Net Services (including TNS entries and listeners) is crucial for ensuring that clients connect to the appropriate database instance, whether it's the primary or standby. Defining services on the standby database and associating them with listeners ensures that client applications can connect to the standby when needed, especially useful in a role transition or when the standby is open for read-only access or real-time query. It's essential that TNS entries used by client applications specify the correct service names that correspond to the intended database roles, such as primary or standby. This setup facilitates seamless connectivity to the appropriate instance based on the role, especially critical during switchovers and failovers when the roles of the databases change.

Reference:

Oracle's Data Guard concepts and administration guide provides extensive information on configuring network services for Data Guard environments, ensuring that applications connect to the correct database instance based on the current role of the databases in the Data Guard configuration.

NEW QUESTION # 68

.....

Each important section of the syllabus has been given due place in our 1z0-076 practice braindumps. Hence, you never feel frustrated on any aspect of preparation, staying with our 1z0-076 learning guide. Every 1z0-076 exam question included in the versions of the PDF, SOFTWARE and APP online is verified, updated and approved by the experts. With these outstanding features of our 1z0-076 Training Materials, you are bound to pass the exam with 100% success guaranteed.

Valid 1z0-076 Real Test: <https://www.newpassleader.com/Oracle/1z0-076-exam-preparation-materials.html>

We are 7*24 on-line support, whenever you have questions about our real 1z0-076 actual test questions we will reply you in time, Stop idling away your precious time and choose our Oracle 1z0-076 torrent training, Oracle 1z0-076 Valid Vce Dumps Everyone has their own characteristics, NewPassLeader has a complete support team to fix issues of Oracle 1z0-076 PRACTICE TEST software users, Moreover, you do not need an active internet connection to utilize Valid 1z0-076 Real Test - Oracle Database 19c: Data Guard Administration practice exam software.

This book's messages are designed to achieve real profits and real wealth Reliable 1z0-076 Test Testking creation, Sometimes the value you are reporting in a Stage monitor doesn't need a label, or perhaps you added the label to the Stage itself.

Pass Guaranteed Efficient Oracle - 1z0-076 - Oracle Database 19c: Data Guard Administration Valid Vce Dumps

We are 7*24 on-line support, whenever you have questions about our real 1z0-076 Actual Test questions we will reply you in time, Stop idling away your precious time and choose our Oracle 1z0-076 torrent training

Everyone has their own characteristics, NewPassLeader has a complete support team to fix issues of Oracle 1z0-076 PRACTICE TEST software users, Moreover, you do not 1z0-076 need an active internet connection to utilize Oracle Database 19c: Data Guard Administration practice exam software.

- Avail Reliable 1z0-076 Valid Vce Dumps to Pass 1z0-076 on the First Attempt □ Search for { 1z0-076 } and download it for free immediately on (www.torrentvce.com) □ Latest 1z0-076 Test Preparation
- Latest 1z0-076 Test Preparation □ 1z0-076 Downloadable PDF □ Free 1z0-076 Practice □ Search for “ 1z0-076 ” on ➡ www.pdfvce.com □ immediately to obtain a free download □ Exam 1z0-076 Questions Fee
- 1z0-076 Exam Tutorial □ Latest 1z0-076 Test Preparation □ 1z0-076 Test Vce □ Search on ⇒ www.testsimulate.com ⇐ for 【 1z0-076 】 to obtain exam materials for free download □ Free 1z0-076 Practice
- 1z0-076 Test Vce □ Exam 1z0-076 Questions Fee □ Practice Test 1z0-076 Pdf □ Search for { 1z0-076 } and obtain a

free download on > www.pdfvce.com < Free 1z0-076 Practice

- Pass Guaranteed 2025 Useful 1z0-076: Oracle Database 19c: Data Guard Administration Valid Vce Dumps ☐ Search for ☀ 1z0-076 ☐☀☐ and obtain a free download on ☀ www.free4dump.com ☐☀☐ ☐Exam 1z0-076 Questions Fee
- 1z0-076 Exam Dumps Pdf ☐ 1z0-076 Test Vce !! 1z0-076 Downloadable PDF ☐ Enter 【 www.pdfvce.com 】 and search for ☐ 1z0-076 ☐ to download for free ☐New 1z0-076 Test Questions
- Pass Guaranteed 2025 Useful 1z0-076: Oracle Database 19c: Data Guard Administration Valid Vce Dumps ☐ Search for （ 1z0-076 ） on 《 www.testsdumps.com 》 immediately to obtain a free download ☐1z0-076 Exam Tutorial
- Latest Oracle 1z0-076 Practice test Material in Three Different Formats ☐ Download { 1z0-076 } for free by simply entering ➡ www.pdfvce.com ☐☐ website ☐1z0-076 Exam Test
- New 1z0-076 Test Questions ☐ Reliable 1z0-076 Exam Guide ☐ 1z0-076 Exam Dumps Pdf ☐ Easily obtain ⇒ 1z0-076 ⇐ for free download through ➡ www.prep4pass.com ☐ ☐Reliable 1z0-076 Test Camp
- Avail Reliable 1z0-076 Valid Vce Dumps to Pass 1z0-076 on the First Attempt ☐ Download 「 1z0-076 」 for free by simply entering ➤ www.pdfvce.com ☐ website ☐1z0-076 PdfPass Leader
- 1z0-076 Exam Tutorial ☐ Reliable 1z0-076 Exam Blueprint ☐ 1z0-076 PdfPass Leader ☐ Easily obtain ⇒ 1z0-076 ⇐ for free download through ☀ www.free4dump.com ☐☀☐ ☐Reliable 1z0-076 Exam Blueprint
- www.stes.tyc.edu.tw, www.thingsstogetme.com, bbs.airav.cc, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, ccmlaznovaleks.designertoblog.com, graphskill.com, edu-skill.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

What's more, part of that NewPassLeader 1z0-076 dumps now are free: <https://drive.google.com/open?id=1FCEuZ2CAWhAotooVK0ZdhrHxzTEC3uUg>