


High Hit-Rate JN0-105 - Junos, Associate (JNCIA-Junos) Certified Questions



What's more, part of that Real4exams JN0-105 dumps now are free: https://drive.google.com/open?id=1GLi7xs0j5sU2L_HKDksnIjUU5r_Xxr-X

All these three Real4exams Junos, Associate (JNCIA-Junos) (JN0-105) exam questions formats are easy to use and perfectly work with all devices, operating systems, and the latest web browsers. So rest assured that with the Real4exams JN0-105 Exam Dumps you will get everything that you need to learn, prepare and pass the challenging Junos, Associate (JNCIA-Junos) (JN0-105) exam with good scores.

Juniper JN0-105 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Configuration Basics: Identification of the main elements for configuring Junos devices is discussed in this topic. Moreover, it describes configuring basic components of a Junos device
Topic 2	<ul style="list-style-type: none">Operational Monitoring and Maintenance: Different methods of monitoring or maintaining Junos devices are identified in this topic. Lastly, it discusses monitoring or maintenance procedures for a Junos device.
Topic 3	<ul style="list-style-type: none">Junos OS Fundamentals: It covers concepts, benefits, and functionality of the core elements of the Junos OS.

>> JN0-105 Certified Questions <<

JN0-105 Related Exams - Reasonable JN0-105 Exam Price

Our JN0-105 real test was designed by many experts in different area, they have taken the different situation of customers into consideration and designed practical JN0-105 study materials for helping customers save time. Whether you are a student or an office worker, we believe you will not spend all your time on preparing for JN0-105 Exam, you are engaged in studying your specialized knowledge, doing housework, looking after children and so on. With our simplified information, you are able to study efficiently. And do you want to feel the true exam in advance? Just buy our JN0-105 exam questions!

Juniper Junos, Associate (JNCIA-Junos) Sample Questions (Q37-Q42):

NEW QUESTION # 37

Which prompt indicates that you are using configuration mode?

- A. \$
- B. #
- C. >

- D. %

Answer: B

Explanation:

In Junos OS, the # prompt indicates that you are in configuration mode. This mode is used for making changes to the configuration of the device.

Reference:

"The # prompt indicates that you are in configuration mode."

NEW QUESTION # 38

Your network infrastructure transports data, voice, and video traffic. Users are complaining that voice and video calls are not performing to their expectations.

In this scenario, which technology would you implement to improve voice and video performance on your network?

- A. NAT
- **B. CoS**
- C. IPv6
- D. STP


Answer: B

Explanation:

In a network that carries diverse types of traffic like data, voice, and video, ensuring the performance of latency-sensitive applications such as voice and video calls is crucial. Class of Service (CoS) is a technology designed to prioritize network traffic, ensuring that critical applications like voice and video receive the necessary bandwidth and minimal latency. CoS mechanisms can include traffic classification, traffic policing, queue management, and scheduling. By implementing CoS, network administrators can assign higher priority to voice and video traffic, thus improving their performance across the network and addressing the users' complaints about call quality.

NEW QUESTION # 39

Exhibit.



Referring to the exhibit, which routing configuration is required for these two users to access the remote server?

- A. Trunk ports must be enabled on the switch.
- **B. Users and the server require a default gateway.**
- C. A routing protocol must be enabled on the router.
- D. Users must connect directly to the router.

Answer: B

Explanation:

For the users in the 10.1.1.0/24 subnet and the server in the 10.1.2.0/24 subnet to communicate with each other, they need to route

packets through the router that connects these two subnets. Each user and the server need to have their default gateway set to the IP address of the router interface on their respective subnet (.254). This ensures that packets destined for other subnets are sent to the router, which then routes them to the correct destination subnet.

References:

- * Juniper official documentation: Configuring Basic Routing
- * General networking principles.

NEW QUESTION # 40

Exhibit

```
{hold:node0} [edit]
```

```
root# set system root-authentication ?
```

Possible completions:

- + apply-groups Groups from which to inherit configuration data
- + apply-groups-except Don't inherit configuration data from these groups encrypted-password Encrypted password string load-key-file File (URL) containing one or more ssh keys plain-text-password Prompt for plain text password (autoencrypted)
- > ssh-dsa Secure shell (ssh) DSA public key string
- > ssh-rsa Secure shell (ssh) RSA public key string

```
{hold:node0} [edit]
```

```
root# set system root-authentication plain-text-password
```

New password:

Retype new password:

```
{hold:node0} [edit]
```

```
root# commit and-quit
```

```
[edit interfaces]
```

```
'ge-0/0/0'
```

HA management port cannot be configured

error: configuration check-out failed

```
{hold:node0} [edit]
```

```
root#
```

You are unable to remotely access your Juniper device using the CLI.

Referring to the exhibit, which command would you add to the existing configuration to enable remote CLI access?

- A. load factory-default
- B. set system root-authentication plain-text-password
- **C. set system services ssh**
- D. set system login idle-timeout 20

Answer: C

Explanation:

In Junos OS, remote access to the device's CLI is commonly facilitated through Secure Shell (SSH), a protocol providing secure command-line access over an insecure network. The given exhibit indicates an attempt to set a root authentication password but does not show configuration for enabling remote access services. To enable SSH, which is not shown in the configuration snippet, you need to configure the device to accept SSH connections. This is done by enabling the SSH service within the system services hierarchy of the configuration. The correct command to add to the existing configuration for enabling remote CLI access via SSH is `set system services ssh`. This command activates the SSH service, allowing secure remote logins to the device.

NEW QUESTION # 41

You issue the `monitor traffic interface ge-0/0/0` command.

What will this command accomplish?

- **A. It displays a packet capture on interface ge-0/0/0.**
- B. It displays real-time statistics for interface ge-0/0/0.
- C. It displays an operational summary of ge-0/0/0.
- D. It displays the MTU and MAC address for ge-0/0/0.

Answer: A

The command "monitor traffic interface ge-0/0/0" (D) initiates a packet capture on the specified interface, allowing you to view the actual packets being transmitted and received. This is useful for troubleshooting and analyzing the traffic passing through the interface in real time.

• • • • •

JN0-105 Related Exams: https://www.real4exams.com/JN0-105_braindumps.html

- BONUS!!! Download part of Real4exams JN0-105 dumps for free: https://drive.google.com/open?id=1GLi7xs0j5sU2L_HKDksnljUU5r_Xxr-X

id=1GLi7xs0j5sU2L HKDksnljUU5r Xxr-X