

Hot Fortinet Pass FCP_FMG_AD-7.6 Guarantee Help You Clear Your Fortinet FCP - FortiManager 7.6 Administrator Exam Easily



The reality is often cruel. What do we take to compete with other people? More useful certifications like Fortinet certificate? Perhaps the few qualifications you have on your hands are your greatest asset, and the FCP_FMG_AD-7.6 test prep is to give you that capital by passing FCP_FMG_AD-7.6 Exam fast and obtain certification soon. Don't doubt about it. More useful certifications mean more ways out. If you pass the FCP_FMG_AD-7.6 exam, you will be welcome by all companies which have relating business with FCP_FMG_AD-7.6 exam torrent.

If you ask me why other site sell cheaper than your ExamDiscuss site, I just want to ask you whether you regard the quality of FCP_FMG_AD-7.6 exam bootcamp PDF as the most important or not. Sometime I even don't want to explain too much. Sometime low-price site sell old version but we sell new updated version. If you want to get the old version of FCP_FMG_AD-7.6 Exam Bootcamp PDF as practice materials, you purchase our new version we can send you old version free of charge, if this Fortinet FCP_FMG_AD-7.6 exam has old version.

>> Pass FCP_FMG_AD-7.6 Guarantee <<

FCP_FMG_AD-7.6 PDF - FCP_FMG_AD-7.6 Practice Exams

We have installed the most advanced operation system in our company which can assure you the fastest delivery speed on our FCP_FMG_AD-7.6 learning guide, you can get immediately our FCP_FMG_AD-7.6 training materials only within five to ten minutes after purchase after payment. At the same time, there is really no need for you to worry about your personal information if you choose to buy the FCP_FMG_AD-7.6 Exam Practice from our company.

Fortinet FCP - FortiManager 7.6 Administrator Sample Questions (Q41-Q46):

NEW QUESTION # 41

An administrator configures a new BGP peer in the FortiManager device-level database of FortiGate. They reinstall the policy package to the managed FortiGate device without any errors. However, when the administrator logs in to FortiGate, they do not see

the BGP configuration changes.

What is the most likely reason why FortiManager did not push the BGP peer changes to FortiGate?

- A. The administrator must run a sanity check on FortiManager to make sure the database is not corrupted.
- B. The FortiGate firmware version is different from the FortiManager ADOM version.
- C. The administrator must use the Install Wizard and select Install device settings only to push BGP settings
- **D. Fortigate has a BGP template assigned on the FortiManager database.**

Answer: D

Explanation:

If a BGP template is assigned to the FortiGate device on FortiManager, device-level BGP configurations made directly in the device-level database are overridden by the template settings, so the changes do not get pushed to the device.

NEW QUESTION # 42

Which output is displayed right after moving the ISFW device from one ADOM to another?

- A.

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdms managed ---
--- There are currently 4 devices/vdms count for license ---

TYPE      OID      SN              HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325      FGVM010000077646 -      10.0.1.200 ISFW      ADOM74      6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: retrieved; conn: up
|- vdom:[3]root flags:0 adom:ADOM74 pkg:[unknown]ISFW
```

- B.

```
FortiManager # FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdms managed ---
--- There are currently 4 devices/vdms count for license ---

TYPE      OID      SN              HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325      FGVM010000077646 -      10.0.1.200 ISFW      ADOM74      6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: installed; conn: up
|- vdom:[3]root flags:0 adom:ADOM74 pkg:[never-installed]
```

- C.

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdms managed ---
--- There are currently 4 devices/vdms count for license ---

TYPE      OID      SN              HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325      FGVM010000077646 -      10.0.1.200 ISFW      ADOM74      6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: installed; conn: up
|- vdom:[3]root flags:0 adom:ADOM74 pkg:[imported]ISFW
```

- D.

```
FortiManager # diagnose dvm device list ISFW
--- There are currently 4 devices/vdms managed ---
--- There are currently 4 devices/vdms count for license ---

TYPE      OID      SN              HA      IP      NAME      ADOM      IPS      FIRMWARE
fmgfaz-managed 325      FGVM010000077646 -      10.0.1.200 ISFW      ADOM74      6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: not modified; conf: in sync; cond: OK; dm: autoupdated; conn: up
|- vdom:[3]root flags:1 adom:ADOM74 pkg:[out-of-sync]ISFW
```

Answer: B

Explanation:

Never Installed - The assigned policy package is not the result of an import for this device, and the package has not been installed since it has been assigned to this device.

NEW QUESTION # 43

An administrator configures a new BGP peer in the FortiManager device-level database of FortiGate. They reinstall the policy package to the managed FortiGate device without any errors. However, when the administrator logs in to FortiGate, they do not see the BGP configuration changes.

What is the most likely reason why FortiManager did not push the BGP peer changes to FortiGate?

- A. The administrator must run a sanity check on FortiManager to make sure the database is not corrupted.
- B. The FortiGate firmware version is different from the FortiManager ADOM version.
- C. The administrator must use the Install Wizard and select Install device settings only to push BGP settings
- **D. Fortigate has a BGP template assigned on the FortiManager database.**

Answer: D

Explanation:

If a BGP template is assigned to the FortiGate device on FortiManager, device-level BGP configurations made directly in the device-level database are overridden by the template settings, so the changes do not get pushed to the device.

NEW QUESTION # 44

An administrator wants to configure and manage multiple objects in the FortiManager database and give access to other users who work in the same database.

To stay in control of the changes made to firewall policies by other team members, the administrator needs a setup where all modifications go through a central check before they can be installed.

How can the administrator create this setup?

- A. Enable the workspace (for all ADOMs) to control all changes made by any administrator.
- B. Enable the prompt asking the administrator to accept firewall policies changes before saving.
- C. Enable device lock and the advanced mode feature in the ADOM.
- **D. Enable workflow mode and the ADOM lock feature.**

Answer: D

Explanation:

Enabling workflow mode along with the ADOM lock feature ensures that all configuration changes go through a centralized review and approval process before installation, allowing controlled and coordinated management of firewall policies by multiple administrators.

NEW QUESTION # 45

While attempting to push a NetFlow configuration script through the FortiManager policy package: an administrator encounters an error stating that an object is unrecognized in line 4.

```
Starting log (Run on database)
config vdom
edit AGEUSR
[line 4] > config sys interface [parameter(s) invalid. detail: object unrecognized]
Failed to commit to DB, reason([line 4] > config sys interface [parameter(s) invalid. detail: object unrecognized])
```

```
Running script(NetFlow Configuration) on DB failed
```

What must the administrator do to successfully apply the NetFlow configuration script and avoid the object unrecognized error?

- A. Run the script on the device database.
- B. Make sure the user running the script has full access to the VDOM--AGEUSR.
- C. Create a normalized interface on the policy layer before running the script.
- **D. Use metadata variables if they use VDOMs in the script.**

Answer: D

Explanation:

When using scripts that reference VDOM-specific objects, such as interfaces, in FortiManager, metadata variables must be used to correctly map those objects per VDOM. This prevents "object unrecognized" errors during script execution.

NEW QUESTION # 46

.....

When we choose to find a good job, there is important to get the FCP_FMG_AD-7.6 certification as you can. There is a fabulous product to prompt the efficiency--the FCP_FMG_AD-7.6 exam prep, as far as concerned, it can bring you high quality learning platform to pass the variety of exams. Our product is elaborately composed with major questions and answers. It only takes you 20 hours to 30 hours to do the practice. After your effective practice, you can master the examination point from the FCP_FMG_AD-7.6 Test Question. Then, you will have enough confidence to pass it.

FCP_FMG_AD-7.6 PDF: https://www.examdisscuss.com/Fortinet/exam/FCP_FMG_AD-7.6/

You can have your money back if our Fortinet FCP_FMG_AD-7.6 exam dumps could not be able to entertain you, Feel free and

The strength and therefore the reliability of Portland cement is significantly FCP_FMG_AD-7.6 diminished by what would appear to the average observer as minuscule, almost trivial changes in mixture ratios, kiln temperature, or grinding process.

As the engineers described new features they needed, I made them walk me through scenarios of how the objects interacted. You can have your money back if our Fortinet FCP_FMG_AD-7.6 Exam Dumps could not be able to entertain you.

Once the renewal is found, they will immediately send to the mail boxes of the customers for their study, So far our passing rate of Fortinet FCP FMG AD-7.6 exam training is high to 99.29%.

- [illegible]