

Our HPE7-J02 exambraindumps are known for the quality as well as the high pass rate. The pass rate is above98%. If you buy the HPE7-J02 learning materials, in our website, we will guarantee the safety of your electric instrument as well as a sound shopping environment, you can set it as a safety web, since our professionals will check it regularly for the safety. If you have the desire, contact us.

Free PDF 2025 HP HPE7-J02 Valid Test Practice

HP Advanced HPE Storage Integrator Solutions Written Exam Sample Questions (Q28-Q33):

Properties **Paths** Partition Details

ENABLED DISABLED

Runtime Name	Status	Targets	Name
<input type="radio"/> vmbat:C0:T1:L22	Active (I/O)	56 c9 bc 90 bc 21 89 00 56 c9 ce 90 bc 21 89 0c	vmbat:C0:T1:L22
<input type="radio"/> vmbat:C0:T2:L22	Active (I/O)	56 89 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 30	vmbat:C0:T2:L22
<input type="radio"/> vmba0:C0:T1:L22	Active (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 08	vmba0:C0:T1:L22
<input type="radio"/> vmba0:C0:T2:L22	Active (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 0f	vmba0:C0:T2:L22
<input type="radio"/> vmbat:C0:T0:L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 08	vmbat:C0:T0:L22
<input type="radio"/> vmba0:C0:T0:L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 07	vmba0:C0:T0:L22
<input type="radio"/> vmbat:C0:T3:L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 04	vmbat:C0:T3:L22
<input type="radio"/> vmba0:C0:T3:L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 03	vmba0:C0:T3:L22

You are analyzing a customer environment with two Alletra 6000 arrays in a VMware stretched cluster.

Application latency differs slightly depending on whether the VM is on Datastore01 or Datastore02.
Datastore02:

Properties Paths Partition Details				
EXAMPLES				
Runtime Name	Status	Path	Name	
vmhba1 CO T1 L22	Active (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 00	vmhba1 CO T1 L22	
vmhba1 CO T2 L22	Active (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 10	vmhba1 CO T2 L22	
vmhba0 CO T1 L22	Active (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 0b	vmhba0 CO T1 L22	
vmhba0 CO T2 L22	Active (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 0f	vmhba0 CO T2 L22	
vmhba1 CO T0 L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 08	vmhba1 CO T0 L22	
vmhba0 CO T0 L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 07	vmhba0 CO T0 L22	
vmhba1 CO T3 L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 04	vmhba1 CO T3 L22	
vmhba0 CO T3 L22	Standby (I/O)	56 c9 ce 90 bc 21 89 00 56 c9 ce 90 bc 21 89 03	vmhba0 CO T3 L22	

Question: Based on this scenario, what would you recommend to equalize latency for the workload?

- A. Relocate the workload on Datastore01 to a volume collection shared with Datastore02.
- B. Issue pinning option for Datastore02 for lower latency.
- C. Relocate the workload on Datastore02 to a volume collection shared with Datastore01.
- D. Issue handover to the volume collection hosting Datastore01.

Answer: C

NEW QUESTION # 29

Refer to the exhibit.

Qty	Part Number	Description
1	51R06A	HPE GL Block STG MP Base Cistr Config
1	R7C75A	HPE Alletra STG MP 2U Chassis
4	R7C76A	HPE Alletra STG MP C14 1600W AC PS
2	R9R52A	HPE C13 - C14 250V Blk 1.4m WW Pwr Cord
2	R9S00A	HPE C13 - C14 250V Gry 1.4m WW Pwr Cord
2	R7D02A	HPE Alletra STG MP 16c Cluster Blk Node
6	52A68A	HPE Alletra STG MP 100GbE 2p OCP
12	R9F76A	Aruba 100G QSFP28 to QSFP28 2m AOC
2	52S64A	HPE Alletra STG MP 32Gb 48 FC HBA
2	51R08A	HPE Alletra STG MP 32G 100GbE Swch Bdl
2	53L68A	HPE C13 - C14 250V Blk 2m WW Pwr Cord
2	53L69A	HPE C13 - C14 250V Gry 2m WW Pwr Cord
1	50A95A	HPE Switch Pair Install Kit
1	51J10A	HPE AL STG MP NVMe CTO Block Shelf
2	51R28A	HPE Alletra STG MP Block Exp Shelf Node
24	R9H67A	HPE Alletra STG MP 3.84TB NVMe SED SSD
1	50A98A	HPE SED LTU
1	53Q00A	HPE GreenLake for Block Storage MP OS per TB 3-year LTU
92	53Q00AAE	HPE GreenLake for Block Storage MP OS per TB 3-year Software and Support SaaS

Your customer had an unexpected failure of their current storage array, causing them to lose some of their critical data. As a result, they are looking for a storage array with a guarantee of 100% data availability to prevent this failure and loss in the future.

They need 80TB raw and two new 25GbE top-of-rack switches to connect to their environment.

They expect 5% annual growth.

Which correction should be made to the configuration in the exhibit to meet the customer's requirements?

- A. Change to 25G networking
- B. Decrease to 20 × 3.84TB drives
- C. HPE GreenLake financial model
- D. Add 2 × Aruba 8325 switches

Answer: A

Explanation:

Detailed Explanation:

Rationale for Correct Answer:

The exhibit shows the use of 32Gb FC HBAs and 100GbE switches (Aruba 100G). However, the customer specifically requires 25GbE top-of-rack switches. Therefore, the configuration needs to be corrected to 25GbE networking. The HPE Alletra MP B10000 guarantees 100% data availability SLA, so the primary correction is networking alignment, not drives or financial model.

Distractors:

B: Reducing drives reduces raw capacity below 80TB requirement.

C: GreenLake is a consumption model but not the technical correction required.

D: Aruba 8325 is a core switch option; customer only asked for ToR 25GbE.

Key Concept: Networking alignment with requirements.

Reference: HPE Alletra MP Ordering and Configuration Guide.

NEW QUESTION # 30

A customer experienced a replication network outage during setup of Alletra 6000 arrays. They want to allow HPE support remote root access to troubleshoot once the outage is resolved.

How can this be enabled?

- A. Confirm remote access request in the Data Ops Manager.
- B. Access array with SSH login to retrieve ciphertext blob for hpesupport user.
- C. Allow access in the local GUI by enabling secure tunnel.
- D. Enable HPE support access in the InfoSight portal.

Answer: D

NEW QUESTION # 31

The storage solution based on the exhibit is deployed at a customer site.



How can the sequential read performance values be enhanced for this configuration?

- A. By increasing the amount of 10/25 Gb NICs
- B. By replacing 10/25 Gb with a 32 Gb FC HBA
- C. By adding another expansion shelf
- D. By adding SCM to the solution

Answer: A

Explanation:

Detailed Explanation:

Rationale for Correct Answer:

The exhibit shows a system delivering ~2.3 GB/s sequential read. For large-block sequential workloads, aggregate host link bandwidth (number × speed of front-end ports) is the primary limiter. Increasing the count of 10/25 Gb iSCSI NICs adds parallel lanes, raising sustained read GB/s to the hosts. This is a recommended first step in HPE sizing before changing protocols.

Analysis of Incorrect Options (Distractors):

A: Adding an expansion shelf increases capacity, not front-end bandwidth.

C: Moving to 32 Gb FC can help, but simply adding more existing 10/25 Gb ports achieves the same goal without a protocol/adaptor change and is the straightforward, supported scale-out path.

D: SCM (Storage Class Memory) targets latency/IOPS; it doesn't materially lift sequential GB/s if the link budget is the bottleneck.

Key Concept: Scale front-end connectivity to increase sequential throughput; capacity or media class changes won't fix a link-limited system.

Reference: HPE Alletra 6000/MP Sizing and Host Connectivity Guidelines (throughput scaling via additional host ports).

NEW QUESTION # 32

Refer to the exhibit.

Path Name	Status	Target	Controller	Preferred
vmfsbat00:T2L1	Standby	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T1L1	Standby	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T3L1	Dead	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T2L1	Standby	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T3L1	Dead	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T0L1	Active (0)	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T1L1	Standby	56c9ce90bc218900	Fibre Channel	No
vmfsbat00:T0L1	Active (0)	56c9ce90bc218900	Fibre Channel	No

The above image represents an existing Alletra 6000 Peer Persistence configuration. Which statement could be true in this scenario?

- A. The amount of active (0) paths could reduce the performance of the array.
- **B. The performance of the array could be reduced due to a missing controller.**
- C. The performance of the array could be reduced due to the amount of paths active.

Answer: B

Explanation:

Detailed Explanation:

Rationale for Correct Answer:

In the exhibit, several paths show "Standby" and some appear "Dead", while only a subset is Active (0).

This typically indicates that one storage controller may be missing or offline, which reduces redundancy and can cause performance degradation. In a healthy Peer Persistence environment, both controllers should present active and non-optimized paths.

Distractors:

A & B: Having multiple active paths does not inherently reduce performance; in fact, MPIO load balances traffic. The issue here is path failures, not excessive active paths.

Key Concept: MPIO pathing in HPE Peer Persistence and controller health.

Reference: HPE Alletra 6000 Peer Persistence Implementation Guide.

NEW QUESTION # 33

.....

You can choose the most suitable and convenient one for you. The web-based HPE7-J02 practice exam is compatible with all operating systems. It is a browser-based HP HPE7-J02 Practice Exam that works on all major browsers. This means that you won't have to worry about installing any complicated software or plug-ins.

HPE7-J02 Test Engine Version: https://www.getcertkey.com/HPE7-J02_braindumps.html

Taking this into account, we will update our Advanced HPE Storage Integrator Solutions Written Exam study material timely, what's more, we will send our latest version of our HPE7-J02 prep practice pdf, to your email address for free during the whole year after you purchase our Advanced HPE Storage Integrator Solutions Written Exam study material, Someone tell you it's hard to pass HPE7-J02 Test Engine Version - Advanced HPE Storage Integrator Solutions Written Exam exam, HP HPE7-J02 Valid Test Practice Not every training materials on the Internet have such high quality.

The rest of the chapter covers a wide range of tips designed to help HPE7-J02 Valid Test Practice you maximize the quality of your photography, Downloading an Installation Image File and Writing to/Burning the Installation.

Pass Guaranteed High Pass-Rate HPE7-J02 - Advanced HPE Storage Integrator Solutions Written Exam Valid Test Practice

Taking this into account, we will update our HPE7-J02 Valid Test Practice Advanced HPE Storage Integrator Solutions Written Exam study material timely, what's more, we will send our latest version of our HPE7-J02 prep practice pdf, to your email address

Someone tell you it's hard to pass Advanced HPE Storage Integrator Solutions Written Exam Online HPE7-J02 Test exam, Not every training materials on the Internet have such high quality, You are sure to get a certification after using our HPE7-J02 reliable braindumps developed by our professional education team.

- Reliable HPE7-J02 Test Syllabus ☐ HPE7-J02 New Braindumps Questions ☐ HPE7-J02 Exam Assessment ☐ Search for ➤ HPE7-J02 ☐ and obtain a free download on ☀ www.examsreviews.com ☀☐ ☐ Valid Test HPE7-J02 Fee
- HPE7-J02 New Braindumps Free ☐ HPE7-J02 Exam Assessment ☐ Dumps HPE7-J02 Collection ☐ Search for ➤ HPE7-J02 ☐ on { www.pdfvce.com } immediately to obtain a free download ☐Dumps HPE7-J02 Collection
- HP - HPE7-J02 - Efficient Advanced HPE Storage Integrator Solutions Written Exam Valid Test Practice ☐ Search for { HPE7-J02 } and download exam materials for free through ☐ www.prep4away.com ☐ ☐HPE7-J02 Exam Overviews
- Study Materials HPE7-J02 Review ☐ HPE7-J02 New Learning Materials ☐ Study Materials HPE7-J02 Review ☐ ☐ www.pdfvce.com ☐ is best website to obtain ⇒ HPE7-J02 ⇐ for free download ☐HPE7-J02 Exam Testking
- Pass Guaranteed Professional HPE7-J02 - Advanced HPE Storage Integrator Solutions Written Exam Valid Test Practice ☐ ☐ Enter [www.exam4pdf.com] and search for ➡ HPE7-J02 ☐ to download for free ☐Study Materials HPE7-J02 Review
- Pass Your HP HPE7-J02 Exam with Complete HPE7-J02 Valid Test Practice: Advanced HPE Storage Integrator Solutions Written Exam Efficiently ☐ Search for ➡ HPE7-J02 ☐ on ➤ www.pdfvce.com ☐ immediately to obtain a free download ☐HPE7-J02 Valid Exam Braindumps
- Examinations HPE7-J02 Actual Questions ☐ HPE7-J02 New Braindumps Free ☐ Dumps HPE7-J02 Collection ☐ Enter ➤ www.examcollectionpass.com ☐ and search for 【 HPE7-J02 】 to download for free ☐HPE7-J02 Test Objectives Pdf
- 2025 Realistic HPE7-J02 Valid Test Practice - HP Advanced HPE Storage Integrator Solutions Written Exam Test Engine Version 100% Pass ☐ Search for ⇒ HPE7-J02 ⇐ and download it for free immediately on 《 www.pdfvce.com 》 ☐ ☐HPE7-J02 Exam Testking
- Pass Guaranteed 2025 HP HPE7-J02 –Accurate Valid Test Practice ☐ Download ➡ HPE7-J02 ☐ for free by simply entering ▶ www.exams4collection.com ◀ website ☐HPE7-J02 Valid Exam Braindumps
- 2025 Realistic HPE7-J02 Valid Test Practice - HP Advanced HPE Storage Integrator Solutions Written Exam Test Engine Version 100% Pass ☐ Easily obtain ☀ HPE7-J02 ☀☐ for free download through ⇒ www.pdfvce.com ⇐ ☐Pass HPE7-J02 Guarantee
- Trustable HPE7-J02 Valid Test Practice - Leader in Qualification Exams - Verified HP Advanced HPE Storage Integrator Solutions Written Exam ☐ Immediately open ☀ www.examcollectionpass.com ☀☐ and search for ✓ HPE7-J02 ☐✓☐ to obtain a free download ☐HPE7-J02 Valid Exam Braindumps
- rabonystudywork.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, study.stcs.edu.np, yu856.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, academy.hypemagazine.co.za, www.camcadexperts.com, academy.businessmarketingagency.com.au, sbacademy.online, Disposable vapes