


# In-Depth of Questions NSE7\_LED-7.0 valuable resource



P.S. Free 2025 Fortinet NSE7\_LED-7.0 dumps are available on Google Drive shared by ValidDumps:  
[https://drive.google.com/open?id=1j\\_emtNGNdT9sSoly6JgwNAMnhwT0FvLD](https://drive.google.com/open?id=1j_emtNGNdT9sSoly6JgwNAMnhwT0FvLD)

The PDF version of our NSE7\_LED-7.0 exam materials has the advantage that it can be printable. After printing, you not only can bring the NSE7\_LED-7.0 study guide with you wherever you go since it doesn't take a place, but also can make notes on the paper at your liberty, which may help you to understand the contents of our NSE7\_LED-7.0 learning prep better. Do not wait and hesitate any longer, your time is precious!

There is no doubt that the NSE7\_LED-7.0 certification can help us prove our strength and increase social competitiveness. Although it is not an easy thing for some candidates to pass the exam, but our NSE7\_LED-7.0 question torrent can help aggressive people to achieve their goals. This is the reason why we need to recognize the importance of getting the test NSE7\_LED-7.0 Certification. Now give me a chance to know our NSE7\_LED-7.0 study tool before your payment, you can just free download the demo of our NSE7\_LED-7.0 exam questions on the web.

>> Real NSE7\_LED-7.0 Dumps <<

## NSE7\_LED-7.0 Latest Test Fee - NSE7\_LED-7.0 Reliable Test Testking

The Fortinet NSE7\_LED-7.0 exam questions are being offered in three different formats. These formats are NSE7\_LED-7.0 PDF dumps files, desktop practice test software, and web-based practice test software. All these three NSE7\_LED-7.0 exam dumps formats contain the Real NSE7\_LED-7.0 Exam Questions that assist you in your Fortinet NSE 7 - LAN Edge 7.0 practice exam preparation and finally, you will be confident to pass the final Fortinet NSE7\_LED-7.0 exam easily.

## Fortinet NSE 7 - LAN Edge 7.0 Sample Questions (Q62-Q67):

### NEW QUESTION # 62

Refer to the exhibit

```

FortiGate # diagnose switch-controller switch-info 802.1X
Managed Switch : S224EPTF19006016

port2 : Mode: port-based (mac-by-pass disable)
Link: Link up
Port State: unauthorized: ( )
Dynamic Authorized Vlan : 0
Dynamic Allowed Vlan list:
Dynamic Untagged Vlan list:
EAP pass-through : Enable
EAP egress-frame-tagged : Enable
EAP auto-untagged-vlans : Enable
Allow MAC Move : Disable
Dynamic Access Control List : Disable
Quarantine VLAN (4093)-detection : Enable
Native Vlan : 10
Allowed Vlan list: 10,4093
Untagged Vlan list: 4093
Guest VLAN :
Auth-Fail Vlan :
AuthServer-Timeout Vlan :

Sessions info:
00:09:0f:02:02:02 Type=802.1x,,state=AUTHENTICATING,etime=0,eap_cnt=0 params:reAuth=3600

```

A device connected to port2 on FortiSwitch cannot access the network. The port is assigned a security policy to enforce 802.1X authentication. While troubleshooting the issue, the administrator obtains the debug output shown in the exhibit. Which two scenarios are likely to cause this issue? (Choose two.)

- A. The device has been assigned the guest VLAN
- B. The device has been quarantined for 3600 seconds.
- C. The device does not support 802.1X authentication
- D. The device is not configured for 802.1X authentication.

**Answer: C,D**

**Explanation:**

According to the exhibit, the debug output shows that the device connected to port2 on FortiSwitch is sending an EAPOL-Start message, which is the first step of the 802.1X authentication process. However, the output also shows that the device is not sending any EAP-Response messages, which are required to complete the authentication process. Therefore, option A is true because the device is not configured for 802.1X authentication, which means that it does not have the correct credentials or settings to authenticate with the RADIUS server. Option D is also true because the device does not support 802.1X authentication, which means that it does not have the capability or software to perform 802.1X authentication. Option B is false because the device has not been quarantined for 3600 seconds, but rather has a session timeout of 3600 seconds, which is the default value for 802.1X sessions. Option C is false because the device has not been assigned the guest VLAN, but rather has been assigned the default VLAN, which is VLAN 1.

## NEW QUESTION # 63

Refer to the exhibit.

**FORTINET**

Name: FAC-Lab

Authentication method: **Default** Specify

NAS IP:

Include in every user group: ☐

Primary Server

IP/Name: 10.0.1.150

Secret:

Connection status: Successful

Test Connectivity

Test User Credentials

Examine the RADIUS server configuration shown in the exhibit

An administrator has configured a RADIUS server on FortiGate that points to FortiAuthenticator. FortiAuthenticator is acting as an authentication proxy and is configured to relay all authentication requests to a remote Windows AD server using LDAP. While testing the configuration, the administrator noticed that the `diagnosetest authserver` command worked with PAP, however authentication requests failed when using MSCHAP2. Which two solutions can the administrator implement to get MSCHAP2 authentication to work? (Choose two.)

- A. On FortiGate update the Secret setting on the RADIUS server
- B. On FortiAuthenticator change the back-end authentication server from LDAP to RADIUS
- C. On FortiAuthenticator enable Windows Active Directory Domain Authentication to add FortiAuthenticator to the Windows domain
- D. On FortiGate configure the NAS IP setting on the RADIUS server

**Answer: B,C**

Explanation:

Explanation

According to the exhibit, the RADIUS server configuration on FortiGate points to FortiAuthenticator, which is acting as an authentication proxy and is configured to relay all authentication requests to a remote Windows AD server using LDAP. However, LDAP does not support MSCHAP2 authentication, which is required for RADIUS. Therefore, option A is true because on FortiAuthenticator, enabling Windows Active Directory Domain Authentication will add FortiAuthenticator to the Windows domain and allow it to use MSCHAP2 authentication with the AD server. Option C is also true because on FortiAuthenticator, changing the back-end authentication server from LDAP to RADIUS will allow it to use MSCHAP2 authentication with the AD server. Option B is false because on FortiGate, configuring the NAS IP setting on the RADIUS server will not affect the MSCHAP2 authentication, but rather the source IP address of the RADIUS packets. Option D is false because on FortiGate, updating the Secret setting on the RADIUS server will not affect the MSCHAP2 authentication, but rather the shared secret between FortiGate and FortiAuthenticator.

#### NEW QUESTION # 64

Refer to the exhibit.

Examine the LDAP server configuration shown in the exhibit. Note that the Username setting has been expanded to display its full content. On the Windows AD server 10.0.1.10, the administrator used dsquery, which returned the following output:

```
>dsquery user -samid student
"CN=student,CN=Users,DC=trainingAD,DC=training,DC=lab"
```

According to the output, which FortiGate LDAP setting is configured incorrectly?

- A. Username
- B. Common Name Identifier
- C. Bind Type
- **D. Distinguished Name**

**Answer: D**

Explanation:

Explanation

According to the exhibits, the LDAP server configuration on FortiGate has the Distinguished Name set to "dc=training,dc=lab". However, according to the output of the dsquery command on the Windows AD server, the Distinguished Name of the domain should be "dc=trainingAD,dc=training,dc=lab". Therefore, option C is true because the Distinguished Name on FortiGate is configured incorrectly and does not match the actual Distinguished Name of the domain. Option A is false because the Common Name Identifier on FortiGate is configured correctly as "cn". Option B is false because the Bind Type on FortiGate is configured correctly as

"Regular". Option D is false because the Username on FortiGate is configured correctly as

"cn=admin,cn=users,dc=trainingAD,dc=training,dc=lab".

#### NEW QUESTION # 65

Where can FortiGate learn the FortiManager IP address or FQDN for zero-touch provisioning?

- A. From a TFTP server
- B. From a DNS server using A or AAAA records
- C. From an LDAP server using a simple bind operation
- **D. From a DHCP server using options 240 and 241**

**Answer: D**

Explanation:

<https://docs.fortinet.com/document/fortigate/6.2.16/cookbook/861490/zero-touch-provisioning-with-fortimanager> "A DHCP server includes option 240 and 241 which records FortiManager IP and domain name.

FortiGate has an interface with the default DHCP client mode that is connected to the DHCP server in the intranet."

#### NEW QUESTION # 66

Refer to the exhibit.

```

config system dhcp server
edit 1
    set ntp-service local
    set default-gateway 169.254.1.1
    set netmask 255.255.255.0
    set interface "fortilink"
    config ip-range
        edit 1
            set start-ip 169.254.1.2
            set end-ip 169.254.1.254
        next
    end
    set vci-match enable
    set vci-string "FortiSwitch" "FortiExtender"
end

```

By default FortiOS creates the following DHCP server scope for the FortiLink interface as shown in the exhibit. What is the objective of the vci-string setting?

- A. To restrict the IP address assignment to devices that have FortiSwitch or FortiExtender as their hostname
- **B. To restrict the IP address assignment to FortiSwitch and FortiExtender devices**
- C. To ignore DHCP requests coming from FortiSwitch and FortiExtender devices
- D. To reserve IP addresses for FortiSwitch and FortiExtender devices

**Answer: B**

Explanation:

Explanation

According to the exhibit, the DHCP server scope for the FortiLink interface has a vci-string setting with the value "Cisco AP c2700". This setting is used to match the vendor class identifier (VCI) of the DHCP clients that request an IP address from the DHCP server. The VCI is a text string that uniquely identifies a type of vendor device. Therefore, option C is true because the vci-string setting restricts the IP address assignment to FortiSwitch and FortiExtender devices, which use the VCI "Cisco AP c2700". Option A is false because the vci-string setting does not ignore DHCP requests coming from FortiSwitch and FortiExtender devices, but rather accepts them. Option B is false because the vci-string setting does not reserve IP addresses for FortiSwitch and FortiExtender devices, but rather assigns them dynamically. Option D is false because the vci-string setting does not restrict the IP address assignment to devices that have FortiSwitch or FortiExtender as their hostname, but rather to devices that have "Cisco AP c2700" as their VCI.

## NEW QUESTION # 67

.....

The Fortinet NSE 7 - LAN Edge 7.0 (NSE7\_LED-7.0) web-based practice test is compatible with these browsers: Chrome, Safari, Internet Explorer, MS Edge, Firefox, and Opera. This Fortinet NSE 7 - LAN Edge 7.0 (NSE7\_LED-7.0) practice exam does not require any software installation as it is web-based. It has similar specifications to the Fortinet NSE7\_LED-7.0 desktop-based practice exam software, but it requires an internet connection.

**NSE7\_LED-7.0 Latest Test Fee:** [https://www.validdumps.top/NSE7\\_LED-7.0-exam-torrent.html](https://www.validdumps.top/NSE7_LED-7.0-exam-torrent.html)

As you can see, we are here to offer you NSE7\_LED-7.0 test questions: Fortinet NSE 7 - LAN Edge 7.0 for your test exam, Pass NSE7\_LED-7.0 Exam via Examschief, NSE7\_LED-7.0 Braindumps. We assure you that any questions will receive our prompt attention as we are the best supplier of NSE7\_LED-7.0 pass torrent files in this IT industry. Fortinet Real NSE7\_LED-7.0 Dumps. Gaining some IT authentication certificate is very useful.

This course is dedicated to providing that knowledge, NSE7\_LED-7.0 Latest Test Cram along with enough demonstrations to show how implementation actually works. Using the language of brain science can be a powerful NSE7\_LED-7.0 way for executives to understand their behaviors without personalizing the explanation.

**Professional Real NSE7\_LED-7.0 Dumps | Newest NSE7\_LED-7.0 Latest Test**

## Fee and Correct Fortinet NSE 7 - LAN Edge 7.0 Reliable Test Testking

As you can see, we are here to offer you NSE7\_LED-7.0 Test Questions: Fortinet NSE 7 - LAN Edge 7.0 for your test exam, Pass NSE7\_LED-7.0 Exam via Examschief NSE7\_LED-7.0 Braindumps, We assure you that any questions will receive our prompt attention as we are the best supplier of NSE7\_LED-7.0 pass torrent files in this IT industry.

Gaining some IT authentication certificate is very useful, NSE7\_LED-7.0 Latest Test Fee Fortinet NSE 7 - LAN Edge 7.0” is the name of NSE 7 Network Security Architect exam dumps which covers all the knowledge points of the real Fortinet exam.

- Hot Real NSE7\_LED-7.0 Dumps 100% Pass | High Pass-Rate NSE7\_LED-7.0: Fortinet NSE 7 - LAN Edge 7.0 100% Pass ☐ Search for ➡ NSE7\_LED-7.0 ☐☐☐ and download it for free on > [www.exams4collection.com](http://www.exams4collection.com) < website ☐ ☐ NSE7\_LED-7.0 Exam Voucher
- 2025 NSE7\_LED-7.0: Accurate Real Fortinet NSE 7 - LAN Edge 7.0 Dumps ☐ Search for 【 NSE7\_LED-7.0 】 and easily obtain a free download on [ [www.pdfvce.com](http://www.pdfvce.com) ] ☐ Valid Exam NSE7\_LED-7.0 Practice
- 2025 NSE7\_LED-7.0: Accurate Real Fortinet NSE 7 - LAN Edge 7.0 Dumps ☐ Search for ☀ NSE7\_LED-7.0 ☐ ☀ ☐ and download it for free immediately on ✓ [www.torrentvce.com](http://www.torrentvce.com) ☐ ✓ ☐ ☐ NSE7\_LED-7.0 Pdf Dumps
- NSE7\_LED-7.0 Customizable Exam Mode ☐ NSE7\_LED-7.0 New Study Materials ☐ Technical NSE7\_LED-7.0 Training ☐ Go to website > [www.pdfvce.com](http://www.pdfvce.com) < open and search for “NSE7\_LED-7.0” to download for free ☐ ☐ NSE7\_LED-7.0 Test Questions Vce
- Pass4sure NSE7\_LED-7.0 Pass Guide ☐ NSE7\_LED-7.0 New Study Materials ☐ Printable NSE7\_LED-7.0 PDF ☐ Easily obtain free download of 《 NSE7\_LED-7.0 》 by searching on ☐ [www.vceengine.com](http://www.vceengine.com) ☐ ☐ NSE7\_LED-7.0 Sample Questions Answers
- Hot Real NSE7\_LED-7.0 Dumps 100% Pass | High Pass-Rate NSE7\_LED-7.0: Fortinet NSE 7 - LAN Edge 7.0 100% Pass ☐ Immediately open 【 [www.pdfvce.com](http://www.pdfvce.com) 】 and search for ⇒ NSE7\_LED-7.0 ⇐ to obtain a free download ☐ ☐ NSE7\_LED-7.0 Pdf Dumps
- NSE7\_LED-7.0 New Study Materials ☐ Dumps NSE7\_LED-7.0 Free Download ☐ Cert NSE7\_LED-7.0 Exam ☺ The page for free download of 【 NSE7\_LED-7.0 】 on 《 [www.vceengine.com](http://www.vceengine.com) 》 will open immediately ☐ NSE7\_LED-7.0 Test Questions Vce
- NSE7\_LED-7.0 Customizable Exam Mode ☐ NSE7\_LED-7.0 Training Solutions ☐ NSE7\_LED-7.0 Pdf Dumps ☐ Open ☐ [www.pdfvce.com](http://www.pdfvce.com) ☐ and search for ☐ NSE7\_LED-7.0 ☐ to download exam materials for free ☐ NSE7\_LED-7.0 Exam Voucher
- NSE7\_LED-7.0 Test Questions Vce ☐ NSE7\_LED-7.0 Exam Voucher ☐ NSE7\_LED-7.0 Pdf Dumps ☐ Immediately open [ [www.torrentvce.com](http://www.torrentvce.com) ] and search for ( NSE7\_LED-7.0 ) to obtain a free download ☐ ☐ NSE7\_LED-7.0 Customizable Exam Mode
- 100% Pass Quiz 2025 NSE7\_LED-7.0: Fortinet NSE 7 - LAN Edge 7.0 Pass-Sure Real Dumps ☐ Download 【 NSE7\_LED-7.0 】 for free by simply entering ☐ [www.pdfvce.com](http://www.pdfvce.com) ☐ website ☐ Printable NSE7\_LED-7.0 PDF
- NSE7\_LED-7.0 Pdf Dumps ☐ NSE7\_LED-7.0 Vce Free ☐ NSE7\_LED-7.0 Latest Material ☐ Go to website ☐ [www.prep4away.com](http://www.prep4away.com) ☐ open and search for > NSE7\_LED-7.0 < to download for free ☐ Valid Exam NSE7\_LED-7.0 Practice
- [pct.edu.pk](http://pct.edu.pk), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [skillssofar.com](http://skillssofar.com), [lmsacademy.binsys.id](http://lmsacademy.binsys.id), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [study.stes.edu.np](http://study.stes.edu.np), [me.sexualpurity.org](http://me.sexualpurity.org), [xm.wztc58.cn](http://xm.wztc58.cn), [icp.douyin86.com.cn](http://icp.douyin86.com.cn), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), Disposable vapes

What's more, part of that ValidDumps NSE7\_LED-7.0 dumps now are free: [https://drive.google.com/open?id=1j\\_emtNGNdT9sSoly6JgwNAmnhwT0FvLD](https://drive.google.com/open?id=1j_emtNGNdT9sSoly6JgwNAmnhwT0FvLD)