


# ISO-45001-Lead-Auditor Latest Dumps Questions & Valid Brindumps ISO-45001-Lead-Auditor Questions



P.S. Free 2025 PECB ISO-45001-Lead-Auditor dumps are available on Google Drive shared by TorrentExam:  
<https://drive.google.com/open?id=1TB0TJCPQqhHx0PLxYiVUpVb4sWuA0Kgo>

There is a succession of anecdotes, and there are specialized courses. Experts call them experts, and they must have their advantages. They are professionals in every particular field. The ISO-45001-Lead-Auditor test material, in order to enhance the scientific nature of the learning platform, specifically hired a large number of qualification exam experts, composed of product high IQ team, these experts by combining his many years teaching experience of ISO-45001-Lead-Auditor Quiz guide and research achievements in the field of the test, to exam the popularization was very complicated content of PECB Certified ISO 45001 Lead Auditor Exam exam dumps, better meet the needs of users of various kinds of cultural level.

## PECB ISO-45001-Lead-Auditor Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Fundamental principles and concepts of an occupational health and safety management system: This section of the exam measures the skills of Health and Safety Managers and covers the essential principles and concepts underlying an occupational health and safety management system (OHSMS). It focuses on understanding the framework for managing health and safety risks to prevent workplace injuries and illnesses. One skill to be measured is identifying key components of an effective OHSMS.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Managing an ISO 45001 audit program: This section of the exam measures the skills of Audit Managers and covers the management of an ongoing ISO 45001 audit program. It focuses on scheduling audits, maintaining auditor competency, and ensuring continuous improvement within the auditing process. One skill to be measured is implementing strategies for effective audit program management.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>Conducting an ISO 45001 audit: This section of the exam measures the skills of Lead Auditors and covers the execution of an ISO 45001 audit. It focuses on gathering evidence, interviewing personnel, and assessing compliance with OHSMS requirements during the audit process.</li></ul>

Topic 4	<ul style="list-style-type: none"> <li>• ISO 45001 requirements for an OH&amp;S MS – Clauses 4 to 10: This section of the exam measures the skills of Auditors related to specific requirements outlined in ISO 45001 about occupational health and safety management systems. It emphasizes understanding clauses that address context, leadership, planning, support, operation, performance evaluation, and improvement. A skill to be measured is applying ISO 45001 requirements to organizational practices.</li> </ul>
Topic 5	<ul style="list-style-type: none"> <li>• Closing an ISO 45001 audit: This section of the exam measures the skills of Audit Consultants and covers the procedures for concluding an ISO 45001 audit. It emphasizes reporting results, discussing findings with stakeholders, and ensuring follow-up actions are planned.</li> </ul>
Topic 6	<ul style="list-style-type: none"> <li>• Domain 4: Preparing for an ISO 45001 audit: This section of the exam measures the skills of Audit Consultants and covers the preparation process for conducting an ISO 45001 audit. It emphasizes planning, resource allocation, and establishing audit objectives to ensure a thorough evaluation.</li> </ul>

>> ISO-45001-Lead-Auditor Latest Dumps Questions <<

## Valid Braindumps PECB ISO-45001-Lead-Auditor Questions - Valid ISO-45001-Lead-Auditor Test Review

Our ISO-45001-Lead-Auditor preparation materials are willing to give you some help if you want to be better in your daily job and get a promotion on matter on the salary or on the position. Those who have used ISO-45001-Lead-Auditor training engine have already obtained an international certificate and have performed even more prominently in their daily work. As it should be, they won the competition. So as they wrote to us that our ISO-45001-Lead-Auditor Exam Questions had changed their life.

## PECB Certified ISO 45001 Lead Auditor Exam Sample Questions (Q71-Q76):

### NEW QUESTION # 71

During a second-party audit at a sawmill, you find that the OHSMS Manager conducted the hazard identification process. In the risk assessment report, hazards were listed as physical hazards, chemical hazards, biological hazards and psychosocial hazards, with the hazards categories as low medium and high to be addressed. The OHSMS Manager did not have an action plan for low and medium risks, saying that they ignored those He stated that they brought in a health and safety consultant to advise on treatment for the high risks.

When interviewing the OHSMS Manager, the auditor presents a nonconformity relating to potential hazards In the factory If the dust extraction system broke down. The OHSMS Manager said that. If that happened, the agreed planned action is that workers would put masks on.

Select one of the options for how the auditor should respond to this statement.

- A. Advise that the factory should cease its operations It the dust extraction equipment malfunctioned.
- **B. Seek evidence that the response action is both Implemented and effective.**
- C. Ask the OH5MS Manager to confirm that this action meets regulatory requirements for air purity.
- D. Suggest that they should increase their maintenance checks.

**Answer: B**

Explanation:

The auditor should assess whether the organization's planned action (using masks in case of dust extraction failure) is both implemented and effective. This aligns with ISO 45001 requirements to ensure that control measures are functional and meet the intended objectives.

Clause 8.1.2 (Hierarchy of Controls):

The use of PPE, such as masks, is considered a last resort in the hierarchy of controls. The organization must demonstrate that the measure is:

Implemented (e.g., PPE is available and workers are trained to use it).

Effective (e.g., masks provide adequate protection against dust).

Analysis of Options:

A . Advise that the factory should cease operations if the dust extraction equipment malfunctioned.

While ceasing operations may be a necessary control in extreme situations, it is not a practical or realistic recommendation unless a

high-risk scenario cannot be otherwise managed.

B . Ask the OHSMS Manager to confirm regulatory compliance.

Regulatory compliance is important but does not fully address the requirement to ensure the action is effective.

C . Seek evidence that the response action is both implemented and effective.

This is the most appropriate response. The auditor must verify implementation and effectiveness to determine conformity.

D . Suggest increasing maintenance checks.

Maintenance is important for preventing equipment breakdowns, but this option does not address the immediate audit finding about the adequacy of response actions.

ISO Reference:

Clause 8.1.2: Emphasizes applying the hierarchy of controls effectively.

Clause 9.1.1: Requires monitoring and measuring controls to ensure effectiveness.

### NEW QUESTION # 72

During a second-party audit at a sawmill, you find that the OHSMS Manager conducted the hazard identification process. In the risk assessment report, hazards were listed as physical hazards, chemical hazards, biological hazards and psychosocial hazards, with the hazards categories as low medium and high to be addressed. The OHSMS Manager did not have an action plan for low and medium risks, saying that they ignored those He stated that they brought in a health and safety consultant to advise on treatment for the high risks.

When interviewing the OHSMS Manager, the auditor presents a nonconformity relating to potential hazards In the factory If the dust extraction system broke down. The OHSMS Manager said that. If that happened, the agreed planned action is that workers would put masks on.

Select one of the options for how the auditor should respond to this statement.

- A. Advise that the factory should cease its operations It the dust extraction equipment malfunctioned.
- **B. Seek evidence that the response action is both Implemented and effective.**
- C. Ask the OH5MS Manager to confirm that this action meets regulatory requirements for air purity.
- D. Suggest that they should increase their maintenance checks.

**Answer: B**

Explanation:

The auditor should assess whether the organization's planned action (using masks in case of dust extraction failure) is both implemented and effective. This aligns with ISO 45001 requirements to ensure that control measures are functional and meet the intended objectives.

\* Clause 8.1.2 (Hierarchy of Controls):The use of PPE, such as masks, is considered a last resort in the hierarchy of controls. The organization must demonstrate that the measure is:

\* Implemented (e.g., PPE is available and workers are trained to use it).

\* Effective (e.g., masks provide adequate protection against dust).

\* Analysis of Options:

\* A. Advise that the factory should cease operations if the dust extraction equipment malfunctioned.While ceasing operations may be a necessary control in extreme situations, it is not a practical or realistic recommendation unless a high-risk scenario cannot be otherwise managed.

\* B. Ask the OHSMS Manager to confirm regulatory compliance.Regulatory compliance is important but does not fully address the requirement to ensure the action is effective.

\* C. Seek evidence that the response action is both implemented and effective.This is the most appropriate response. The auditor must verify implementation and effectiveness to determine conformity.

\* D. Suggest increasing maintenance checks.Maintenance is important for preventing equipment breakdowns, but this option does not address the immediate audit finding about the adequacy of response actions.

ISO References:

\* Clause 8.1.2: Emphasizes applying the hierarchy of controls effectively.

\* Clause 9.1.1: Requires monitoring and measuring controls to ensure effectiveness.

### NEW QUESTION # 73

Select two options that are corrections.

- **A. Adding a missing signature to a corrective action record.**
- B. Reviewing workers training records.
- C. Using OHSMS induction training to address an identified lack OHSMS awareness among winkers.

- D. Changing a process to reduce its inherent risk.
- E. Changing the name of a tutor that did not deliver a course to the name of the tutor that did.
- F. Updating the emergency preparedness plan as a result of carrying out a practical test.

**Answer: A,E**

Explanation:

Comprehensive Detailed Explanation along with All ISO 45001 Audit References Corrections address immediate issues, such as errors or omissions, without addressing root causes. Clause

10.2 of ISO 45001:2018 allows for corrections alongside corrective actions.

Analysis of Options:

\* A. Adding a missing signature to a corrective action record:Correct. This is a correction addressing an administrative oversight.

\* B. Changing a process to reduce its inherent risk:Incorrect. This is a corrective action aimed at addressing root causes, not a correction.

\* C. Changing the name of a tutor that did not deliver a course to the name of the tutor that did:

Correct. This corrects an error in records without addressing systemic issues.

\* D. Reviewing workers' training records:Incorrect. This is part of ongoing monitoring or auditing, not a correction.

\* E. Updating the emergency preparedness plan as a result of carrying out a practical test:Incorrect.

This is a corrective action resulting from performance evaluation, not a correction.

\* F. Using OHSMS induction training to address an identified lack of OHSMS awareness among workers:Incorrect. This is a preventive or corrective action, not a correction.

ISO References:

\* Clause 10.2: Nonconformity and corrective action.

\* Clause 7.5: Control of documented information

#### NEW QUESTION # 74

XYZ Corporation is an organisation that employs 100 people. As an audit team leader, you are conducting a certification audit at Stage1. When reviewing the OH&S management system (OHSMS), you find that the objectives have been defined by an external consultant using those of a competitor, but nothing is documented. The Health and Safety Manager complains that this has created a lot of resistance to the OHSMS, and the Chief Executive Is asking questions about how much It will cost.

Select two erf the options which describe the circumstances h which you could raise a nonconformity against clause 0.2 of ISO 45001.

- A. The organization cannot afford to undertake OH&S objectives all at once
- B. H&S objectives ace not maintained as documented information.
- C. Establishing OH&S objectives did not include top management.
- D. The consultant has not Interpreted ISO 4S001 correctly.
- E. H&S objectives were not establish in alignment with the organizations OH&S polity.
- F. OH&S objectives are not being implemented by the organisation's personnel.

**Answer: C,E**

Explanation:

Clause 0.2 of ISO 45001 emphasizes the involvement of top management and alignment of OH&S objectives with the organization's OH&S policy.

Nonconformities Identified:

The objectives were developed by an external consultant without involving top management, which undermines leadership accountability and commitment.

The objectives were based on a competitor's framework, not aligned with the organization's unique OH&S policy or context.

Analysis of Options:

A . Establishing OH&S objectives did not include top management.

True. Clause 5.1 (Leadership) and Clause 6.2 (Objectives) emphasize that top management must be involved in defining and supporting OH&S objectives.

B . OH&S objectives are not being implemented by personnel.

Implementation relates to operationalization, not the development phase, and is not relevant to Clause 0.2.

C . OH&S objectives are not maintained as documented information.

While documentation is required, the absence of documented information is a separate issue under Clause 7.5, not Clause 0.2.

D . OH&S objectives were not established in alignment with the organization's OH&S policy.

True. Clause 6.2.1 requires objectives to align with the OH&S policy, which reflects the organization's commitment to safety and health.

E . The consultant has not interpreted ISO 45001 correctly.

While possibly true, the issue here is the organization's failure to involve top management, not the consultant's interpretation.

F . The organization cannot afford to undertake OH&S objectives all at once.

Financial constraints are not relevant to Clause 0.2; objectives can be prioritized for phased implementation.

ISO Reference:

Clause 0.2: Leadership commitment and alignment with organizational policy.

Clause 5.1: Top management's role in leadership and participation.

Clause 6.2.1: Establishing OH&S objectives aligned with the policy.

### NEW QUESTION # 75

Showitoff is an organisation specialising in the design and production of wall decorating material for the domestic market. During an ISO 45001 certification audit of the site, the auditor comes across an open, walled area just outside the maintenance department. It contains various scraps of wood and metal as well as several rusty components. Several heavy concrete beams are leaning against a thin brick wall in which cracks are visible. When asked about it, the OHS Manager states that he presume that the material come from maintenance work, so it is the Maintenance Manager's responsibility.

The auditor interviews the Maintenance Manager in his department. He asks about the area outside and is told that it contains some excess materials that the Manager likes to keep in case they come in handy at some stage. The auditor points out that the wall appears to be unstable collapse at any moment. The Maintenance Manager is not aware of such a situation.

Which three statement represent good audit practice?

- A. The auditor should consider surveying more areas of the site for other potentially unsafe situations.
- B. The audit should refer the organization to the health and safety authorities.
- C. The audit should ask the Maintenance Manager to conduct a safety survey.
- D. The audit should raise a nonconformity against ISO 45001.
- E. The audit should check the lines of communication between the OHS Manager and maintenance Manager.
- F. The auditor should advice the organisation to get rid of the walled area.
- G. The auditor should check whether the organization has identified the safety hazards associated with the walled area.
- H. The audit should demand that the Maintenance Manager deals with the wall.

**Answer: A,E,G**

Explanation:

Comprehensive Detailed Explanation along with All ISO 45001 Audit References Clause 6.1.2 of ISO 45001:2018 emphasizes the identification of hazards and assessment of risks, and Clause

5.4 highlights the importance of consultation and communication among roles. The auditor's role includes verifying conformity to these clauses through evidence gathering and observation.

Analysis of Options:

\* A. The auditor should advise the organization to get rid of the walled area. This is outside the scope of an auditor's role, which is to observe and report findings, not to dictate specific actions.

\* B. The auditor should ask the Maintenance Manager to conduct a safety survey. While safety surveys are useful, asking the Maintenance Manager to conduct one is not the auditor's responsibility.

\* C. The auditor should check the lines of communication between the OHS Manager and Maintenance Manager. This aligns with ISO 45001:2018, Clause 5.4, as communication gaps may have contributed to the situation.

\* D. The auditor should check whether the organization has identified the safety hazards associated with the walled area. Clause 6.1.2 requires hazard identification. The auditor must determine whether this has been done.

\* E. The auditor should consider surveying more areas of the site for other potentially unsafe situations. Broadening the audit scope to identify additional risks is a good practice in line with Clause 9.2.2.

\* F. The auditor should demand that the Maintenance Manager deals with the wall. Demanding action is not within the auditor's authority. The auditor should raise findings instead.

\* G. The auditor should raise a nonconformity against ISO 45001. While this may be appropriate depending on evidence, raising a nonconformity is not a replacement for good audit practices.

\* H. The auditor should refer the organization to health and safety authorities. This step is extreme and should only occur if there is an imminent danger and no action is being taken.

ISO References:

\* Clause 6.1.2: Hazard identification and risk assessment.

\* Clause 5.4: Worker consultation and participation.

\* Clause 9.2.2: Internal audit program and execution.

• • • • •

**Valid Braindumps ISO-45001-Lead-Auditor Questions:** <https://www.torrentexam.com/ISO-45001-Lead-Auditor-exam-latest-torrent.html>

- 2025 Latest TorrentExam ISO-45001-Lead-Auditor PDF Dumps and ISO-45001-Lead-Auditor Exam Engine Free Share:  
<https://drive.google.com/open?id=1TB0TJCPQqhHx0PLxYiVUpVb4sWuA0Kgo>