

# JN0-637 Exam Sample Online - New JN0-637 Exam Bootcamp



DOWNLOAD the newest Lead2PassExam JN0-637 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1jHqsGFJoMsrNWYPzRRwJvSrDihZt7bzY>

The Lead2PassExam is a reliable and trusted platform that is committed to making the Security, Professional (JNCIP-SEC) (JN0-637) exam preparation instant, simple and successful. To do this the Lead2PassExam is offering top-rated and real Security, Professional (JNCIP-SEC) (JN0-637) exam questions with high-in-demand features. These features are inclusively designed to ace the Juniper JN0-637 exam preparation.

All these three JN0-637 exam questions formats are easy to use and compatible with all devices, operating systems, and web browsers. Just choose the best JN0-637 exam questions format and start Juniper JN0-637 exam preparation without wasting further time. As far as the price of Security, Professional (JNCIP-SEC) exam practice test questions is concerned, these exam practice test questions are being offered at a discounted price. Get benefits from JN0-637 Exam Questions at discounted prices and download them quickly. Best of luck in JN0-637 exam and career!!!

>> **JN0-637 Exam Sample Online <<**

## New JN0-637 Exam Bootcamp - JN0-637 Interactive EBook

Having a general review of what you have learnt is quite necessary, since it will make you have a good command of the knowledge points. JN0-637 Online test engine is convenient and easy to learn, and it has the testing history and performance review. It supports all web browsers, and you can also have offline practice. Before buying JN0-637 Exam Dumps, you can try free demo first, so that you can have a deeper understanding of the exam. We have online and offline chat service for JN0-637 training materials. If you have any questions, you can contact us, and we will give you reply as quickly as we can.

## Juniper Security, Professional (JNCIP-SEC) Sample Questions (Q34-Q39):

### NEW QUESTION # 34

You are asked to select a product offered by Juniper Networks that can collect and assimilate data from all probes and determine the optimal links for different applications to maximize the full potential of AppQoE.

Which product provides this capability?

- A. Mist
- **B. Security Director Insights**
- C. Security Director
- D. Network Director

**Answer: B**

Explanation:

Juniper Networks' Security Director Insights is the product that provides advanced visibility and analytics by collecting and assimilating data from various probes and sources. Security Director Insights is an extension of Security Director but focuses on delivering actionable insights into application quality of experience (AppQoE) and security posture. It can process large amounts of data from probes to optimize traffic routing for applications.

\* Security Director Insights analyzes traffic patterns and makes recommendations for optimal path selection to improve application performance. It integrates with other components like AppQoE to ensure that the best links are selected for each application, improving both performance and security.

Juniper References:

\* Juniper Security Director Insights: Details the role of Security Director Insights in optimizing AppQoE by leveraging traffic analysis and probe data.

### NEW QUESTION # 35

You are asked to establish IBGP between two nodes, but the session is not established. To troubleshoot this problem, you configured trace options to monitor BGP protocol message exchanges.

```
Mar 7 02:38:15 02:38:15.353921:CID-0:THREAD_ID-01:RT: <192.168.2.1/54882->192.168.1.1/179;6,0x0 > matched filter ibgp-traffic:  
"  
Mar 7 02:38:15 02:38:15.353933:CID-0:THREAD_ID-01:RT: ge-0/0/3.0:192.168.2.1/54882->192.168.1.1/179, tcp, flag 2 syn  
Mar 7 02:38:15 02:38:15.353935:CID-0:THREAD_ID-01:RT: find flow: table 0x206a60a0, hash 6149(0xffff), sa 192.168.2.1, da  
192.168.1.1, sp 54882, dp 179, proto 6, tok 9, conn-tag 0x00000000  
Mar 7 02:38:15 02:38:15.353938:CID-0:THREAD_ID-01:RT: no session found, start first match in_tunnel = 0x0, from_cp_flag  
= 0  
Mar 7 02:38:15 02:38:15.353941:CID-0:THREAD_ID-01:RT: flow_first_create_session  
"  
Mar 7 02:38:15 02:38:15.353964:CID-0:THREAD_ID-01:RT: Doing DESTINATION addr route-lookup  
Mar 7 02:38:15 02:38:15.353971:CID-0:THREAD_ID-01:RT: flow_ipv4_xr1kp-success 192.168.1.1, iifl 0x47, oifl 0x0  
Mar 7 02:38:15 02:38:15.353975:CID-0:THREAD_ID-01:RT: Changing out_ifp from .local..0 to lo0.0 for dst: 192.168.1.1 in  
vr_id:0  
Mar 7 02:38:15 02:38:15.353976:CID-0:THREAD_ID-01:RT: mouted (x_dst_ip 192.168.1.1) from untrust (ge-0/0/3.0 in 0) to  
lo0.0, Next-hop: 192.168.1.1  
Mar 7 02:38:15 02:38:15.353978:CID-0:THREAD_ID-01:RT: flow_first_policy_search: policy search from zone untrust-> zone  
trust (0x0,0xd66200b3,0xb3)  
Mar 7 02:38:15 02:38:15.353986:CID-0:THREAD_ID-01:RT: Policy lkp: vsys 0 zone(5:global) -> zone(5:global) scope:0  
"  
Mar 7 02:38:15 02:38:15.354000:CID-0:THREAD_ID-01:RT: permitted by policy allow-bgp(6)  
Mar 7 02:38:15 02:38:15.354048:CID-0:THREAD_ID-01:RT: flow_first_final_check: in 0/3.0>, out  
Mar 7 02:38:15 02:38:15.354050:CID-0:THREAD_ID-01:RT: In flow first_complete_session  
Mar 7 02:38:15 02:38:15.354051:CID-0:THREAD_ID-01:RT: flow_first_complete_session, pak_ptr: 0x2c5fc40, nsp: 0x2a140340,  
in_tunnel: 0x0  
"  
Mar 7 02:38:15 02:38:15.353978:CID-0:THREAD_ID-01:RT: flow first policy search: policy search from zone untrust-> zone  
trust (0x0,0xd66200b3,0xb3)
```

```

Mar 7 02:38:15 02:38:15.353978:CID-0:THREAD_ID-01:RT: flow_first_policy_search: policy search from zone untrust-> zone
trust (0x0,0xd6200b3,0xb3)
Mar 7 02:38:15 02:38:15.353986:CID-0:THREAD_ID-01:RT: Policy lkup: vsys 0 zone(5:global) -> zone(5:global) scope:0
...
Mar 7 02:38:15 02:38:15.354000:CID-0:THREAD_ID-01:RT: permitted by policy allow-bgp(6)
Mar 7 02:38:15 02:38:15.354048:CID-0:THREAD_ID-01:RT: flow_first_final_check: in 0/3.0>, out
Mar 7 02:38:15 02:38:15.354050:CID-0:THREAD_ID-01:RT: In flow_first_complete_session
Mar 7 02:38:15 02:38:15.354051:CID-0:THREAD_ID-01:RT: flow_first_complete_session, pak_ptr: 0x2c5fc40, nsp: 0x2a140340,
in_tunnel: 0x0
...
Mar 7 02:38:15 02:38:15.353978:CID-0:THREAD_ID-01:RT: flow_first_policy_search: policy search from zone untrust-> zone
trust (0x0,0xd6200b3,0xb3)
Mar 7 02:38:15 02:38:15.353986:CID-0:THREAD_ID-01:RT: Policy lkup: vsys 0 zone(5:global) -> zone(5:global) scope:0
...
Mar 7 02:38:15 02:38:15.354000:CID-0:THREAD_ID-01:RT: permitted by policy allow-bgp(6)
Mar 7 02:38:15 02:38:15.354048:CID-0:THREAD_ID-01:RT: flow_first_final_check: in 0/3.0>, out
Mar 7 02:38:15 02:38:15.354050:CID-0:THREAD_ID-01:RT: In flow_first_complete_session
Mar 7 02:38:15 02:38:15.354051:CID-0:THREAD_ID-01:RT: flow_first_complete_session, pak_ptr: 0x2c5fc40, nsp: 0x2a140340,
in_tunnel: 0x0
...
Mar 7 02:38:15 02:38:15.354055:CID-0:THREAD_ID-01:RT: Session (id:20395) created for first pak 2
Mar 7 02:38:15 02:38:15.354073:CID-0:THREAD_ID-01:RT: flow_first_in_dst_nat: in , out A> dst_addr 192.168.1.1, sp 54882,
dp 179
Mar 7 02:38:15 02:38:15.354075:CID-0:THREAD_ID-01:RT: chose interface lo0.0 as incoming nat if.
Mar 7 02:38:15 02:38:15.354075:CID-0:THREAD_ID-01:RT: packet dropped: for self but not interested
Mar 7 02:38:15 02:38:15.354076:CID-0:THREAD_ID-01:RT: packet dropped, packet dropped: for self but not interested.
Mar 7 02:38:15 02:38:15.354079:CID-0:THREAD_ID-01:RT: flow_first_install_session: Loopback session processing aborted
Mar 7 02:38:15 02:38:15.354080:CID-0:THREAD_ID-01:RT: first path session installation failed

```

Referring to the exhibit, which action would solve the problem?

- A. Add BGP to the lo0 host-inbound-traffic configuration.
- B. Modify the security policy to permit the BGP packets.
- **C. Add the junos-host zone policy to permit the BGP packets.**
- D. Add a firewall filter to lo0 that permits the BGP packets.

**Answer: C**

Explanation:

In Juniper SRX devices, for IBGP (internal BGP) sessions to be established, the firewall must permit BGP traffic to the loopback interface (lo0). BGP uses TCP port 179, and the device must explicitly allow incoming connections to this port. The trace options show that the packets are reaching the firewall but are not permitted.

\* Correct Action (A): Adding a security policy to the junos-hostzone will permit the BGP packets. The junos-hostzone represents traffic destined for the control plane (e.g., BGP traffic to the loopback interface). By creating a security policy that allows traffic on TCP port 179 to the junos-hostzone, the IBGP session will be able to establish.

Juniper References:

\* Juniper SRX Host-inbound Traffic Configuration: Explains the importance of allowing host-inbound traffic for control plane protocols like BGP on the SRX devices.

## NEW QUESTION # 36

You want to bypass IDP for traffic destined to social media sites using APBR, but it is not working and IDP is dropping the session. What are two reasons for this problem? (Choose two.)

- **A. The session did not properly reclassify midstream to the correct APBR rule.**
- B. The APBR rule does a match on the first packet.
- C. IDP disable is not configured on the APBR rule.
- **D. The application services bypass is not configured on the APBR rule.**

**Answer: A,D**

Explanation:

\* Explanation of Answer A (Session Reclassification):

\* APBR (Advanced Policy-Based Routing) requires the session to be classified based on the specified rule, which can change midstream as additional packets are processed. If the session was already established before the APBR rule took effect, the traffic may not be correctly reclassified to match the new APBR rule, leading to IDP (Intrusion Detection and Prevention) processing instead of being bypassed. This can occur especially when the session was already established before the rule change.

\* Explanation of Answer C (Application Services Bypass):

\* For APBR to work and bypass the IDP service, the application services bypass must be explicitly configured. Without this

configuration, the APBR rule may redirect the traffic, but the IDP service will still inspect and potentially drop the traffic. This is especially important for traffic destined for specific sites like social media platforms where bypassing IDP is desired.

Example configuration for bypassing IDP services:

bash

```
set security forwarding-options advanced-policy-based-routing profile <profile-name> application-services- bypass Step-by-Step  
Resolution:
```

\* Reclassify the Session Midstream:

\* If the traffic was already being processed before the APBR rule was applied, ensure that the session is reclassified by terminating the current session or ensuring the APBR rule is applied from the start.

Command to clear the session:

bash

```
clear security flow session destination-prefix <ip-address>
```

\* Configure Application Services Bypass:

\* Ensure that the APBR rule includes the application services bypass configuration to properly bypass IDP or any other security services for traffic that should not be inspected.

Example configuration:

bash

```
set security forwarding-options advanced-policy-based-routing profile <profile-name> application-services- bypass Juniper Security  
Reference:
```

\* Session Reclassification in APBR: APBR requires reclassification of sessions in real-time to ensure midstream packets are processed by the correct rule. This is crucial when policies change dynamically or new rules are added.

\* Application Services Bypass in APBR: This feature ensures that security services such as IDP are bypassed for traffic that matches specific APBR rules. This is essential for applications where performance is a priority and security inspection is not necessary.

### NEW QUESTION # 37

You are asked to provide single sign-on (SSO) to Juniper ATP Cloud.


Which two steps accomplish this goal? (Choose two.)

- A. Configure Microsoft Azure as the service provider (SP).
- B. **Configure Juniper ATP Cloud as the service provider (SP).**
- C. Configure Juniper ATP Cloud as the identity provider (IdP).
- D. **Configure Microsoft Azure as the identity provider (IdP).**

**Answer: B,D**

### NEW QUESTION # 38

Exhibit



```
user@srx> show security macsec statistics interface ge-0/0/0 detail
Interface name: ge-0/0/0
  Secure Channel transmitted
    Encrypted packets: 0
    Encrypted bytes: 0
    Protected packets: 2397
    Protected bytes: 129922
  Secure Association transmitted
    Encrypted packets: 0
    Protected packets: 2397
  Secure Channel received
    Accepted packets: 2395
    Validated bytes: 0
    Decrypted bytes: 0
  Secure Association received
    Accepted packets: 2395
    Validated bytes: 0
    Decrypted bytes: 0
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The data that traverses the ge-0/70/0 interface cannot be intercepted and read by anyone.
- B. The data that traverses the ge-0/0/70 interface is secured by a secure association key.
- C. The data that traverses the ge-0/70/0 interface can be intercepted and read by anyone.
- D. The data that traverses the ge-0/0/0 interface is secured by a connectivity association key.

**Answer: A,C**

## NEW QUESTION # 39

.....

From the moment you visit on our website, you are enjoying our excellent service on our JN0-637 study guide. And no matter what kind of the problems you come to, we will solve it for you. We want to eliminate all unnecessary problems for you, and you can learn without any problems. You may have enjoyed many services, but the professionalism of our JN0-637 simulating exam will conquer you. Our company has always upheld a professional attitude, which is reflected in our JN0-637 exam braindumps, but also reflected in our services.

**New JN0-637 Exam Bootcamp:** <https://www.lead2passexam.com/Juniper/valid-JN0-637-exam-dumps.html>

Juniper JN0-637 Exam Sample Online We will solve your problem, As for your temporary problem, I strongly recommend that Juniper New JN0-637 Exam Bootcamp test cram material will be the optimal choice for you, You can see the recruitment on the Internet, and the requirements for JN0-637 certification are getting higher and higher, Anyone can approach New JN0-637 Exam Bootcamp certification exams.

This solution would be seen as a successful countermeasure JN0-637 Exam Sample Online against this specific threat, As a matter of fact, this kind of commitment spirit is rather rare in today's world, but the staff of our JN0-637 Exam simulation: Security, Professional (JNCIP-SEC) does inherit it from our great ancestors to serve people wholeheartedly.

## Free PDF Quiz 2026 Juniper Newest JN0-637: Security, Professional (JNCIP-SEC) Exam Sample Online

We will solve your problem, As for your temporary JN0-637 Interactive EBook problem, I strongly recommend that Juniper test cram material will be the optimal choice for you, You can see the recruitment on the Internet, and the requirements for JN0-637 certification are getting higher and higher.

Anyone can approach JNCIP-SEC certification JN0-637 exams, Andriod and IOS software is currently under development.

- JN0-637 Reliable Dumps  JN0-637 Pass Exam  Top JN0-637 Exam Dumps  Immediately open ➔ [www.practicevce.com](http://www.practicevce.com)   and search for « JN0-637 » to obtain a free download  JN0-637 Practice Test Pdf
- New JN0-637 Test Cram  Question JN0-637 Explanations  Reliable JN0-637 Test Cost  Easily obtain free download of ➔ JN0-637   by searching on “ [www.pdfvce.com](http://www.pdfvce.com) ”  JN0-637 Exam Consultant
- JN0-637 Pass Exam  Dump JN0-637 Collection  Latest JN0-637 Test Dumps ↳ Immediately open ➔ [www.practicevce.com](http://www.practicevce.com)   and search for  JN0-637  to obtain a free download  JN0-637 Pass Exam
- JN0-637 Practice Test Pdf  Dump JN0-637 Collection  JN0-637 Exam Consultant  Easily obtain free download of ➔ JN0-637   by searching on ▷ [www.pdfvce.com](http://www.pdfvce.com) ◁  JN0-637 Reliable Dumps
- JN0-637 Exam Dumps.zip  JN0-637 Practice Test Pdf  Reliable JN0-637 Test Camp  Open { [www.easy4engine.com](http://www.easy4engine.com) } and search for [ JN0-637 ] to download exam materials for free  Latest JN0-637 Test Simulator
- 100% Pass Quiz JN0-637 Exam Sample Online - First-grade New Security, Professional (JNCIP-SEC) Exam Bootcamp  Open ✓ [www.pdfvce.com](http://www.pdfvce.com)  ✓  and search for ✓ JN0-637  ✓  to download exam materials for free  JN0-637 New Braindumps Files
- JN0-637 Exam Sample Online Exam Instant Download | Updated New JN0-637 Exam Bootcamp  Open ▶ [www.examcollectionpass.com](http://www.examcollectionpass.com) ▶ enter ⚡ JN0-637 ⚡  and obtain a free download  Dump JN0-637 Collection
- Latest JN0-637 Test Simulator  JN0-637 Valid Exam Vce  Top JN0-637 Exam Dumps  Go to website ⚡ [www.pdfvce.com](http://www.pdfvce.com)  ⚡  open and search for ( JN0-637 ) to download for free  JN0-637 New Braindumps Files
- JN0-637 Exam Sample Online 100% Pass | High-quality New Security, Professional (JNCIP-SEC) Exam Bootcamp Pass for sure ⚡ Search for ▶ [ JN0-637 ] and easily obtain a free download on ▶ [www.examcollectionpass.com](http://www.examcollectionpass.com) ▶  Latest JN0-637 Test Dumps
- JN0-637 Exam Dumps.zip  JN0-637 New Braindumps Files  Dump JN0-637 Collection  Search for  JN0-637  and download it for free immediately on ▶ [www.pdfvce.com](http://www.pdfvce.com) ▶  JN0-637 Exam Dumps.zip
- 2026 Pass-Sure 100% Free JN0-637 – 100% Free Exam Sample Online | New JN0-637 Exam Bootcamp  Search for

- JN0-637 and obtain a free download on ✓ [www.vce4dumps.com](http://www.vce4dumps.com) ✓ JN0-637 New Braindumps Files
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.courses.clinthiggs.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, pct.edu.pk, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

P.S. Free & New JN0-637 dumps are available on Google Drive shared by Lead2PassExam: <https://drive.google.com/open?id=1jHqsGFJoMsrNWYPzRRwJvSrDihZt7bzY>