


Juniper JN0-481 Online Tests, JN0-481 Deutsche Prüfungsfragen



Juniper JN0-481 Dumps von ZertFragen sind ganz gleich wie die richtigen Zertifizierungsprüfungen. Die beinhalten alle Prüfungsfragen und Testantworten in aktueller Prüfung. Und die Software-Version simuliert die gleiche Atmosphäre der aktuellen Prüfungen. Bei der Nutzung der ZertFragen Dumps, können Sie ganz sorglos die Juniper JN0-481 Prüfung ablegen und sehr gute Note bekommen.

Um jeden Kunden geeignete Vorbereitungsmethode für Juniper JN0-481 finden zu lassen, bieten wir insgesamt 3 Versionen von Juniper JN0-481 Prüfungsunterlagen, nämlich PDF, Online Test Engine, sowie Simulations-Software. Mindestens wird wohl eine davon Ihnen am besten bei der Vorbereitung unterstützen. Kostenlose Demos aller drei Versionen sind angeboten. Jede Version enthält die neuesten und umfassendsten Prüfungsunterlagen der Juniper JN0-481.

>> **Juniper JN0-481 Online Tests** <<


JN0-481 Deutsche Prüfungsfragen, JN0-481 Exam

ZertFragen zusammengestellt Juniper ZertFragen JN0-481 mit Original-Prüfungsfragen und präzise Antworten, wie sie in der eigentlichen Prüfung erscheinen. Eine der Tatsachen Sicherstellung einer hohen Qualität der Data Center, Specialist (JNCIS-DC)-Prüfung ist die ständig und regelmäßig zu aktualisieren. ZertFragen ernannt nur die besten und kompetentesten Autoren für ihre Produkte und die Prüfung ZertFragen JN0-481 zum Zeitpunkt des Kaufs ist absoluter Erfolg.

Juniper Data Center, Specialist (JNCIS-DC) JN0-481 Prüfungsfragen mit Lösungen (Q58-Q63):

58. Frage

You are working to build an ESI-LAG for a multihomed server. The ESI-LAG is not coming up as multihomed. Referring to the exhibit, what are two solutions to this problem? (Choose two.)



- A. The gateway IP addresses on both devices must be different.
- B. The loopback IP addresses on both devices must be the same.
- C. The LACP system ID on both devices must be the same.
- D. The ESI ID on both devices must be the same.

Antwort: C,D

Begründung:

An ESI-LAG is a link aggregation group (LAG) that spans two or more devices and is identified by an Ethernet segment identifier (ESI). An ESI-LAG provides redundancy and load balancing for a multihomed server in an EVPN-VXLAN network. To configure an ESI-LAG, you need to ensure that the following requirements are met:

The LACP system ID on both devices must be the same. This ensures that the LACP protocol can negotiate the LAG parameters and form a single logical interface for the server.


The ESI ID on both devices must be the same. This ensures that the EVPN control plane can advertise the ESI-LAG as a single Ethernet segment and synchronize the MAC and IP addresses of the server across the devices.

The VLAN ID and VNI on both devices must be the same. This ensures that the server can communicate with other hosts in the same virtual network and that the VXLAN encapsulation and decapsulation can work properly.

In the exhibit, the LACP system ID and the ESI ID on both devices are different, which prevents the ESI-LAG from coming up as multihomed. Therefore, the correct answer is B and D. The LACP system ID on both devices must be the same and the ESI ID on both devices must be the same.

59. Frage

Which two statements are correct about the information shown in the exhibit? (Choose two.)



- A. Four physical interfaces exist in a LAG facing the leaf pair.
- B. The device shown is a generic system.
- C. The system is fully managed by Juniper Apstra.
- D. The physical ports are not part of the LAG.

Antwort: A,B

Begründung:

A generic system is a device that is not managed by Juniper Apstra and does not have a specific role or type assigned to it. A generic system can be used to represent a server, a firewall, a load balancer, or any other device that is not part of the fabric. In the exhibit, the device shown is a generic system, as indicated by its role, system type, and management level. Therefore, the correct answer is B. The device shown is a generic system. A LAG is a link aggregation group that bundles multiple physical interfaces into a single logical interface. A LAG can provide increased bandwidth, redundancy, and load balancing for the network traffic. In the exhibit, the device shown has four physical interfaces that are part of a LAG, as indicated by their description and li_type. The LAG is facing the leaf pair, which are the two switches that connect to the device.

60. Frage

You are creating a new template that will connect two rack based templates together. Which rack type should be used to accomplish this task?

- A. pod based
- B. isolated
- C. rack based
- D. collapsed

Antwort: A

61. Frage

Which two statements are correct about the graph query output shown in the exhibit? (Choose two.)

```

{
  "count": 1,
  "items": [
    {
      "interface": {
        "id": "0be7ea4e-d691-44ff-aec7-da4fb2836555",
        "type": "interface",
        "label": null,
        "description": "to.cf-l2-esi-access",
        "evpn_esi_mac": null,
        "if_name": "ae2",
        "if_type": "port_channel",
        "ipv4_addr": null,
        "ipv4_addr_type": null,
        "ipv4_enabled": null,
        "ipv6_addr": null,
        "ipv6_addr_type": null,
        "ipv6_enabled": null,
        "lag_mode": "lACP_active",
        "loopback_id": null,
        "mlag_id": null,
        "mode": null,
        "po_control_protocol": null,
        "port_channel_id": 2,
        "property_set": null,
        "protocols": null,
        "ref_count": null,
        "subintf_id": null,
        "tags": null,
        "vlan_id": null
      }
    }
  ]
}

```

JUNIPER
NETWORKS

- A. The switch in the output is a Juniper device.
- B. The interface has an IP address assigned to it.
- C. The output shows a LAG connection.
- D. The interface has tags assigned to it.

Antwort: A,C

Begründung:

The graph query output shown in the exhibit is a JSON representation of an interface node and its properties in the Apstra graph database. Based on the output, we can infer the following statements:

The output shows a LAG connection. This is true because the interface node has a property called `lag_mode` which is set to `lACP_active`, indicating that the interface is part of a link aggregation group (LAG) that uses the Link Aggregation Control Protocol (LACP) to negotiate the link state and parameters.

The switch in the output is a Juniper device. This is true because the interface node has a property called `if_name` which is set to `ae`, indicating that the interface name follows the Juniper naming convention for aggregated Ethernet interfaces.

The interface has an IP address assigned to it. This is false because the interface node has properties called `ipv4_addr` and `ipv6_addr` which are both set to `null`, indicating that the interface does not have any IPv4 or IPv6 address configured.

The interface has tags assigned to it. This is false because the interface node has a property called `tags` which is set to `null`, indicating

that the interface does not have any tags associated with it.

62. Frage

You are receiving cable, interface, and BGP anomalies from several devices within the data center fabric. In Juniper Apstra, how would you troubleshoot these types of errors?

- A. In the UI, verify device connectivity by consulting the cable map.
- B. In the UI, go to Devices and confirm that agent connectivity is fine.
- C. In the UI, access the console to the devices and review the interface states.
- D. In the UI, go to Time Voyager and revert to the last working version.

Antwort: A

Begründung:

The cable map is a graphical representation of the physical connections between the devices in the data center fabric. It shows the status of the cables, interfaces, and BGP sessions for each device. You can use the cable map to identify and troubleshoot any cable, interface, or BGP anomalies that may occur in the fabric. You can also filter the cable map by device name, device type, device role, device state, cable state, interface state, or BGP state.

63. Frage

.....

Wollen Sie, ein ITeR, durch den Erfolg zu IT-Zertifizierungsprüfungen Ihre Fähigkeit beweisen? Und heute besitzen immer mehr Ihre Freuden und Kommilitonen die IT-Zertifizierungen. Und in diesem Fall können Sie weniger Chancen haben, wenn Sie keine Zertifizierung haben. Und haben Sie sich entschieden, welche Prüfung abzulegen? Wie sind Juniper Prüfungen? Oder Juniper JN0-481 Zertifizierungsprüfung? Juniper JN0-481 Zertifizierungsprüfung ist wertvoll und hilft Ihnen unbedingt, Ihren Wunsch zu erreichen.

JN0-481 Deutsche Prüfungsfragen: https://www.zertfragen.com/JN0-481_pruefung.html

Juniper JN0-481 Online Tests Das bedeutet, dass Ihr Leben erfolgreich ist, Juniper JN0-481 Online Tests Die von uns entworfenen Schulungsinstrumente werden Ihnen helfen , die Prüfung nur einmal zu bestehen, Wie kann man innerhalb einer kurzen Zeit die JN0-481 Prüfung bestehen, Die Fragen und Antworten zur Juniper JN0-481-Prüfung von ZertFragen helfen Ihnen, den Erfolg durch eine Abkürzung zu erlangen, Mit der Hilfe von ZertFragen JN0-481 Deutsche Prüfungsfragen brauchen Sie nicht so viel Geld für die Kurse oder viel Zeit und Energie für die Prüfung auszugeben.

Auch diesen Effekt können Sie beobachten, etwa wenn JN0-481 Sie ein Spielkasino besuchen, Allah ist unerforschlich; er führt den Gläubigen dahin und dorthin, nach rechts und nach links, wie es ihm gefällt, JN0-481 Originale Fragen denn die Wege des Menschen sind im Kitab takdirün, in dem Buche der Vorsehung, verzeichnet.

JN0-481 Schulungsangebot - JN0-481 Simulationsfragen & JN0-481 kostenlos downloaden

Das bedeutet, dass Ihr Leben erfolgreich ist, Die von uns entworfenen Schulungsinstrumente werden Ihnen helfen , die Prüfung nur einmal zu bestehen, Wie kann man innerhalb einer kurzen Zeit die JN0-481 Prüfung bestehen?

Die Fragen und Antworten zur Juniper JN0-481-Prüfung von ZertFragen helfen Ihnen, den Erfolg durch eine Abkürzung zu erlangen, Mit der Hilfe von ZertFragen brauchen Sie JN0-481 Online Tests nicht so viel Geld für die Kurse oder viel Zeit und Energie für die Prüfung auszugeben.

- JN0-481 Bestehen Sie Data Center, Specialist (JNCIS-DC)! - mit höhere Effizienz und weniger Mühen ☐ Öffnen Sie die Website ⇒ www.zertsoft.com ⇐ Suchen Sie ☼ JN0-481 ☐ ☼ ☐ Kostenloser Download ☐ JN0-481 Testfragen
- JN0-481 examkiller gültige Ausbildung Dumps - JN0-481 Prüfung Überprüfung Torrents ☐ Öffnen Sie die Website ▷ www.itzert.com < Suchen Sie ➤ JN0-481 ☐ Kostenloser Download ☐ JN0-481 Übungsmaterialien
- Echte und neueste JN0-481 Fragen und Antworten der Juniper JN0-481 Zertifizierungsprüfung ☐ Öffnen Sie die Webseite [www.zertpruefung.de] und suchen Sie nach kostenloser Download von ☐ JN0-481 ☐ JN0-481 Übungsmaterialien
- JN0-481 Simulationsfragen ☐ JN0-481 German ☐ JN0-481 Online Prüfungen ☐ Öffnen Sie die Website “ www.itzert.com ” Suchen Sie { JN0-481 } Kostenloser Download ☐ JN0-481 Simulationsfragen
- Data Center, Specialist (JNCIS-DC) cexamkiller Praxis Dumps - JN0-481 Test Training Überprüfungen ☐ Suchen Sie auf

der Webseite 「 www.examfragen.de 」 nach 《 JN0-481 》 und laden Sie es kostenlos herunter □ JN0-481 Dumps

- JN0-481 Bestehen Sie Data Center, Specialist (JNCIS-DC)! - mit höhere Effizienz und weniger Mühen □ Suchen Sie jetzt auf ➡ www.itzert.com □ nach 《 JN0-481 》 um den kostenlosen Download zu erhalten □ JN0-481 Online Prüfungen
- JN0-481 Online Prüfungen □ JN0-481 PDF □ JN0-481 Examsfragen □ Öffnen Sie die Webseite □ www.it-pruefung.com □ und suchen Sie nach kostenloser Download von ➡ JN0-481 □ □ JN0-481 Prüfungsfragen
- JN0-481 Bestehen Sie Data Center, Specialist (JNCIS-DC)! - mit höhere Effizienz und weniger Mühen □ Suchen Sie auf ➡ www.itzert.com □ nach kostenlosem Download von ➡ JN0-481 □ □ □ JN0-481 Zertifikatsfragen
- Echte und neueste JN0-481 Fragen und Antworten der Juniper JN0-481 Zertifizierungsprüfung □ Öffnen Sie 「 www.zertfragen.com 」 geben Sie ➡ JN0-481 □ ein und erhalten Sie den kostenlosen Download □ JN0-481 Zertifikatsfragen
- JN0-481 Online Praxisprüfung □ JN0-481 Simulationsfragen □ JN0-481 PDF □ Suchen Sie einfach auf ➡ www.itzert.com □ nach kostenloser Download von □ JN0-481 □ □ JN0-481 Online Prüfungen
- JN0-481 German □ JN0-481 Testing Engine □ JN0-481 Examsfragen z Suchen Sie auf ➡ www.deutschpruefung.com □ nach kostenlosem Download von [JN0-481] □ JN0-481 Antworten
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, study.stcs.edu.np, study.stcs.edu.np, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, study.stcs.edu.np, teedu.net, Disposable vapes