

New UiPath-ADPv1 Exam Labs, UiPath-ADPv1 Latest Dumps Free

UiPath-ADPv1

the correct order of actions the developer needs to do in the Get Transaction Data state in this case?

Option A :

1. Remove the Get Transaction Item activity from GetTransactionData workflow. 2. Add a Read Range activity in GetTransactionData workflow to read the data from a local Excel file. 3. Add the logic required to read the data source only one time. 4. Add the logic required to retrieve only one row from read data each time. 5. Add the logic required to check if all rows/transaction items from the read data have been processed.

Option B :

1. Remove the Get Transaction Item activity from GetTransactionData workflow 2. Add a Read Range activity in GetTransactionData workflow to read the data from a local Excel file. 3. Add the logic required to read the data source only one time. 4. Add the logic required to retrieve only one row from read data each time.

Option C :

1. Remove the Get Transaction Item activity from GetTransactionData workflow. 2. Add a Read Row activity in GetTransactionData workflow to read the data from a local Excel file. 3. Add the logic required to read the data source only one time. 4. Add the logic required to retrieve only one row from read data each time. 5. Add the logic required to check if all rows/transaction items from the read data have been processed.

Option D :

1. Remove the Get Transaction Item activity from GetTransactionData workflow. 2. Add a Read Row activity in GetTransactionData workflow to read the data from a local Excel file. 3. Add the logic required to read the data source only one time. 4. Add the logic required to check if all rows/transaction items from the read data have been processed

Correct Answer: A

Explanation/Reference:

The correct order of actions in the Get Transaction Data state is: Remove the Get Transaction Item activity from the GetTransactionData workflow. Add a Read Range activity in the GetTransactionData workflow to read the data from a local Excel file. Add the logic required to read the data source only one time. Add the logic required to retrieve only one row from read data each time. Add the logic required to check if all rows/transaction items from the read data have been processed. This sequence ensures that the data is read once, processed row by row, and checks for completion.

<https://www.dumpscheap.com/UiPath-ADPv1-exam.html>

Free Demo

P.S. Free & New UiPath-ADPv1 dumps are available on Google Drive shared by TestSimulate: https://drive.google.com/open?id=1q675jFnGJvWIy2ImMV8i4kLjCfDF14r_

There are many benefits after you pass the UiPath-ADPv1 certification such as you can enter in the big company and double your wage. Our UiPath-ADPv1 study materials boost high passing rate and hit rate so that you needn't worry that you can't pass the test too much. We provide free tryout before the purchase to let you decide whether it is valuable or not by yourself. To further understand the merits and features of our UiPath-ADPv1 Practice Engine, you should try it first!

UiPath UiPath-ADPv1 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"> Design and Development: This section covers designing workflows using sequences, flowcharts, and state machines, building reusable components with libraries, exception handling and debugging techniques, etc.
Topic 2	<ul style="list-style-type: none"> UiPath Studio Fundamentals: In this section, the focus is given to the understanding of Robotic Process Automation (RPA) concepts; it covers UiPath Studio and its components, Working with the UiPath user interface, project creation, management, and version control.
Topic 3	<ul style="list-style-type: none"> Debugging and Testing: This section is about utilizing logging and debugging tools and adopting unit testing and test automation strategies.
Topic 4	<ul style="list-style-type: none"> UiPath Activities: In this section, the discussion is related to various UiPath activities for UI interaction, data manipulation, control flow, and more.

>> **New UiPath-ADPv1 Exam Labs <<**

UiPath-ADPv1 Latest Dumps Free | UiPath-ADPv1 Guaranteed Success

When you decide to pass UiPath-ADPv1 exam, you must want to find a good study materials to help you prepare for your exam. It is evident to all that the UiPath-ADPv1 test torrent from our company has a high quality all the time. A lot of people who have bought our products can agree that our UiPath-ADPv1 Test Questions are very useful for them to get the certification. There have been 99 percent people used our UiPath-ADPv1 exam prep that have passed their exam and get the certification, more importantly, there are signs that this number is increasing slightly.

UiPath (ADPv1) Automation Developer Professional Sample Questions (Q196-Q201):

NEW QUESTION # 196

Considering a process developed using REFramework, if the status of a transaction was set to "Failed" with the ErrorType specified as "Business", the process will transition to which state?

- A. Initialization
- B. Get Transaction Data**
- C. Process Transaction
- D. End Process

Answer: B

Explanation:

The REFramework is a project template based on State Machines, which follows the best practices regarding logging, exception handling, application initialization, and others¹. The REFramework uses a queue in Orchestrator to store the transaction items, which are the units of data that need to be processed by the automation process¹. The status of a transaction item can be set to Failed or Successful using the Set Transaction Status activity, which also allows specifying the ErrorType as Business or Application². A Business ErrorType indicates that the transaction failed due to a business rule exception, such as invalid or incomplete data². An Application ErrorType indicates that the transaction failed due to an application exception, such as a system error or a timeout². The REFramework has four main states: Init, Get Transaction Data, Process Transaction, and End Process¹.

The process transitions between these states based on the conditions and triggers defined in the state machine¹. The process starts with the Init state, where the application is initialized and the Config file is read¹. Then, the process moves to the Get Transaction Data state, where the next transaction item is retrieved from the queue¹. If there is a transaction item available, the process moves to the Process Transaction state, where the main logic of the automation is executed¹. If the transaction is processed successfully, the status is set to Successful and the process returns to the Get Transaction Data state¹. If the transaction fails due to a Business ErrorType, the status is set to Failed and the process also returns to the Get Transaction Data state, without retrying the transaction¹. If the transaction fails due to an Application ErrorType, the status is set to Failed and the process retries the transaction until the maximum number of retries is reached¹. If there is no transaction item available, or if the maximum number of retries is reached, or if a System Error occurs, the process moves to the End Process state, where the application is closed and the final report is generated¹.

Therefore, considering a process developed using REFramework, if the status of a transaction was set to

"Failed" with the ErrorType specified as "Business", the process will transition to the Get Transaction Data state, where it will fetch the next transaction item from the queue.

NEW QUESTION # 197

While working in an RPA testing project, you encountered the following activity in one of the workflows included in the project.



What action can you perform in your mocked file to replace the functionality of the MessageBox with a LogMessage during mock testing?

- A. Surround activity with mock.
- B. Synchronize mock.
- C. Create mock workflow.
- D. Remove mock activity.

Answer: A

Explanation:

To replace the functionality of the MessageBox with a LogMessage during mock testing, the developer can perform the action of Surround activity with mock. This action inserts a mock activity around the selected activity, which allows the developer to change the behavior of the activity for testing purposes. For example, the developer can right-click on the MessageBox activity and select Surround activity with mock from the dropdown menu. This will create a mock activity that contains the MessageBox activity. The developer can then edit the mock activity and replace the MessageBox activity with a LogMessage activity, which will write the message to the output panel instead of displaying it in a dialog box. This way, the developer can test the functionality of the workflow without having to interact with the MessageBox dialog box. References: [Mock Testing], [Surround Activity with Mock]

NEW QUESTION # 198

A developer has created a string array variable as shown below:

UserNames = {"Jane", "Jack", "Jill", "John"}

Which expression should the developer use in a Log Message activity to print the elements of the array separated by the string ","?

- A. String.Concat(", ", UserNames)
- B. String.Join(", ", UserNames)
- C. String.Concat(UserNames, ",")
- D. String.Join(UserNames, ",")

Answer: B

Explanation:

To print the elements of a string array separated by a specific string, the String.Join method is used in C#. This method takes two parameters: the first is the separator string and the second is the array to join into a single string.

Given the options and the requirement to separate array elements with a comma and a space (", "), the correct expression to use in a Log Message activity would be:

C: String.Join(", ", UserNames)

This will produce a single string with each element of the UserNames array separated by ", " (a comma followed by a space).

NEW QUESTION # 199

A developer intends to incorporate a Flow Switch activity within a Flowchart. What is a characteristic of this activity?

- A. The default TypeArgument property for the Flow Switch activity is set to Int32.
- B. Default cases can be numbered.
- C. The Flow Switch activity is designed solely for usage in sequence workflows.
- D. Two default cases can be assigned in the Default section

Answer: A

Explanation:

In UiPath, the Flow Switch activity is commonly used within flowcharts. Its default TypeArgument property is set to Int32, which means it is primarily used to handle integer-based decision branching.

NEW QUESTION # 200

A project built using REFramework pulls phone numbers from a database of employees and creates queue items for each one. Following processing, these elements must be added to a financing application. The queue item holding a phone number becomes invalid if a digit is accidentally left out because of a human mistake. As a requirement, queue items that contain partial numbers should not be accepted.

What type of error should be thrown according to best practices?

- A. Fatal Exception
- B. Application Exception
- C. **Business Exception**
- D. System Exception

Answer: C

Explanation:

The type of error that should be thrown according to best practices for queue items that contain partial numbers is Business Exception. A Business Exception is an exception that occurs due to an incorrect or incomplete input data or an expected business rule violation. A Business Exception indicates that the transaction item cannot be processed successfully and should be marked as failed in the queue. A Business Exception can be thrown by using the Throw activity in UiPath Studio, with the exception type set to UiPath.Core.BusinessRuleException. Alternatively, a Business Exception can be thrown by using the Set Transaction Status activity in the REFramework, with the status set to Failed and the exception type set to Business Exception. References: [Business Exception vs Application Exception], [Throw], [Set Transaction Status]

NEW QUESTION # 201

.....

As is known to us, internet will hurt their eyes to see the computer time to read long, the eyes will be tired, over time will be short-sighted. In order to help customers solve the problem, our UiPath (ADPv1) Automation Developer Professional test torrent support the printing of page. We will provide you with three different versions, the PDF version allow you to switch our UiPath-ADPv1 study torrent on paper. You just need to download the PDF version of our UiPath-ADPv1 Exam Prep, and then you will have the right to switch study materials on paper. We believe it will be more convenient for you to make notes. Our website is very secure and regular platform, you can be assured to download the version of our UiPath-ADPv1 study torrent.

UiPath-ADPv1 Latest Dumps Free: <https://www.testsimulate.com/UiPath-ADPv1-study-materials.html>

- Pass Guaranteed 2025 UiPath-ADPv1: Unparalleled New UiPath (ADPv1) Automation Developer Professional Exam Labs
□ Search for « UiPath-ADPv1 » and download exam materials for free through ⇒ www.passtestking.com ⇐ □
□UiPath-ADPv1 Valid Guide Files
- 100% Pass 2025 UiPath-ADPv1: UiPath (ADPv1) Automation Developer Professional Fantastic New Exam Labs □ The page for free download of « UiPath-ADPv1 » on 「 www.pdfvce.com 」 will open immediately □UiPath-ADPv1 Valid Guide Files
- Accurate UiPath-ADPv1 Answers ↵ UiPath-ADPv1 Pdf Version □ UiPath-ADPv1 Latest Dumps Sheet □ Search for ⇒ UiPath-ADPv1 ⇐ and download it for free immediately on ✓ www.passtestking.com ✓ □ □Latest UiPath-ADPv1 Test Prep
- 100% Pass 2025 UiPath-ADPv1: UiPath (ADPv1) Automation Developer Professional Fantastic New Exam Labs □ Simply search for « UiPath-ADPv1 » for free download on □ www.pdfvce.com □ □UiPath-ADPv1 Valid Test Prep
- Exam UiPath-ADPv1 Reference □ Actual UiPath-ADPv1 Test Pdf □ Exam UiPath-ADPv1 Reference □ Enter { www.getvalidtest.com } and search for { UiPath-ADPv1 } to download for free □UiPath-ADPv1 Latest Mock Exam
- UiPath UiPath-ADPv1 Exam | New UiPath-ADPv1 Exam Labs - Bring you The Best UiPath-ADPv1 Latest Dumps Free □
□ Download ➔ UiPath-ADPv1 □□□ for free by simply entering [www.pdfvce.com] website □Reliable UiPath-ADPv1 Cram Materials
- Accurate UiPath-ADPv1 Answers □ UiPath-ADPv1 Latest Exam Preparation □ Reliable UiPath-ADPv1 Cram Materials □ Enter “www.prep4pass.com” and search for * UiPath-ADPv1 □*□ to download for free □UiPath-ADPv1 Valid Test Answers
- High-quality New UiPath-ADPv1 Exam Labs - Find Shortcut to Pass UiPath-ADPv1 Exam □ Easily obtain ✓ UiPath-

ADPv1 ✓ for free download through ➔ www.pdfvce.com UiPath-ADPv1 Valid Guide Files

2025 Latest TestSimulate UiPath-ADPv1 PDF Dumps and UiPath-ADPv1 Exam Engine Free Share:

https://drive.google.com/open?id=1q675jFnGJvWIy2ImMV8i4kLjCfDF14r_