

NSE4_FGT_AD-7.6 Dumps Free - Test NSE4_FGT_AD-7.6 Valid



If you doubt the high pass rate of our customers is as 98% to 100% with the help of our NSE4_FGT_AD-7.6 exam questions, you can free download the demos to check it out. You have to believe that the quality content and scientific design of NSE4_FGT_AD-7.6 learning guide can really do this. You can easily find out that there are many people who have benefited from NSE4_FGT_AD-7.6 Actual Exam. In this field, let me tell you our excellent NSE4_FGT_AD-7.6 study materials are in the position that can't be ignored.

Nowadays, using electronic materials to prepare for the exam has become more and more popular, so now, you really should not be restricted to paper materials any more, our electronic NSE4_FGT_AD-7.6 exam torrent will surprise you with their effectiveness and usefulness. I can assure you that you will pass the NSE4_FGT_AD-7.6 Exam as well as getting the related certification under the guidance of our NSE4_FGT_AD-7.6 training materials as easy as pie. Just have a try on our NSE4_FGT_AD-7.6 exam questions, you will love them for sure!

>> NSE4_FGT_AD-7.6 Dumps Free <<

Test NSE4_FGT_AD-7.6 Valid | Valid NSE4_FGT_AD-7.6 Exam Duration

Our NSE4_FGT_AD-7.6 practice materials from our company are invulnerable. And we are consigned as the most responsible company in this area. So many competitors concede our superior position in the market. Besides, we offer some promotional benefits for you. The more times you choose our NSE4_FGT_AD-7.6 Training Materials, the more benefits you can get, such as free demos of our NSE4_FGT_AD-7.6 exam dumps, three-version options, rights of updates and so on. So customer orientation is the beliefs we honor.

Fortinet NSE 4 - FortiOS 7.6 Administrator Sample Questions (Q42-Q47):

NEW QUESTION # 42

What is the primary FortiGate election process when the HA override setting is enabled?

- A. Connected monitored ports > System uptime > Priority > FortiGate serial number
- B. Connected monitored ports > HA uptime > Priority > FortiGate serial number

- C. Connected monitored ports > Priority > System uptime > FortiGate serial number
- D. Connected monitored ports > Priority > HA uptime > FortiGate serial number

Answer: D

Explanation:

When HA override is enabled, FortiGate uses the following election order: number of connected monitored ports, then device priority, followed by HA uptime, and finally FortiGate serial number as a tiebreaker.

NEW QUESTION # 43

Refer to the exhibit. The exhibit shows the FortiGuard Category Based Filter section of a corporate web filter profile.

The screenshot displays the 'Edit Web Filter Profile' interface for a profile named 'Corporate'. The 'Feature set' is set to 'Flow-based'. The 'FortiGuard Category Based Filter' section is active, showing a list of categories and their corresponding actions. The categories are grouped into 'Bandwidth Consuming' and 'Security Risk'. The 'Bandwidth Consuming' group includes 'Freeware and Software Downloads', 'File Sharing and Storage', 'Streaming Media and Download', 'Peer-to-peer File Sharing', 'Internet Radio and TV', and 'Internet Telephony', all of which are set to 'Allow'. The 'Security Risk' group includes 'Malicious Websites', which is set to 'Block'. The overall filter status is '35%' with a '21' icon.

| Name | Action |
|---------------------------------|--------|
| Bandwidth Consuming | |
| Freeware and Software Downloads | Allow |
| File Sharing and Storage | Allow |
| Streaming Media and Download | Allow |
| Peer-to-peer File Sharing | Allow |
| Internet Radio and TV | Allow |
| Internet Telephony | Allow |
| Security Risk | |
| Malicious Websites | Block |

An administrator must block access to download.com, which belongs to the Freeware and Software Downloads category. The

administrator must also allow other websites in the same category.
What are two solutions for satisfying the requirement? (Choose two.)

- A. Configure a separate firewall policy with action Deny and an FQDN address object for *.download.com as destination address.
- B. Configure a static URL filter entry for download.com with Type and Action set to Wildcard and Block, respectively.
- C. Set the Freeware and Software Downloads category Action to Warning.
- D. Configure a web override rating for download.com and select Malicious Websites as the subcategory.

Answer: A,B

Explanation:

Creating a static URL filter to block download.com specifically allows blocking that site without affecting the entire category. Using a separate firewall policy with a Deny action for an FQDN address object matching download.com can also block the site while allowing others in the same category.

NEW QUESTION # 44

FortiGate is integrated with FortiAnalyzer and FortiManager.

When creating a firewall policy, which attribute must an administrator include to enhance functionality and enable log recording on FortiAnalyzer and FortiManager?

- A. Policy ID
- B. Sequence ID
- C. Universally Unique Identifier
- D. Log ID

Answer: C

Explanation:

FortiGate uses a Universally Unique Identifier (UUID) for each firewall policy. This UUID is synchronized with FortiAnalyzer and FortiManager, allowing them to reliably identify the policy even if the policy ID or sequence changes. This ensures consistent log recording and enhanced functionality across integrated devices.

NEW QUESTION # 45

Refer to the exhibit. A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 status is up, but phase 2 fails to come up.

The diagram shows two Fortinet firewalls, HQ-NGFW and BR1-FGT, connected via an IPsec tunnel. Below the diagram are two screenshots of the Fortinet configuration interface for Phase 2 selectors.

Left Screenshot (HQ-NGFW):

- Phase 2 selectors:** A table with one entry:

| Name | Local Address | Remote Address | Comments |
|-------|-------------------------|--------------------------|----------|
| ToBR1 | 10.0.11.0/255.255.255.0 | 172.20.1.0/255.255.255.0 | |
- Edit Phase 2 Selector:**
 - Name: ToBR1
 - Encapsulation: Tunnel Mode
 - IP version: IPv4
 - Local address: 10.0.11.0/255.255.255.0
 - Remote address: 172.20.1.0/255.255.255.0
 - Advanced:
 - Encryption - authentication: AES128 - SHA1
 - Replay detection: Enable
 - Perfect forward secrecy (PFS): Enable
 - Diffie-Hellman groups: 5 (selected)
 - Local port: All
 - Remote port: All
 - Protocol: All
 - Auto-negotiate: Enable
 - Autokey keep alive: Enable
 - Key lifetime: 43200 seconds

Right Screenshot (BR1-FGT):

- Phase 2 selectors:** A table with one entry:

| Name | Local Address | Remote Address | Comments |
|------|--------------------------|-------------------------|----------|
| ToHQ | 172.20.1.0/255.255.255.0 | 10.11.0.0/255.255.255.0 | |
- Edit Phase 2 Selector:**
 - Name: ToHQ
 - Encapsulation: Tunnel Mode
 - IP version: IPv4
 - Local address: 172.20.1.0/255.255.255.0
 - Remote address: 10.11.0.0/255.255.255.0
 - Advanced:
 - Encryption - authentication: AES256 - SHA1
 - Replay detection: Enable
 - Perfect forward secrecy (PFS): Enable
 - Diffie-Hellman groups: 14 (selected)
 - Local port: All
 - Remote port: All
 - Protocol: All
 - Auto-negotiate: Enable
 - Autokey keep alive: Enable
 - Key lifetime: 14400 seconds

Based on the phase 2 configuration shown in the exhibit, which two configuration changes will bring phase 2 up? (Choose two.)

- A. On BR1-FGT, set Seconds to 43200.
- B. On HQ-NGFW, enable Diffie-Hellman Group 2.
- C. On BR1-FGT, set Remote Address to 10.0.11.0/255.255.255.0.
- D. On HQ-NGFW, set Encryption to AES256.

Answer: A,C

Explanation:

The key lifetime (Seconds) must match on both sides; BR1-FGT is set to 14400, so setting it to 43200 matches HQ-NGFW.

The remote address on BR1-FGT should match the HQ-NGFW's local subnet (10.0.11.0/24), but it is currently set incorrectly as 172.20.1.0/24. Changing it to 10.0.11.0/255.255.255.0 will align the Phase 2 selectors.

NEW QUESTION # 46

Refer to the exhibit. As an administrator you have created an IPS profile, but it is not performing as expected. While testing you got the output as shown in the exhibit.

What could be the possible reason of the diagnose output shown in the exhibit?

```

FORTINET
HQ-NGFW-1 # diagnose test application ipsmonitor 1
pid = 2044, engine count = 0 (+1)
0 - pid:2074:2074 cfg:1 master:0 run:1

```

- A. Administrator entered the command diagnose test application ipsmonitor 99.
- B. Administrator entered the command diagnose test application ipsmonitor 5.
- **C. There is a no firewall policy configured with an IPS security profile.**
- D. FortiGate entered into IPS fail open state.

Answer: C

Explanation:

The output shows the IPS engine count as 0, indicating no active IPS engines are running. This typically means no firewall policy is referencing the IPS security profile, so the IPS profile is not being applied or triggered.

NEW QUESTION # 47

.....

TrainingDump Fortinet NSE4_FGT_AD-7.6 exam materials contain the complete unrestricted dump. So with it you can easily pass the exam. TrainingDump Fortinet NSE4_FGT_AD-7.6 exam training materials is a good guidance. It is the best training materials. You can use the questions and answers of TrainingDump Fortinet NSE4_FGT_AD-7.6 Exam Training materials to pass the exam.

Test NSE4_FGT_AD-7.6 Valid: https://www.trainingdump.com/Fortinet/NSE4_FGT_AD-7.6-practice-exam-dumps.html

After scrutinizing and checking the new questions and points of Fortinet NSE4_FGT_AD-7.6 exam, our experts add them into the NSE4_FGT_AD-7.6 test braindumps: Fortinet NSE 4 - FortiOS 7.6 Administrator instantly and avoid the missing of important information for you, then we send supplement to you freely for one years after you bought our NSE4_FGT_AD-7.6 exam cram, which will boost your confidence and refrain from worrying about missing the newest test items, Finally, the third module prepares you for the Test NSE4_FGT_AD-7.6 Valid exam, which focuses on advanced safety skills and knowledge.

Cisco Wireless Access Points, The idea of an experience economy is not new, After scrutinizing and checking the new questions and points of Fortinet NSE4_FGT_AD-7.6 exam, our experts add them into the NSE4_FGT_AD-7.6 Test Braindumps: Fortinet NSE 4 - FortiOS 7.6 Administrator instantly and avoid the missing of important information for you, then we send supplement to you freely for one years after you bought our NSE4_FGT_AD-7.6 exam cram, which will boost your confidence and refrain from worrying about missing the newest test items.

Real Fortinet NSE4_FGT_AD-7.6 PDF Questions [2026]-Get Success With Best Results

Finally, the third module prepares you for the Fortinet NSE 4 exam, which focuses on advanced safety skills and knowledge, If you want to find valid NSE4_FGT_AD-7.6 exam simulations, our products are helpful for you.

No need to spend a lot of time and money while you've access to NSE4_FGT_AD-7.6 exam dumps, I'm sure our 24-hour online service will not disappoint you as we offer our service 24/7 on our NSE4_FGT_AD-7.6 study materials.

- NSE4_FGT_AD-7.6 Exam Dumps Free- First-grade Test NSE4_FGT_AD-7.6 Valid Pass Success ☐ Open ☐ www.dumpsmaterials.com ☐ and search for > NSE4_FGT_AD-7.6 < to download exam materials for free ☐ ☐ NSE4_FGT_AD-7.6 Test Voucher
- NSE4_FGT_AD-7.6 Related Certifications ☐ Reliable NSE4_FGT_AD-7.6 Dumps Pdf ➡ ☐ Reliable NSE4_FGT_AD-7.6 Test Tips ☐ Open (www.pdfvce.com) enter ➡ NSE4_FGT_AD-7.6 ☐☐☐ and obtain a free download ☐ ☐ Practice NSE4_FGT_AD-7.6 Exams
- NSE4_FGT_AD-7.6 Exam Demo ☐ NSE4_FGT_AD-7.6 Test Certification Cost ☐ Reliable NSE4_FGT_AD-7.6

Test Tips ☐ Download 《 NSE4_FGT_AD-7.6 》 for free by simply entering “ www.pass4test.com ” website ☐ Latest NSE4_FGT_AD-7.6 Training

- NSE4_FGT_AD-7.6 Interactive Practice Exam ☐ Reliable NSE4_FGT_AD-7.6 Test Sims ☐ Latest NSE4_FGT_AD-7.6 Training ☐ Search for ➤ NSE4_FGT_AD-7.6 ☐ and obtain a free download on 【 www.pdfvce.com 】 ♣ Latest NSE4_FGT_AD-7.6 Training
- Fortinet NSE 4 - FortiOS 7.6 Administrator test questions and dumps, NSE4_FGT_AD-7.6 exam cram ☐ Search for ➡ NSE4_FGT_AD-7.6 ☐ on “ www.examcollectionpass.com ” immediately to obtain a free download ☐ Exam NSE4_FGT_AD-7.6 Duration
- Best NSE4_FGT_AD-7.6 Preparation Materials ☐ NSE4_FGT_AD-7.6 Reliable Dumps Questions ☐ New NSE4_FGT_AD-7.6 Test Simulator ☐ Enter ➤ www.pdfvce.com ☐ and search for ➤ NSE4_FGT_AD-7.6 ☐ to download for free ☐ New NSE4_FGT_AD-7.6 Test Voucher
- Professional NSE4_FGT_AD-7.6 Dumps Free Supply you Practical Test Valid for NSE4_FGT_AD-7.6: Fortinet NSE 4 - FortiOS 7.6 Administrator to Study casually ☐ Easily obtain ⇒ NSE4_FGT_AD-7.6 ⇐ for free download through 「 www.exam4labs.com 」 ☐ NSE4_FGT_AD-7.6 Exam Tips
- NSE4_FGT_AD-7.6 Reliable Dumps Questions ☐ Latest NSE4_FGT_AD-7.6 Training ☐ Latest NSE4_FGT_AD-7.6 Training ☐ Go to website 「 www.pdfvce.com 」 open and search for ✓ NSE4_FGT_AD-7.6 ☐ ✓ ☐ to download for free ☐ Latest NSE4_FGT_AD-7.6 Training
- Free PDF 2026 High-quality NSE4_FGT_AD-7.6: Fortinet NSE 4 - FortiOS 7.6 Administrator Dumps Free ☐ Search for ☐ NSE4_FGT_AD-7.6 ☐ on [www.verifiedumps.com] immediately to obtain a free download ☐ Exam NSE4_FGT_AD-7.6 Duration
- NSE4_FGT_AD-7.6 Test Certification Cost ☐ Latest NSE4_FGT_AD-7.6 Training ☐ Latest NSE4_FGT_AD-7.6 Exam Notes ☐ Search on ➡ www.pdfvce.com ☐ for ☐ NSE4_FGT_AD-7.6 ☐ to obtain exam materials for free download ☐ Best NSE4_FGT_AD-7.6 Preparation Materials
- 2026 NSE4_FGT_AD-7.6: Realistic Fortinet NSE 4 - FortiOS 7.6 Administrator Dumps Free 100% Pass Quiz ☐ Download [NSE4_FGT_AD-7.6] for free by simply searching on (www.examcollectionpass.com) ☐ New NSE4_FGT_AD-7.6 Test Voucher
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, paidforarticles.in, www.zazzle.com, acupressurelearning.com, www.stes.tyc.edu.tw, demo.sumiralife.com, hashnode.com, motionentrance.edu.np, www.stes.tyc.edu.tw, Disposable vapes