

NSE7_SDW-7.2 Downloadable PDF, Reliable NSE7_SDW-7.2 Test Objectives



BONUS!!! Download part of iPassleader NSE7_SDW-7.2 dumps for free: https://drive.google.com/open?id=1n_2cavBvuAV6x04pAeOCpmWSCNQyKByd

The 24/7 support system is there for the students to assist them in the right way and solve their real issues quickly. The Fortinet NSE 7 - SD-WAN 7.2 can be used instantly after buying it from us. Free demos and up to 1 year of free updates are also available at SITE. Buy the Fortinet NSE 7 - SD-WAN 7.2 (NSE7_SDW-7.2) Now and Achieve Your Dreams With Us!

Fortinet NSE7_SDW-7.2 Exam Syllabus Topics:

| Topic | Details |
|---------|--|
| Topic 1 | <ul style="list-style-type: none">SD-WAN Troubleshooting: Troubleshooting SD-WAN issues, including rules, routing, and ADVPN, is vital for maintaining network reliability. This section of the Fortinet NSE 7 - SD-WAN 7.2 exam tests the ability to diagnose and resolve SD-WAN problems using diagnostic commands and monitoring tools, ensuring robust and uninterrupted network operations. |

| | |
|---------|---|
| Topic 2 | <ul style="list-style-type: none"> SD-WAN Configuration: This topic assesses skills of Fortinet network and security professionals in setting up basic SD-WAN environments, including configuring Direct Internet Access (DIA), SD-WAN Members, and Performance Service Level Agreements (SLAs). Proficiency here ensures the ability to design efficient and resilient SD-WAN configurations. |
| Topic 3 | <ul style="list-style-type: none"> SD-WAN Overlay Design and Best Practices: It focuses on the deployment of hub-and-spoke IPsec topologies and configuring ADVPN. Proficiency in this topic ensures that Fortinet network and security professionals can implement effective and reliable SD-WAN overlays tailored to organizational needs. |
| Topic 4 | <ul style="list-style-type: none"> Rules and Routing: Understanding SD-WAN Rules and Routing is crucial for directing traffic effectively. This topic of the NSE7_SDW-7.2 Exam evaluates the capabilities of Fortinet network and security professionals to configure SD-WAN rules and routing. |
| Topic 5 | <ul style="list-style-type: none"> Centralized Management: This area focuses on deploying and managing SD-WAN through FortiManager, including using IPsec templates and SD-WAN Overlay Templates. Mastery here demonstrates the abilities of Fortinet network and security professionals to streamline SD-WAN configuration, enhance security, and maintain consistent policies across multiple sites. |

[**>> NSE7_SDW-7.2 Downloadable PDF <<**](#)

Reliable NSE7_SDW-7.2 Test Objectives | Test NSE7_SDW-7.2 Voucher


The NSE7_SDW-7.2 exam question offer a variety of learning modes for users to choose from, which can be used for multiple clients of computers and mobile phones to study online, as well as to print and print data for offline consolidation. For any candidate, choosing the NSE7_SDW-7.2 question torrent material is the key to passing the exam. Our study materials can fully meet all your needs: Avoid wasting your time and improve your learning efficiency. Spending little hours per day within one week, you can pass the exam easily. You will don't take any risks and losses if you purchase and learn our NSE7_SDW-7.2 Latest Exam Dumps, do you?

Fortinet NSE 7 - SD-WAN 7.2 Sample Questions (Q78-Q83):

NEW QUESTION # 78

Refer to the exhibit.

Install Preview of fgt1



The screenshot shows the FortiGate configuration interface for device fgt1 (root). The configuration code is as follows:

```
1. config vpn ipsec phase1-interface
2.   edit "VPN1"
3.     set type dynamic
4.     set interface "port1"
5.     set ike-version 2
6.     set dpd on-idle
7.     set comments "VPN: VPN1 [Created by IPSEC Template]"
8.     set proposal aes256-sha256
9.     set peertype any
10.    set mode-cfg enable
11.    set dpd-retryinterval 60
12.    set net-device disable
13.    set add-route disable
14.    set auto-discovery-sender enable
15.    set ipv4-start-ip 10.10.128.1
16.    set ipv4-end-ip 10.10.159.252
17.    set ipv4-netmask 255.255.224.0
18.    set psksecret ENC Z8Zpc/bwU2j1HxCFWz0/XkWz1iP/WK4qAGVHE9oazICB+iffI2rIY1AN50IAzV0SzWm/Thbw6M
19.    set network-overlay enable
20.    set network-id 5
21.  next
22. end
23. config system interface
24. <
```

The configuration includes a dynamic IPsec phase 1 interface named "VPN1" using port1 as the interface, IKE version 2, and AES-256 SHA-256 as the proposal. The network overlay is enabled with network ID 5. The configuration is saved in an encrypted format.

FORTINET

Download

Close

An administrator used the SD-WAN overlay template to prepare an IPsec configuration for a hub-and-spoke SD-WAN topology. The exhibit shows the installation preview for one FortiGate device. In the exhibit, which statement best describes the configuration applied to the FortiGate device?

- A. It is a spoke device that establishes dynamic IPsec tunnels to the hub. The subnet range is 10.10.128.0/23.
- B. It is a hub device and will automatically discover the spoke devices that are in the SD-WAN topology.
- C. It is a hub device. It can send ADVPN shortcut offers.
- D. It is a spoke device that establishes dynamic IPsec tunnels to the hub. It can send ADVPN shortcut requests.

Answer: D

Explanation:

Explanation

According to the SD-WAN 7.2 Study Guide, the SD-WAN overlay template simplifies the configuration of IPsec tunnels in a hub-and-spoke topology. The template defines the following parameters:

type: dynamic for spokes, static for hubs

interface: the WAN interface to use for the IPsec tunnel

network-overlay: enable for spokes, disable for hubs

network-id: a unique identifier for each spoke

auto-discovery-sender: enable for hubs, disable for spokes

auto-discovery-receiver: enable for spokes, disable for hubs

Based on the exhibit, the FortiGate device has the following configuration:

type: dynamic

interface: port1

network-overlay: enable

network-id: 5

auto-discovery-sender: disable

auto-discovery-receiver: enable

Therefore, the FortiGate device is a spoke that establishes dynamic IPsec tunnels to the hub. It also has the network-overlay and auto-discovery-receiver options enabled, which means it can send ADVPN shortcut requests to other spokes when it receives a shortcut offer from the hub

NEW QUESTION # 79

What are two benefits of using forward error correction (FEC) in IPsec VPNs? (Choose two.)

- A. FEC transmits parity packets that can be used to reconstruct packet loss.
- B. FEC supports hardware offloading.
- C. FEC improves reliability of noisy links.
- D. FEC can leverage multiple IPsec tunnels for parity packets transmission.

Answer: A,C

NEW QUESTION # 80

In the default SD-WAN minimum configuration, which two statements are correct when traffic matches the default implicit SD-WAN rule? (Choose two)

- A. Traffic has matched none of the FortiGate policy routes.
- B. The FIB lookup resolved interface was the SD-WAN interface.
- C. An absolute SD-WAN rule was defined and matched traffic.
- D. Matched traffic failed RPF and was caught by the rule.

Answer: A,B

NEW QUESTION # 81

Refer to the exhibit.

```
branch1_fgt # diagnose sys sdwan service 1

Service(3): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Gen(6), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(manual)
  Members(2):
    1: Seq_num(3 T_INET_0_0), alive, selected
    2: Seq_num(4 T_INET_1_0), alive, selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Dst address(1):
    10.0.0.0-10.255.255.255

branch1_fgt # diagnose sys sdwan member | grep T_INET_
Member(3): interface: T_INET_0_0, flags=0x4 , gateway: 100.64.1.1, priority: 10 1024,
weight: 0
Member(4): interface: T_INET_1_0, flags=0x4 , gateway: 100.64.1.9, priority: 0 1024,
weight: 0

branch1_fgt # get router info routing-table all | grep T_INET_
S      10.0.0.0/8 [1/0] via T_INET_1_0 tunnel 100.64.1.9
```



An administrator is troubleshooting SD-WAN on FortiGate. A device behind branch1_fgt generates traffic to the 10.0.0.0/8 network. The administrator expects the traffic to match SD-WAN rule ID 1 and be routed over T_INET_0_0. However, the traffic is routed over T_INET_1_0.

Based on the output shown in the exhibit, which two reasons can cause the observed behavior? (Choose two.)

- A. The traffic matches a regular policy route configured with T_INET_1_0 as the outgoing device.
- B. T_INET_1_0 has a lower route priority value (higher priority) than T_INET_0_0.
- C. T_INET_1_0 has a higher member configuration priority than T_INET_0_0.
- D. T_INET_0_0 does not have a valid route to the destination.

Answer: A,D

NEW QUESTION # 82

Refer to the exhibits.

Exhibit A

```
branch1_fgt # diagnose sys sdwan service 1

Service(1): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Gen(8), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(manual)
  Service disabled caused by no destination.

Members(2):
  1: Seq_num(4 T_INET_1_0), alive, selected
  2: Seq_num(5 T_MPLS_0), alive, selected

Src address(1):
  10.0.1.0-10.0.1.255

branch1_fgt # get router info bgp community 65000:10
VRF 0 BGP table version is 3, local router ID is 10.0.1.1
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
              S Stale
Origin codes: i - IGP, e - EGP, ? - incomplete

      Network          Next Hop          Metric LocPrf Weight RouteTag Path
*->i10.1.0.0/24      10.202.1.254      0      100      0      1 i <-/1>
* i                  10.203.1.254      0      100      0      1 i <-/->

Total number of prefixes 1
```

Exhibit B

```
branch1_fgt (1) # show
config service
  edit 1
    set name "Corp"
    set route-tag 10
    set src "LAN-net"
    set priority-zone "overlay"
  next
end

config router bgp
...
  config neighbor
    edit "10.202.1.254"
      set soft-reconfiguration enable
      set interface "T_INET_1_0"
      set remote-as 65000
      set route-map-in "dcl-lan-rm"
      set update-source "T_INET_1_0"
    next
    edit "10.203.1.254"
      set soft-reconfiguration enable
      set interface "T_MPLS_0"
      set remote-as 65000
      set route-map-in "dcl-lan-rm"
      set update-source "T_MPLS_0"
    next
  end
...
  config router route-map
    edit "dcl-lan-rm"
      config rule
        edit 1
          set match-community "dcl-lan-cl"
          set set-route-tag 1
        next
      end
    next
  end
end
```

Exhibit A shows the SD-WAN rule status and the learned BGP routes with community 65000:10.

Exhibit B shows the SD-WAN rule configuration, the BGP neighbor configuration, and the route map configuration.

The administrator wants to steer corporate traffic using routes tags in the SD-WAN rule ID 1. However, the administrator observes that the corporate traffic does not match the SD-WAN rule ID 1. Based on the exhibits, which configuration change is required to fix issue?

- A. In the BGP neighbor configuration, apply the route map `dcl-lab-rm` in the outbound direction.
- B. In the `dcl-lab-rm` route map configuration, unset `match-community`.
- C. In SD-WAN rule ID 1, change the destination to use ISDB entries.
- D. In the `dcl-lab-rm` route map configuration, set `set-route-tag` to 10.

Answer: A

NEW QUESTION # 83

In today's competitive industry, only the brightest and most qualified candidates are hired for high-paying positions. Obtaining Fortinet Fortinet NSE 7 - SD-WAN 7.2 is a wonderful approach to be successful because it can draw in prospects and convince companies that you are the finest in your field. Pass the Fortinet NSE 7 - SD-WAN 7.2 exam to establish your expertise in your field and receive certification. However, passing the Fortinet NSE 7 - SD-WAN 7.2 NSE7_SDW-7.2 Exam is challenging.

Reliable NSE7_SDW-7.2 Test Objectives: https://www.ipassleader.com/Fortinet/NSE7_SDW-7.2-practice-exam-dumps.html

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

P.S. Free 2025 Fortinet NSE7_SDW-7.2 dumps are available on Google Drive shared by iPassleader:
https://drive.google.com/open?id=1n_2cavBvuAV6x04pAeOCpmWSCNQyKByd