


# NSE7\_SDW-7.2 Exam Question - NSE7\_SDW-7.2 Latest Exam Testking



2025 Latest BraindumpsPass NSE7\_SDW-7.2 PDF Dumps and NSE7\_SDW-7.2 Exam Engine Free Share:  
<https://drive.google.com/open?id=1vDE90VpZl39CLgtTxHIKAepViBwptjQ5>

Many of our worthy customers have achieved success not only on the career but also on the life style due to the help of our Fortinet NSE7\_SDW-7.2 study guide. You can also join them and learn our Fortinet NSE7\_SDW-7.2 Learning Materials. You will gradually find your positive changes after a period of practices. Then you will finish all your tasks excellently. You will become the lucky guys if there has a chance.

There is always a fear of losing NSE7\_SDW-7.2 exam and causes you loss of money and waste time on some unless materials. However, these risks will never exist in our NSE7\_SDW-7.2 exam materials. Your money and exam attempt is bound to award you a sure and definite success with 100% money back guarantee. You can claim for the refund of money if you do not succeed and achieve your target. Our NSE7\_SDW-7.2 exam materials have a most reliable guarantee. We ensure you that you will be paid back in full without any deduction and you can easily pass the NSE7\_SDW-7.2 Exam by using our NSE7\_SDW-7.2 dumps. Moreover, you will get all the updated NSE7\_SDW-7.2 questions with verified answers. If you want to prepare yourself for the real exam, then it is one of the most effect ways to improve your NSE7\_SDW-7.2 exam preparation level.

>> [NSE7\\_SDW-7.2 Exam Question](#) <<

## NSE7\_SDW-7.2 Latest Exam Testking | NSE7\_SDW-7.2 Test Dumps Pdf

If you have aspiration to be an IT specialist with considerable salary and work in big company, our Fortinet exam dumps will make your dream closer. You just need to prepare NSE7\_SDW-7.2 real questions with one or two days and we will give your support in every steps of your IT test preparation if you have any problems and doubts to our NSE7\_SDW-7.2 Pdf Torrent.

## Fortinet NSE7\_SDW-7.2 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>SD-WAN Troubleshooting: Troubleshooting SD-WAN issues, including rules, routing, and ADVPN, is vital for maintaining network reliability. This section of the Fortinet NSE 7 - SD-WAN 7.2 exam tests the ability to diagnose and resolve SD-WAN problems using diagnostic commands and monitoring tools, ensuring robust and uninterrupted network operations.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Centralized Management: This area focuses on deploying and managing SD-WAN through FortiManager, including using IPsec templates and SD-WAN Overlay Templates. Mastery here demonstrates the abilities of Fortinet network and security professionals to streamline SD-WAN configuration, enhance security, and maintain consistent policies across multiple sites.</li></ul>

Topic 3	<ul style="list-style-type: none"> <li>SD-WAN Overlay Design and Best Practices: It focuses on the deployment of hub-and-spoke IPsec topologies and configuring ADVPN. Proficiency in this topic ensures that Fortinet network and security professionals can implement effective and reliable SD-WAN overlays tailored to organizational needs.</li> </ul>
Topic 4	<ul style="list-style-type: none"> <li>SD-WAN Configuration: This topic assesses skills of Fortinet network and security professionals in setting up basic SD-WAN environments, including configuring Direct Internet Access (DIA), SD-WAN Members, and Performance Service Level Agreements (SLAs). Proficiency here ensures the ability to design efficient and resilient SD-WAN configurations.</li> </ul>
Topic 5	<ul style="list-style-type: none"> <li>Rules and Routing: Understanding SD-WAN Rules and Routing is crucial for directing traffic effectively. This topic of the NSE7_SDW-7.2 Exam evaluates the capabilities of Fortinet network and security professionals to configure SD-WAN rules and routing.</li> </ul>

## Fortinet NSE 7 - SD-WAN 7.2 Sample Questions (Q35-Q40):

### NEW QUESTION # 35

Refer to the exhibit.

```
branch1_fgt # diagnose firewall proute list
list route policy info(vf=root):
id=1 dscp_tag=0xff flags=0x0 tos=0x0 tos_mask=0x0 protocol=17 sport=0-65535 iif=7
dport=53 path(1) oif=3(port1)
source wildcard(1): 0.0.0.0/0.0.0.0
destination wildcard(1): 4.2.2.1/255.255.255.255
hit_count=0 last_used=2022-03-25 10:53:26

id=2131165185(0x7f070001) vwl_service=1(Critical-DIA) vwl_mbr_seq=1 2 dscp_tag=0xff 0xff
flags=0x0 tos=0x0 tos_mask=0x0 protocol=0 sport=0-65535 iif=0 dport=1-65535 path(2)
oif=3(port1) oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
internet service(3): GoToMeeting(4294836966,0,0,0, 16354)
Microsoft.Office.365.Portal(4294837474,0,0,0, 41468) Salesforce(4294837976,0,0,0, 16920)
hit_count=0 last_used=2022-03-24 12:18:16

id=2131165186(0x7f070002) vwl_service=2(Non-Critical-DIA) vwl_mbr_seq=2 dscp_tag=0xff
0xff flags=0x0 tos=0x0 tos_mask=0x0 protocol=0 sport=0-65535 iif=0 dport=1-65535 path(1)
oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
internet service(2): Facebook(4294836806,0,0,0, 15832) Twitter(4294838278,0,0,0, 16001)
hit_count=0 last_used=2022-03-24 12:18:16

id=2131165187(0x7f070003) vwl_service=3(all_rules) vwl_mbr_seq=1 dscp_tag=0xff 0xff
flags=0x0 tos=0x0 tos_mask=0x0 protocol=0 sport=0-65535 iif=0 dport=1-65535 path(1)
oif=3(port1)
source(1): 0.0.0.0-255.255.255.255
destination(1): 0.0.0.0-255.255.255.255
hit_count=0 last_used=2022-03-25 10:58:12
```

Based on the output, which two conclusions are true? (Choose two.)

- A. There is more than one SD-WAN rule configured.
- B. The SD-WAN rules take precedence over regular policy routes.
- C. The all\_rules rule represents the implicit SD-WAN rule.
- D. Entry 1(id=1) is a regular policy route.

**Answer: A,D**

### NEW QUESTION # 36

Refer to the exhibit.

```

fgt_1 # diagnose sys sdwan service
FORTINET
Service(1): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Tie break: cfg
  Gen(7), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost-factor(latency), link-cost-
  threshold(10), heath-check(HQ_Servers)

  Members(2):
    1: Seq_num(1 port1), alive, latency: 2.672, selected
    2: Seq_num(2 port2), alive, latency: 2.570, selected
  Internet Service(2): Facebook(4294836714,0,0,0,0 15832) Twitter(4294838045,0,0,0,0 16001)
  Src address(1):
    10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Tie break: cfg
  Gen(6), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(manual)
  Members(1):
    1: Seq_num(2 port2), alive, selected
  Internet Service(2): Business(0,26,0,0) Industrial(0,26,0,0)
  Src address(1):
    10.0.1.0-10.0.1.255

Service(3): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Tie break: cfg
  Gen(7), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(sla), sla-compare-order
  Members(3):
    1: Seq_num(3 T_HQ1), alive, alive, sla(0x3), gid(0), cfg_order(0), local cost(0), selected
    2: Seq_num(4 T_HQ2), alive, alive, sla(0x2), gid(0), cfg_order(1), local cost(0), selected
    3: Seq_num(5 T_HQ3), alive, alive, sla(0x1), gid(0), cfg_order(2), local cost(0), selected
  Src address(1):
    10.0.1.0-10.0.1.255

```

The exhibit shows output of the command `diagnose 3vg sdwan service` collected on a FortiGate device.

The administrator wants to know through which interface FortiGate will steer the traffic from local users on subnet 10.0.1.0/255.255.255.192 and with a destination of the business application Salesforce located on HQ servers 10.0.0.1. Based on the exhibits, which two statements are correct? (Choose two.)

- A. FortiGate steers traffic to HQ servers according to service rule 1 and it uses port1 or port2 because both interfaces are selected.
- B. When FortiGate cannot recognize the application of the flow it steers the traffic destined to server 10.0.0.1 according to service rule 3.
- C. FortiGate steers traffic for business application according to service rule 2 and steers traffic through port2.
- D. There is no service defined for the Salesforce application, so FortiGate will use the service rule 3 and steer the traffic through interface T\_HQ1.

**Answer: A,B**

#### NEW QUESTION # 37

Refer to the exhibits.

Exhibit A -

Edit Traffic Shaping Policy **FORTINET**

IP Version	<b>IPv4</b> IPv6
Name	Limit_YouTube
Status	<b>Enable</b> Disable
Comments	<div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div> <div style="text-align: right; margin-top: -10px;">0/255</div>
<b>If Traffic Matches:</b>	
Source Internet Service	<input checked="" type="checkbox"/>
Source Address	<input checked="" type="checkbox"/> LAN-net <span style="float: right;">×</span>
Source User	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
Source User Group	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
Destination Internet Service	<input checked="" type="checkbox"/>
Destination Address	<input checked="" type="checkbox"/> all <span style="float: right;">×</span>
Schedule	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
Service	<input checked="" type="checkbox"/> ALL <span style="float: right;">×</span>
Application	<input checked="" type="checkbox"/> YouTube <span style="float: right;">×</span>
Application Category	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
Application Group	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
URL Category	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
Type Of Service	0x00
Type Of Service Mask	0x00
<b>Then:</b>	
Action	<b>Apply Shaper</b> Assign Group
Outgoing Interface	<input checked="" type="checkbox"/> underlay <span style="float: right;">×</span>
Shared Shaper	<input checked="" type="checkbox"/> low-priority <span style="float: right;">×</span>
Reverse Shaper	<input checked="" type="checkbox"/> low-priority <span style="float: right;">×</span>
Per-IP Shaper	<span style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 10px;"></span> <span style="float: right;">+</span>
Differentiated Services	<input checked="" type="checkbox"/>
Differentiated Services Reverse	<input checked="" type="checkbox"/>

Exhibit B -

**Edit Firewall Policy**

ID: 1  
Name: DIA  
ZTNA: **Disable** Full ZTNA IP/MAC filtering

Incoming Interface: **LAN**  
Outgoing Interface: **underlay**  
Source Internet Service: **LAN-net**

IPv4 Source Address: **+**  
IPv6 Source Address: **+**  
Source User: **+**  
Source User Group: **+**  
FSSO Groups: **+**

Destination Internet Service: **all**  
IPv4 Destination Address: **ALL**  
IPv6 Destination Address: **always**

Service: **ALL**  
Schedule: **always**  
Action: **Accept** IPSEC  
Inspection Mode: **Flow-based** Proxy-based

**Firewall/Network Options**  
NAT: **NAT** NAT46 NAT64  
IP Pool Configuration: **Use Outgoing Interface Address** Use Dynamic IP Pool  
Preserve Source Port: **default**

**Disclaimer Options**  
Display Disclaimer:

**Security Profiles**  
SSL/SSH Inspection: **deep-inspection**

**Traffic Shaping Options**  
Shared Shaper: **+**  
Reverse Shaper: **+**  
Per-IP Shaper: **+**

**Logging Options**  
Log Allowed Traffic: **No Log** Log Security Events **Log All Sessions**  
 Capture Packets  
 Generate Logs when Session Starts

**FORTINET**

Exhibit A shows the traffic shaping policy and exhibit B shows the firewall policy.

The administrator wants FortiGate to limit the bandwidth used by YouTube. When testing, the administrator determines that FortiGate does not apply traffic shaping on YouTube traffic.

Based on the policies shown in the exhibits, what configuration change must be made so FortiGate performs traffic shaping on YouTube traffic?

- A. Application control must be enabled on the firewall policy.
- **B. Web filtering must be enabled on the firewall policy.**
- C. Individual SD-WAN members must be selected as the outgoing interface on the traffic shaping policy.
- D. Destination internet service must be enabled on the traffic shaping policy.

**Answer: B**

### NEW QUESTION # 38

Refer to the exhibits.

Exhibit A

```
branch1_fgt # diagnose sys sdwan service 1

Service(1): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Gen(8), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(manual)
Service disabled caused by no destination.
Members(2):
  1: Seq_num(4 T_INET_1_0), alive, selected
  2: Seq_num(5 T_MPLS_0), alive, selected
  Src address(1):
    10.0.1.0-10.0.1.255

branch1_fgt # get router info bgp community 65000:10
VRF 0 BGP table version is 3, local router ID is 10.0.1.1
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               S Stale
Origin codes: i - IGP, e - EGP, ? - incomplete

      Network          Next Hop          Metric LocPrf Weight RouteTag Path
*->i10.1.0.0/24      10.202.1.254          0    100      0      1 i <-/1>
 * i                  10.203.1.254          0    100      0      1 i <-/->

Total number of prefixes 1
```

Exhibit B

```
branch1_fgt (1) # show
config service
  edit 1
    set name "Corp"
    set route-tag 10
    set src "LAN-net"
    set priority-zone "overlay"
  next
end

config router bgp
...
  config neighbor
    edit "10.202.1.254"
      set soft-reconfiguration enable
      set interface "T_INET_1_0"
      set remote-as 65000
      set route-map-in "dcl-lan-rm"
      set update-source "T_INET_1_0"
    next
    edit "10.203.1.254"
      set soft-reconfiguration enable
      set interface "T_MPLS_0"
      set remote-as 65000
      set route-map-in "dcl-lan-rm"
      set update-source "T_MPLS_0"
    next
  end
...
  config router route-map
    edit "dcl-lan-rm"
      config rule
        edit 1
          set match-community "dcl-lan-cl"
          set set-route-tag 1
        next
      end
    next
  end
```

Exhibit A shows the SD-WAN rule status and the learned BGP routes with community 65000:10. Exhibit B shows the SD-WAN rule configuration, the BGP neighbor configuration, and the route map configuration. The administrator wants to steer corporate traffic using routes tags in the SD-WAN rule ID 1. However, the administrator observes that the corporate traffic does not match the SD-WAN rule ID 1. Based on the exhibits, which configuration change is required to fix issue?

- A. In the dcl-lab-rm route map configuration, set set-route-tag to 10.
- **B. In the BGP neighbor configuration, apply the route map dcl-lab-rm in the outbound direction.**
- C. In the dcl-lab-rm route map configuration, unset match-community.
- D. In SD-WAN rule ID 1, change the destination to use ISDB entries.

**Answer: B**

## NEW QUESTION # 39

Refer to the exhibits.

### Exhibit A

Name	Type	Outgoing Interface
HUB1-VPN1	Static	\$(ISP1)

Name	Type	Outgoing Interface
HUB1-VPN2	Static	\$(ISP2)

### Exhibit B

invalid template assignment - conflicting template assignment scope: device branch1\_fgt, vdom root, **\_ipsec template [Branch\_IPsec\_1] and [Branch\_IPsec\_2]**



Exhibit A shows two IPsec templates to define Branch\_IPsec\_1 and Branch\_IPsec\_2. Each template defines a VPN tunnel. Exhibit B shows the error message that FortiManager displayed when the administrator tried to assign the second template to the FortiGate device.

Which statement best explain the cause for this issue?

- A. You can define only one IPsec tunnel from branch devices to HUB1.
- B. You should review the branch1\_fgt configuration for the already configured tunnel with the name HUB1-VPN2.
- C. You can assign only one IPsec template to each FortiGate device.**
- D. You can assign only one template with a tunnel of type static to each FortiGate device

### Answer: C

Explanation:

The error message in Exhibit B indicates a conflicting template assignment. This occurs because FortiManager does not allow the assignment of multiple IPsec templates that define VPN tunnels with the same name or settings to the same FortiGate device. The conflict arises from trying to assign a second IPsec template to a device that already has one assigned. References: This is based on Fortinet's best practices and administrative guidelines which state that each FortiGate device should be assigned a unique IPsec template to avoid configuration conflicts.

## NEW QUESTION # 40

.....

As for preparation for an exam, some necessary NSE7\_SDW-7.2 Study Guide will be need for practicing, but we may also have the concern that if we buy the NSE7\_SDW-7.2 study guide, whether the safety of the personal information can be ensured. The answer is yes, we respect the privacy of our customers. Your personal information will be protected well. We also won't send the junk mail to bother you. Choose us, and you will be free of many bothers.

**NSE7\_SDW-7.2 Latest Exam Testking:** [https://www.braindumpspass.com/Fortinet/NSE7\\_SDW-7.2-practice-exam-dumps.html](https://www.braindumpspass.com/Fortinet/NSE7_SDW-7.2-practice-exam-dumps.html)

- Fortinet NSE7\_SDW-7.2 Exam Question Exam 100% Pass | NSE7\_SDW-7.2: Fortinet NSE 7 - SD-WAN 7.2  Enter 《 www.getvalidtest.com 》 and search for [ NSE7\_SDW-7.2 ] to download for free  Free NSE7\_SDW-7.2 Sample

- 2025 NSE7\_SDW-7.2 Exam Question Pass Certify | Professional NSE7\_SDW-7.2 Latest Exam Testking: Fortinet NSE 7 - SD-WAN 7.2 □ Easily obtain free download of ⇒ NSE7\_SDW-7.2 ⇄ by searching on ▷ www.pdfvce.com ▲ □ □ Certification NSE7\_SDW-7.2 Test Questions
- Latest NSE7\_SDW-7.2 Exam Question Covers the Entire Syllabus of NSE7\_SDW-7.2 □ Open □ www.tests dumps.com □ enter 「NSE7\_SDW-7.2」 and obtain a free download □ Latest NSE7\_SDW-7.2 Version
- NSE7\_SDW-7.2 Reliable Test Book □ NSE7\_SDW-7.2 Top Questions □ Reliable NSE7\_SDW-7.2 Test Notes □ Open ➡ www.pdfvce.com □ enter □ NSE7\_SDW-7.2 □ and obtain a free download □ Free NSE7\_SDW-7.2 Sample
- Latest NSE7\_SDW-7.2 Cram Materials □ Free NSE7\_SDW-7.2 Sample □ Exam NSE7\_SDW-7.2 Materials □ Open website ⇒ www.vceengine.com ⇄ and search for 【NSE7\_SDW-7.2】 for free download □ NSE7\_SDW-7.2 Certification Training
- Fortinet NSE7\_SDW-7.2 Exam Question Exam 100% Pass | NSE7\_SDW-7.2: Fortinet NSE 7 - SD-WAN 7.2 □ Download [NSE7\_SDW-7.2] for free by simply searching on ▷ www.pdfvce.com ▲ □ NSE7\_SDW-7.2 Boot Camp
- Pass Guaranteed Fortinet - NSE7\_SDW-7.2 - Fortinet NSE 7 - SD-WAN 7.2 Perfect Exam Question □ Search for ✨ NSE7\_SDW-7.2 □ ✨ and easily obtain a free download on 【www.passcollection.com】 □ Certification NSE7\_SDW-7.2 Test Questions
- Fortinet NSE7\_SDW-7.2 Exam Question Exam 100% Pass | NSE7\_SDW-7.2: Fortinet NSE 7 - SD-WAN 7.2 □ Download □ NSE7\_SDW-7.2 □ for free by simply searching on □ www.pdfvce.com □ □ NSE7\_SDW-7.2 Updated Test Cram
- New NSE7\_SDW-7.2 Dumps Files □ Latest NSE7\_SDW-7.2 Version □ NSE7\_SDW-7.2 Pdf Demo Download □ Search for ⇒ NSE7\_SDW-7.2 ⇄ and download it for free immediately on 「www.prep4away.com」 □ NSE7\_SDW-7.2 Valid Test Camp
- New NSE7\_SDW-7.2 Dumps Files □ Reliable NSE7\_SDW-7.2 Test Notes □ NSE7\_SDW-7.2 Reliable Test Book □ □ Immediately open ➤ www.pdfvce.com □ and search for [NSE7\_SDW-7.2] to obtain a free download □ □ NSE7\_SDW-7.2 Pdf Demo Download
- Quiz 2025 High Hit-Rate NSE7\_SDW-7.2: Fortinet NSE 7 - SD-WAN 7.2 Exam Question □ The page for free download of ▷ NSE7\_SDW-7.2 ▲ on ▷ www.examdiscuss.com ▲ will open immediately □ Reliable NSE7\_SDW-7.2 Test Notes
- dadweynahacilm.com, myportal.utt.edu.tt, lms.ait.edu.za, www.learnacourse.org, gradenet.ng, www.stes.tyc.edu.tw, myportal.utt.edu.tt, study.stcs.edu.np, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

BTW, DOWNLOAD part of BraindumpsPass NSE7\_SDW-7.2 dumps from Cloud Storage: <https://drive.google.com/open?id=1vDE90VpZl39CLgtTxHIKAepViBwptjQ5>