


Pass Guaranteed 2025 Fortinet NSE7_LED-7.0: Fortinet NSE 7 - LAN Edge 7.0-Valid Upgrade Dumps



BONUS!!! Download part of Pass4training NSE7_LED-7.0 dumps for free: <https://drive.google.com/open?id=1BeK6SzpB8bRgo-YfjwYcsRwD2NGiyaOG>

In addition to guarantee that our NSE7_LED-7.0 exam pdf provided you with the most updated and valid, we also ensure you get access to our NSE7_LED-7.0 dumps collection easily whenever you want. Our test engine mode allows you to practice our NSE7_LED-7.0 vce braindumps anywhere and anytime as long as you downloaded our NSE7_LED-7.0 study materials. Try free download the trial of our website before you buy.

All customer information to purchase our NSE7_LED-7.0 guide torrent is confidential to outsiders. You needn't worry about your privacy information leaked by our company. People who can contact with your name, e-mail, telephone number are all members of the internal corporate. The privacy information provided by you only can be used in online support services and providing professional staff remote assistance. Our experts check update on the NSE7_LED-7.0 Exam Questions every day and keep customers informed. If you have any question about our NSE7_LED-7.0 test guide, you can email or contact us online.

>> [NSE7_LED-7.0 Upgrade Dumps](#) <<

Online NSE7_LED-7.0 Bootcamps | NSE7_LED-7.0 Exam Dump

The Exams is committed to making the Fortinet NSE7_LED-7.0 exam dumps the best NSE7_LED-7.0 exam study material. To achieve this objective the Exams have hired a team of experienced and qualified Fortinet NSE7_LED-7.0 Exam trainers. They work together and check all Fortinet NSE7_LED-7.0 exam questions step by step and ensure the top standard of Fortinet NSE7_LED-7.0 practice test material all the time.

Fortinet NSE 7 - LAN Edge 7.0 Sample Questions (Q62-Q67):

NEW QUESTION # 62

Refer to the exhibits.

SSID Settings

WIFI Settings

SSID

Client limit

Broadcast SSID

Security Mode Settings

Security mode

Portal type

Authentication portal

<https://fac.trainingad.training.lab/guest>

User groups

Exempt sources

Exempt destinations/services

Redirect after Captive Portal

Client MAC Address Filtering

RADIUS server

Additional Settings

Schedule 

Block intra-SSID traffic

Optional VLAN ID

Broadcast suppression ARPs for known clients

DHCP uplink

Quarantine host

VLAN pooling

NAC profile

Firewall Policy

```
config firewall policy
  edit 11
    set name "Guest to Internal"
    set uuid c5e45130-aada-51e8-ee0c-bc1204f9f163
    set srcintf "guest"
    set dstintf "port3"
    set srcaddr "all"
    set dstaddr "FortiAuthenticator" "WindowsAD"
    set action accept
    set schedule "always"
    set service "ALL"
  next
end
```



Examine the firewall policy configuration and SSID settings. An administrator has configured a guest wireless network on FortiGate using the external captive portal. The administrator has verified that the external captive portal URL is correct. However wireless users are not able to see the captive portal login page. Given the configuration shown in the exhibit and the SSID settings, which configuration change should the administrator make to fix the problem?

- A. Enable the captive-portal-exempt option in the firewall policy with the ID 11.
- B. Include the wireless client subnet range in the Exempt Source section.
- C. Disable the user group from the SSID configuration.
- D. Apply a guest.portal user group in the firewall policy with the ID 11.

Answer: A

Explanation:

If using external captive portal configure policy and exempt web traffic to external captive portal.


NEW QUESTION # 63

Refer to the exhibit.

Edit Security Policies

Name	Port-Security
Security mode	Port-based MAC-based
User groups	<input type="text"/> Wired-User FAC-Lab X
Guest VLAN	<input checked="" type="checkbox"/> onboarding
Guest authentication delay second(s)	30
MAC authentication bypass	<input type="checkbox"/>
EAP pass-through	<input checked="" type="checkbox"/>
Override RADIUS timeout	<input type="checkbox"/>

FORTINET



Examine the FortiSwitch security policy shown in the exhibit

If the security profile shown in the exhibit is assigned to all ports on a FortiSwitch device for 802.1X authentication which statement about the switch is correct?

- A. FortiSwitch will try to authenticate non-802.1X devices using the device MAC address as the username and password
- B. All EAP messages will be terminated on FortiSwitch
- C. FortiSwitch will assign non-802.1X devices to the onboarding VLAN**
- D. FortiSwitch cannot authenticate multiple devices connected to the same port

Answer: C

Explanation:

Explanation

According to the FortiSwitch Administration Guide, "If a device does not support 802.1X authentication, you can configure the switch to assign the device to an onboarding VLAN. The onboarding VLAN is a separate VLAN that you can use to provide limited network access to non-802.1X devices." Therefore, option C is true because it describes the behavior of FortiSwitch when the security profile shown in the exhibit is assigned to all ports. Option A is false because FortiSwitch can authenticate multiple devices connected to the same port using MAC-based or MAB-EAP modes. Option B is false because FortiSwitch will not try to authenticate non-802.1X devices using the device MAC address as the username and password, but rather use MAC authentication bypass (MAB) or EAP pass-through modes. Option D is false because all EAP messages will be terminated on FortiGate, not FortiSwitch, when using 802.1X authentication.

NEW QUESTION # 64

Refer to the exhibit.



Examine the network diagram and packet capture shown in the exhibit

The packet capture was taken between FortiGate and FortiAuthenticator and shows a RADIUS Access- Request packet sent by FortiSwitch to FortiAuthenticator through FortiGate. Why does the User-Name attribute in the RADIUS Access-Request packet contain the client MAC address?

- A. FortiSwitch is authenticating the client using MAC authentication bypass
- B. FortiSwitch is sending a RADIUS accounting message to FortiAuthenticator
- C. The client is performing AD machine authentication
- D. The client is performing user authentication

Answer: A

Explanation:

According to the exhibit, the User-Name attribute in the RADIUS Access-Request packet contains the client MAC address of 00:0c:29:6a:2b:3d. This indicates that FortiSwitch is authenticating the client using MAC authentication bypass (MAB), which is a method of authenticating devices that do not support 802.1X by using their MAC address as the username and password.

Therefore, option B is true because it explains why the User-Name attribute contains the client MAC address. Option A is false because AD machine authentication uses a computer account name and password, not a MAC address. Option C is false because user authentication uses a user name and password, not a MAC address. Option D is false because FortiSwitch is sending a RADIUS Access-Request message to FortiAuthenticator, not a RADIUS accounting message.

NEW QUESTION # 65

Which FortiSwitch VLANs are automatically created on FortiGate when the first FortiSwitch device is discovered?

- A. default quarantine, rspan voice video onboarding and nac_segment
- B. default quarantine rspan voice video and nac_segment
- C. **fortilink, quarantine erspan voice video and onboarding**
- D. access, quarantine, rspan, voice, video, and onboarding

Answer: C

Explanation:

Explanation

According to the FortiGate Administration Guide, "When you add a FortiSwitch device to the Security Fabric, FortiGate

automatically creates the following VLANs on the FortiSwitch device: fortalink, quarantine, erspan, voice, video, and onboarding." Therefore, option D is true because it lists the FortiSwitch VLANs that are automatically created on FortiGate when the first FortiSwitch device is discovered. Option A is false because default and nac_segment are not among the automatically created VLANs. Option B is false because access and rspan are not among the automatically created VLANs. Option C is false because default and nac_segment are not among the automatically created VLANs.

NEW QUESTION # 66

Refer to the exhibit

The exhibit shows the following FortiGate configuration:

- Edit External Connector:** Displays the RADIUS Single Sign-On Agent settings, including the connector name (RSSO Agent), shared secret (*****), and response handling.
- Edit Interface:** Shows port3 configured as a Physical Interface (VRFID 0, Role Undefined). Addressing mode is Manual, with IP/Netmask set to 10.0.1.254/255.255.255.0. Administrative access is configured for HTTPS, HTTP, SSH, and RADIUS Accounting.
- Firewall Policies:** A table showing a policy from port3 to port1. The policy is for Internet to LOCAL, always, ALL, ACCEPT, Enabled, with no-inspection and UTM. The target is all. The policy is labeled "Implicit".

Examine the FortiGate RSSO configuration shown in the exhibit

FortiGate is configured to receive RADIUS accounting messages on port3 to authenticate RSSO users. The users are located behind port3 and the internet link is connected to port1. FortiGate is processing incoming RADIUS accounting messages successfully and RSSO users are getting associated with the RSSO Group user group. However, all the users are able to access the internet, and the administrator wants to restrict internet access to RSSO users only. Which configuration change should the administrator make to fix the problem?

- A. Enable Security Fabric Connection on port3
- B. Change the RADIUS Attribute Value setting to match the name of the RADIUS attribute containing the group membership information of the RSSO users
- C. Create a second firewall policy from port3 to port1 and select the target destination subnets
- D. Add RSSO Group to the firewall policy**

Answer: D

Explanation:

According to the exhibit, the firewall policy from port3 to port1 has no user group specified, which means that it allows all users to access the internet. Therefore, option B is true because adding RSSO Group to the firewall policy will restrict internet access to RSSO users only. Option A is false because changing the RADIUS Attribute Value setting will not affect the firewall policy, but rather the RSSO user group membership. Option C is false because enabling Security Fabric Connection on port3 will not affect the firewall policy, but rather the communication between FortiGate and other Security Fabric devices. Option D is false because creating a second firewall policy from port3 to port1 will not affect the existing firewall policy, but rather create a redundant or conflicting policy.

NEW QUESTION # 67

.....

Constantly updated multiple mock exams with a great number of questions that will help you in better self-assessment. Memorize all your previous Fortinet NSE 7 - LAN Edge 7.0 (NSE7_LED-7.0) exam questions attempts and display all the changes in your results at the end of each Fortinet NSE7_LED-7.0 Practice Exam attempt. Users will be able to customize the NSE7_LED-7.0 practice test software by time or question types. Supported on all Windows-based PCs.

Online NSE7 LED-7.0 Bootcamps: https://www.pass4training.com/NSE7_LED-7.0-pass-exam-training.html

So if you buy our NSE7_LED-7.0 practice questions, you will have a brighter future, Fortinet NSE7_LED-7.0 Upgrade Dumps Each of our Windows products requires a separate license, Fortinet NSE7_LED-7.0 Upgrade Dumps Many preferential activities for you, Fortinet NSE7_LED-7.0 Upgrade Dumps So it is your best helper for your learn.DumpLeader is an excellent site which providing IT certification exam information, Fortinet NSE7_LED-7.0 Upgrade Dumps There are 24/7 customer assisting support you if you have any questions about our products.

Brainstorming sessions across the organization can help to uncover NSE7_LED-7.0 Valid Mock Exam the real issues and their root causes. You have a great idea for a website, but how do you get your products to your customers?

Pass Guaranteed 2025 NSE7_LED-7.0: Fortinet NSE 7 - LAN Edge 7.0 – Trustable Upgrade Dumps

So if you buy our NSE7_LED-7.0 Practice Questions, you will have a brighter future. Each of our Windows products requires a separate license. Many preferential activities for you.

So it is your best helper for your learn.DumpLeader is an excellent site NSE7_LED-7.0 which providing IT certification exam information, There are 24/7 customer assisting support you if you have any questions about our products.

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, 888.8337.net, www.eduenloja.ca, Disposable vapes

BTW, DOWNLOAD part of Pass4training NSE7_LED-7.0 dumps from Cloud Storage: <https://drive.google.com/open?id=1BeK6SzpB8bRgo-YfjwYcsRwD2NGiyaOG>