# Popular NSE8_812 Study Materials Give You Excellent Exam Braindumps - PracticeMaterial

P.S. Free & New NSE8_812 dumps are available on Google Drive shared by PracticeMaterial: https://drive.google.com/open?id=10WID17gKt_OQmJlQlFjvtAAIajGfn8_S

Our Fortinet NSE8_812 real test can bring you the most valid and integrated content to ensure that what you study with is totally in accordance with the real Fortinet NSE8_812 Exam. And we give sincere and suitable after-sales service to all our customers to provide you a 100% success guarantee to pass your exams on your first attempt.

Life is beset with all different obstacles that are not easily overcome. For instance, NSE8_812 exams may be insurmountable barriers for the majority of population. However, with the help of our exam test, exams are no longer problems for you. The reason why our NSE8_812 training materials outweigh other study prep can be attributed to three aspects, namely free renewal in one year, immediate download after payment and simulation for the software version. Now that using our NSE8_812 practice materials have become an irresistible trend, why don't you accept NSE8_812 learning guide with pleasure?

>> **Valid NSE8_812 Exam Questions** <<

NSE8_812 Study Questions - Fortinet NSE 8 - Written Exam (NSE8_812) Guide Torrent & NSE8_812 Exam Torrent

As the talent competition increases in the labor market, it has become an accepted fact that the NSE8_812 certification has become an essential part for a lot of people, especial these people who are looking for a good job, because the certification can help more and more people receive the renewed attention from the leader of many big companies. So it is very important for a lot of people to gain the NSE8_812 certification. We must pay more attention to the certification and try our best to gain the NSE8_812 Certification. First of all, you are bound to choose the best and most suitable study materials for yourself to help you prepare for your exam. Now we would like to introduce the NSE8_812 certification guide from our company to you. We sincerely hope that our study materials will help you through problems in a short time.

Fortinet NSE 8 - Written Exam (NSE8_812) Sample Questions (Q74-Q79):

NEW QUESTION # 74
Refer to the exhibits.

FortiSandbox

FORTINET®

FortiSandbox

FortiSandbox Inspection	⬤ Statistics...	
FortiSandbox type:	Appliance Cloud **Enhanced Cloud**	
Server name/IP:	fortisandboxcloud.com	
	Test Connection	
Notification email:		
Statistics interval:	5 ↕	(minutes)
Scan timeout:	30 ↕	(minutes)
Scan result expires in:	60 ↕	(minutes)

AV Profile

AntiVirus Profile

⊟ FortiSandbox

Scan mode:	Submit and wait for result **Submit only**		
⬤ Attachment analysis			
Malicious/Virus	Action: --Default-- ▼	+ New...	☑ Edit...
High risk	Action: --Default-- ▼	+ New...	☑ Edit...
Medium risk	Action: --Default-- ▼	+ New...	☑ Edit...
Low risk	Action: --Default-- ▼	+ New...	☑ Edit...
No Result	Action: --None-- ▼	+ New...	☑ Edit...
◯ URL analysis			
Malicious/Virus	Action: --Default-- ▼	+ New...	☑ Edit...
High risk	Action: --Default-- ▼	+ New...	☑ Edit...
Medium risk	Action: --Default-- ▼	+ New...	☑ Edit...
Low risk	Action: --Default-- ▼	+ New...	☑ Edit...
No Result	Action: --None-- ▼	+ New...	☑ Edit...

Create Cancel

You must integrate a FortiMail and FortiSandbox Enhanced Cloud solution for a customer who is concerned about the e-mails being delayed for too long.

According to the configuration shown in the exhibits, which would be an expected behavior?

- A. FortiMail will relay valid e-mails to the mail server as soon as it is done with other local inspections.
- B. If an attachment is sent to the FortiSandbox while the job queue is full, the e-mail might be delayed for up to 30 minutes, then e-mail will be relayed to the mail server.
- C. FortiMail will not wait for results but only for attachments that have been already submitted to the FortiSandbox in the last 60 minutes.
- D. FortiMail will ignore the timeout value if content disarm and reconstruction (CDR) is enabled.

**Answer: A**

NEW QUESTION # 75
Refer to the exhibits, which show a firewall policy configuration and a network topology.

Configuration

```
config firewall policy
    edit 1
        set name "DC-1-Traffic-In"
        set srcintf "port1"
        set dstintf "port2"
        set srcaddr "all"
        set dstaddr "DC-1-VIP-GRP"
        set action accept
        set schedule "always"
        set service "ALL"
        set utm-status enable
        set ssl-ssh-profile "DC1-Certs"
        set av-profile "servers"
        set webfilter-profile "servers"
        set logtraffic all
    next
end

config firewall ssl-ssh-profile
    edit "DC1-Certs"
        config https
            set ports 443
            set status deep-inspection
        end
        ...omitted output...
        set server-cert-mode replace
        set server-cert "abc" "efg"
        set supported-alpn http2
    next
end
```

Topology

An administrator has configured an inbound SSL inspection profile on a FortiGate device (FG-1) that is protecting a data center hosting multiple web pages-Given the scenario shown in the exhibits, which certificate will FortiGate use to handle requests to xyz.com?

- A. FortiGate will reject the connection since no certificate is defined.
- B. FortiGate will fall-back to the default Fortinet_CA_SSL certificate.
- C. FortiGate will use the Fortinet_CA_Untrusted certificate for the untrusted connection,
- D. FortiGate will use the first certificate in the server-cert list-the abc.com certificate

Answer: B

Explanation:
When using inbound SSL inspection, FortiGate needs to present a certificate to the client that matches the requested domain name.
If no matching certificate is found in the server-cert list, FortiGate will fall-back to the default Fortinet_CA_SSL certificate, which is self-signed and may trigger a warning on the client browser. References:
https://docs.fortinet.com/document/fortigate/6.4.0/cookbook/103437/inbound-ssl-inspection

NEW QUESTION # 76

Refer to the exhibits.

Troubleshooting Session Output

```
fgt01-branch01 # diag vpn tunnel list
list all ipsec tunnel in vd 0
--------------------------------------------------------------
name=vpn-hub02-1 ver=2 serial=1 10.73.255.67:0->10.73.255.82:0 tun_id=10.73.255.82
tun_id6=::10.73.255.82 dst_mtu=1500 dpd-link=on weight=1
bound_if=7 lgwy=static/1 tun=tunnel/255 mode=auto/1 encap=none/536 options[0218]=npu create
 accept_traffic=1 overlay_id=0
proxyid_num=1 child_num=0 refcnt=4 ilast=0 olast=0 ad=r/2
stat: rxp=1 txp=1500326 rxb=73 txb=273040631
dpd: mode=on-demand on=1 idle=20000ms retry=3 count=0 seqno=0
natt: mode=none draft=0 interval=0 remote_port=0
proxyid=vpn-hub02-1 proto=0 sa=1 ref=27 serial=1 auto-negotiate adr
  src: 0:0.0.0.0/0.0.0.0:0
  dst: 0:0.0.0.0/0.0.0.0:0
  SA:  ref=6 options=1a227 type=00 soft=0 mtu=1438 expire=3844/0B replaywin=2048
       seqno=b1d18 esn=0 replaywin_lastseq=00000000 itn=0 qat=0 hash_search_len=1
  life: type=01 bytes=0/0 timeout=42905/43200
  dec: spi=4da0c1a4 esp=aes key=32 6499048006963561c4c9b9d91e5e22c454446438480484a81e6bed9f9d3742ef
       ah=sha256 key=32 7fb9fce76442ba10b6da88263cd0484d9f5824cc9d5bd268db2cffca1a1d572
  enc: spi=f80065a7 esp=aes key=32 9f2741a4d69cf6a241fe00b7722e1b13045b88457e7bf29ee171779b556c83cf
       ah=sha256 key=32 9e87bf36eca21c4732cf5af4ccdfe7f1dbc19e7e1afe17fe2a77475f2dd2b0fa
  dec:pkts/bytes=0/0, enc:pkts/bytes=1456559/316245764
  npu_flag=03 npu_rgwy=10.73.255.82 npu_lgwy=10.73.255.67 npu_selid=0 dec_npuid=1 enc_npuid=1
```

A customer is trying to restore a VPN connection configured on a FortiGate. Exhibits show output during a troubleshooting session when the VPN was working and the current baseline VPN configuration.

VPN Configuration

```
config vpn ipsec phase1-interface
    edit "vpn-hub02-1"
        set interface "wan1"
        set net-device enable
        set authmethod signature
        set certificate "BR01FGTLOCAL"
        set mode-cfg enable
        set ipv4-start-ip disable
        set dpd disable
        set proposal aes256-sha256
        set add-route disable
        set auto-discovery-receiver enable
        set remote-gw 10.73.255.82
        set peer "vpn-hub02-1_peer"
    next
end
```

Which configuration parameters will restore VPN connectivity based on the diagnostic output?


```
config vpn ipsec phase1-interface
    edit "vpn-hub02-1"
        set ike-version 2
        set dpd on-demand
        set npu-offload enable
    next
end
```

- A.


```
config vpn ipsec phase1-interface
    edit "vpn-hub02-1"
        set ike-version 2
        set net-device disable
        set dpd on-demand
    next
end
```

- B.

C.

```
config vpn ipsec phase1-interface
    edit "vpn-hub02-1"
        set ike-version
        set net-device disable
        set dpd disable
    next
end
```

D.

```
config vpn ipsec phase1-interface
    edit "vpn-hub02-1"
        set ike-version 1
        set npu-offload enable
        set dpd disable
    next
end
```

Answer: D

NEW QUESTION # 77

You must analyze an event that happened at 20:37 UTC. One log relevant to the event is extracted from FortiGate logs:

```
date=2022-07-11 time=10:37:08 eventtime=1657571829014946018 tz="-1000" logid="0000000022"
type="traffic" subtype="forward" level="notice" vd="root" srcip=10.100.91.12 srcport=51542
srcintf="port3" srcintfrole="lan" dstip=8.8.8.8 dstport=53 dstintf="port1" fstintfrole="wan"
srcuuid="2b4ee3fc-0124-51ed-7898-eae1b990b1ec" dstuuid="2b4ee3fc-0124-51ed-7898-eae1b990b1ec"
srccountry="Reserved" dstcountry="United States" sessionid=402530 proto=17 action="accept"
policyid=13 policytype="policy" poluuid="766bb040-0124-51ed-ca3a-eacce4ed289f" policyname="LAN to
Internet" service="DNS" trandisp="snat" transip=10.100.64.101 transport=51542 appid16195 app="DNS"
appcat="Network.Service" apprisk="elevated" applist="default" duration=180 setbyte=45 rcvdbyte=120
sentpkt=1 rcvdpkt=1 srchwvendor="Fortinet" devtype="Router" srcfamily="FortyGate" osname="FortyOS"
mastersrcmac="00:09:0f:00:03:01" srcmac="00:09:0f:00:03:01" srcserver=0
```

The devices and the administrator are all located in different time zones Daylight savings time (DST) is disabled
* The FortiGate is at GMT-1000.
* The FortiAnalyzer is at GMT-0800
* Your browser local time zone is at GMT-03.00
You want to review this log on FortiAnalyzer GUI, what time should you use as a filter?

- A. 17:37:08
- B. 20:37:08
- C. 10:37:08
- D. 12.37:08

Answer: D

Explanation:
https://community.fortinet.com/t5/FortiAnalyzer/Technical-Note-Understanding-FortiAnalyzer-time-related- fields/ta-p/197569

NEW QUESTION # 78

Refer to the exhibit.

You have deployed a security fabric with three FortiGate devices as shown in the exhibit. FGT_2 has the following configuration:

FGT_1 and FGT_3 are configured with the default setting. Which statement is true for the synchronization of fabric-objects?

- A. Objects from the root FortiGate will not be synchronized to any downstream FortiGate.
- B. Objects from the root FortiGate will only be synchronized to FGT__2.
- C. Objects from the FortiGate FGT_2 will be synchronized to the upstream FortiGate.
- D. Objects from the root FortiGate will only be synchronized to FGT_3.

Answer: D

Explanation:
https://docs.fortinet.com/document/fortigate/6.4.0/new-features/520820/improvements-to-synchronizing- objects-across-the-security-fabric-6-4-4

NEW QUESTION # 79

......

Our company abides by the industry norm all the time. By virtue of the help from professional experts, who are conversant with the regular exam questions of our latest real dumps. The Fortinet NSE 8 - Written Exam (NSE8_812) exam dumps have summarized some types of questions in the qualification examination, so that users will not be confused when they take part in the exam, to have no emphatic answers. It can be said that the template of these questions can be completely applied. The user only needs to write out the routine and step points of the NSE8_812 test material, so that we can get good results in the exams.

Latest NSE8_812 Mock Exam: https://www.practicematerial.com/NSE8_812-exam-materials.html

PracticeMaterial Latest NSE8_812 Mock Exam Fortinet Latest NSE8_812 Mock Exam Certifications & Exams Fortinet Latest NSE8_812 Mock Exam is a very popular vendor among IT professionals and certifications are regarded very important by IT organizations as well, Actually, the Latest NSE8_812 Mock Exam - Fortinet NSE 8 - Written Exam (NSE8_812) exam test is indeed difficult, so, I guess you must be seeking for the related resource about Latest NSE8_812 Mock Exam - Fortinet NSE 8 - Written Exam (NSE8_812) exam, To avoid disappointment and failure, purchase NSE8_812 exam preparation material and begin your Fortinet NSE 8 - Written Exam (NSE8_812) (NSE8_812) exam preparation.

After a route has been tagged, the tag value can be acted NSE8_812 on during the redistribution process to control route redistribution, Geoff Love and Michel Jarraud, PracticeMaterialFortinet Certifications & Exams Fortinet is a very popular NSE8_812 Valid Exam Syllabus vendor among IT professionals and certifications are regarded very important by IT organizations as well.

Fortinet NSE8_812 Dumps-Effective Tips To Pass

Actually, the Fortinet NSE 8 - Written Exam (NSE8_812) exam test is indeed difficult, Latest NSE8_812 Mock Exam so, I guess you must be seeking for the related resource about Fortinet NSE 8 - Written Exam (NSE8_812) exam, To avoid disappointment and failure, purchase NSE8_812 Exam Preparation material and begin your Fortinet NSE 8 - Written Exam (NSE8_812) (NSE8_812) exam preparation.

You will be attracted by our test engine for its smooth operation, NSE8_812 test questions also has an automatic scoring function,

giving you an objective rating after you take a mock exam to let you know your true level.

What's more, part of that PracticeMaterial NSE8_812 dumps now are free: https://drive.google.com/open?id=10WID17gKt_OQmJlQlFjvtAAIajGfn8_S