


Real4Prep Oracle 1Z0-084 Desktop Practice Exam



DOWNLOAD the newest Real4Prep 1Z0-084 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1dDEtZ4ZNxPPxYNMks-6O3yFCDSYioS7i>

As we know, Oracle actual test is related to the IT professional knowledge and experience, it is not easy to clear 1Z0-084 practice exam. The difficulty of exam and the lack of time reduce your pass rate. And it will be a great loss for you if you got a bad result in the 1Z0-084 Exam Tests. So it is urgent for you to choose a study appliance, especially for most people participating 1Z0-084 real exam first time.

All exam questions that contained in our 1Z0-084 study engine you should know are written by our professional specialists with three versions to choose from: the PDF, the Software and the APP online. In case there are any changes happened to the 1Z0-084 Exam, the experts keep close eyes on trends of it and compile new updates constantly. It means we will provide the new updates of our 1Z0-084 preparation dumps freely for you later after your payment.

>> New 1Z0-084 Exam Testking <<

Oracle New 1Z0-084 Exam Testking: Oracle Database 19c Performance and Tuning Management - Real4Prep 100% Pass For Sure

We all known that most candidates will worry about the quality of our product, In order to guarantee quality of our 1Z0-084 study materials, all workers of our company are working together, just for a common goal, to produce a high-quality product; it is our 1Z0-084 exam questions. If you purchase our 1Z0-084 Guide Torrent, we can guarantee that we will provide you with quality products, reasonable price and professional after sales service. I think our 1Z0-084 test torrent will be a better choice for you than other study materials.

Oracle Database 19c Performance and Tuning Management Sample Questions (Q39-Q44):

NEW QUESTION # 39

Examine this code block, which executes successfully:
DBMS_SERVER_ALERT.SET_THRESHOLD (

```
DBMS_SERVER_ALERT.CPU_TIME_PER_CALL, DBMS_SERVER_ALERT.OPERATOR_GE, '8000',
DBMS_SERVER_ALERT.OPERATOR_GE, '10000', 1, 2, 'inst1', DBMS_SERVER_ALERT.OBJECT_TYPE_SERVICE,
'main.regress.rdbms.dev.us.example.com');
```

```
DBMS_SERVER_ALERT.SET_THRESHOLD(
DBMS_SERVER_ALERT.CPU_TIME_PER_CALL, DBMS_SERVER_ALERT.OPERATOR_GE, '8000',
DBMS_SERVER_ALERT.OPERATOR_GE, '10000', 1, 2, 'inst1',
DBMS_SERVER_ALERT.OBJECT_TYPE_SERVICE, 'main.regress.rdbms.dev.us.example.com');
```

What will happen?

- A. A critical alert will be issued when CPU time exceeds 10000 microseconds for each user call.
- B. A warning alert will be issued only when CPU time exceeds 10000 microseconds for each user call.
- C. A critical alert will be issued when CPU time exceeds 2 minutes for each user call.
- D. A warning alert will be issued when CPU time exceeds 1 minute for each user call.

Answer: A

Explanation:

In the provided code block, the `DBMS_SERVER_ALERT.SET_THRESHOLD` procedure is used to set alert thresholds for the CPU time per call in Oracle Database. This procedure is a part of Oracle's Database Server Alert system, which monitors various metrics and generates alerts when certain thresholds are exceeded.

The parameters passed to the `SET_THRESHOLD` procedure are as follows:

- * The first parameter `DBMS_SERVER_ALERT.CPU_TIME_PER_CALL` specifies the metric for which the threshold is being set, in this case, the CPU time consumed per database call.
- * The second and third parameters `DBMS_SERVER_ALERT.OPERATOR_GE` and `'8000'` specify the warning threshold level and its value, respectively. However, these are not relevant to the answer as they are overridden by the critical threshold settings.
- * The fourth and fifth parameters `DBMS_SERVER_ALERT.OPERATOR_GE` and `'10000'` set the critical threshold level and its value. This means that a critical alert will be generated when the CPU time per call exceeds 10000 microseconds.
- * The remaining parameters specify the warning and critical alert intervals, the instance name, the object type, and the service name. These are not directly relevant to the behavior described in the options.

Thus, the correct answer is B, as the critical threshold for CPU time per call is set to 10000 microseconds, and the system is configured to issue a critical alert when this threshold is exceeded.

References:

- * Oracle Database 19c documentation on the `DBMS_SERVER_ALERT.SET_THRESHOLD` procedure, which details the parameters and usage of this procedure for setting alert thresholds within Oracle Database monitoring system.
- * Oracle Database Performance Tuning Guide, which provides best practices and methodologies for monitoring and tuning Oracle Database performance, including the use of server alerts and thresholds.

NEW QUESTION # 40

Which two options are part of a Soft Parse operation?

- A. Semantic Check
- B. Shared Pool Memory Allocation
- C. SQL Optimization
- D. Syntax Check
- E. SQL Row Source Generation

Answer: A

Explanation:

During a soft parse, Oracle checks the shared SQL area to see if an incoming SQL statement matches one already in the shared pool. This operation includes syntax and semantic checks. The syntax check ensures the statement is properly formed, and the semantic check confirms that all the objects referenced in the SQL statement exist and that the user has the necessary privileges to access them.

References:

- * Oracle Database Concepts, 19c
- * Oracle Database SQL Tuning Guide, 19c

NEW QUESTION # 41

You need to collect and aggregate statistics for the ACCTG service and PAYROLL module, and execute:

```

BEGIN
  DBMS_MONITOR.SERV_MOD_ACT_STAT_ENABLE (
    service_name => 'ACTG',
    module_name => 'PAYROLL' );
END;

```

Where do you find the output of this command?

- A. By viewing V\$SERVICE_STATS
- **B. By viewing V\$SERV_MOD_ACT_STATS**
- C. In the current working directory
- D. In \$ORACLE_BASE/diag/rdbms/<db unique name>/<instance name>/trace

Answer: B

Explanation:

When you enable statistics gathering for a specific service and module using DBMS_MONITOR.

SERV_MOD_ACT_STAT_ENABLE, the output is aggregated and can be viewed using the V\$SERV_MOD_ACT_STATS dynamic performance view. This view contains the cumulative statistics of database activity broken down by service and module, which is exactly what you collect when executing the provided command.

* B (Incorrect): While many types of trace files are located in the Diagnostic Destination directory (\$ORACLE_BASE/diag), the aggregated statistics for services and modules are not written to trace files but are instead viewable through dynamic performance views.

* C (Incorrect): The V\$SERVICE_STATS view provides service-level statistics but does not provide the combined service/module-level breakdown.

* D (Incorrect): The output of the PL/SQL block is not written to a file in the current working directory; it is stored in the data dictionary and accessible via dynamic performance views.

References:

* Oracle Database PL/SQL Packages and Types Reference: DBMS_MONITOR

* Oracle Database Reference: V\$SERV_MOD_ACT_STATS

NEW QUESTION # 42

Examine this command:

```

BEGIN
  DBMS_WORKLOAD_REPOSITORY.CREATE_BASELINE_TEMPLATE
  (
    day_of_week => 'monday',
    hour_in_day => 17,
    duration => 3,
    expiration => 30,
    start_time => '2021-04-02 17:00:00 PST',
    end_time => '2022-04-04 17:00:00 PST',
    baseline_name_prefix => 'baseline_2021_',
    template_name => 'template_2021',
    dbid => 3310949047
  );
END;
/

```

What is the maximum number of baselines generated by this command that you can have at any given time?

- **A. 0**
- B. 1
- C. 2
- D. 3

Answer: A

Explanation:

The DBMS_WORKLOAD_REPOSITORY.CREATE_BASELINE_TEMPLATE procedure is used to create a repeating

baseline template in the Automatic Workload Repository (AWR). This template will generate baselines for a specified duration of time on a repeating schedule. The parameters of the CREATE_BASELINE_TEMPLATE procedure include the start and end times, as well as the day of the week and hour in the day when the baseline should be captured.

Given that the command specifies a repeating baseline every Monday at 5 PM with a duration of 3 hours and it expires after 30 days, the number of baselines generated by this command that you can have at any given time depends on how many Mondays fall within the most recent 30-day period.

Since the maximum number of Mondays that can occur within any 30-day period is 5 (four to five weeks), but considering the baseline has a duration of 3 hours and starts every Monday at 5 PM, only one baseline for each Monday can exist at a time.

However, since baselines are preserved for 30 days, you could have multiple instances of Monday baselines preserved at a time.

* A (Incorrect): There can be more than one baseline at a time because the template will generate a baseline for every Monday during the 30-day expiration period.

* B (Incorrect): There will be more than three baselines because the template creates a baseline for every Monday within the 30-day expiration period.

* C (Correct): Over a 30-day period, considering the duration of the baselines and their frequency, you could have up to a maximum of 52 baselines if you consider the entire year.

* D (Incorrect): There is no option that restricts the number of baselines to 5 specifically, the answer relies on the calculation of how many baselines can exist over a period of time considering their expiration.

References:

* Oracle Database PL/SQL Packages and Types Reference: DBMS_WORKLOAD_REPOSITORY

NEW QUESTION # 43

Examine this command:

SQL>

```
DBMS_WORKLOAD_REPOSITORY.CREATE_BASELINE_TEMPLATE
(
  day_of_week => 'monday',
  hour_in_day => 17,
  duration => 3,
  expiration => 30,
  start_time => '2021-04-04 17:00:00 PST',
  end_time => '2022-04-04 17:00:00 PST',
  baseline_name_prefix => 'baseline_2021_',
  template_name => 'template_2021',
  dbid => 3310949047
);
```

END;

What is the maximum number of baselines generated by this command that you can have at any given time?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: A

Explanation:

The DBMS_WORKLOAD_REPOSITORY.CREATE_BASELINE_TEMPLATE procedure is used to create a repeating baseline template in the Automatic Workload Repository (AWR). This template will generate baselines for a specified duration of time on a repeating schedule. The parameters of the CREATE_BASELINE_TEMPLATE procedure include the start and end times, as well as the day of the week and hour in the day when the baseline should be captured.

Given that the command specifies a repeating baseline every Monday at 5 PM with a duration of 3 hours and it expires after 30 days, the number of baselines generated by this command that you can have at any given time depends on how many Mondays fall within the most recent 30-day period.

Since the maximum number of Mondays that can occur within any 30-day period is 5 (four to five weeks), but considering the baseline has a duration of 3 hours and starts every Monday at 5 PM, only one baseline for each Monday can exist at a time.

However, since baselines are preserved for 30 days, you could have multiple instances of Monday baselines preserved at a time.

* A (Incorrect): There can be more than one baseline at a time because the template will generate a baseline for every Monday during the 30-day expiration period.

* B (Incorrect): There will be more than three baselines because the template creates a baseline for every Monday within the 30-day

expiration period.

* C (Correct): Over a 30-day period, considering the duration of the baselines and their frequency, you could have up to a maximum of 52 baselines if you consider the entire year.

* D (Incorrect): There is no option that restricts the number of baselines to 5 specifically, the answer relies on the calculation of how many baselines can exist over a period of time considering their expiration.

References:

* Oracle Database PL/SQL Packages and Types Reference: DBMS_WORKLOAD_REPOSITORY

NEW QUESTION # 44

.....

There have been tens of thousands of our loyal customers who chose to buy our 1Z0-084 exam questions and get their certification. These people have already had a good job opportunity and are running on their way to fulfilling their dreams after using 1Z0-084 practice quiz! Want to be like them, you must also act! Time and tide wait for no man. And you can free download the demos of the 1Z0-084 study guide, you can have a try before purchase.

Dumps 1Z0-084 Discount: <https://www.real4prep.com/1Z0-084-exam.html>

And our exam dumps can help you solve any questions of 1Z0-084 exam, So the 1Z0-084 exam becomes more difficult than before, Oracle New 1Z0-084 Exam Testking To obtain the certificate will help you to find a better job, These two versions of our 1Z0-084 practice guide helps you to test your knowledge and over the exam anxiety, Oracle New 1Z0-084 Exam Testking Some students learn all the knowledge of the test.

The private 'ProcessMsg' method is a stub that is used New 1Z0-084 Exam Testking to process a message when it is received, The drivers behind the return of bookmobiles and the rise of financial planning trucks and yes, the bad pun was 1Z0-084 intended) are same as those behind the growth of food trucks and other forms of truck based commerce.

Oracle 1Z0-084 Exam Questions [2025]

And our exam dumps can help you solve any questions of 1Z0-084 exam, So the 1Z0-084 exam becomes more difficult than before, To obtain the certificate will help you to find a better job.

These two versions of our 1Z0-084 practice guide helps you to test your knowledge and over the exam anxiety, Some students learn all the knowledge of the test.

- Latest New 1Z0-084 Exam Testking - Win Your Oracle Certificate with Top Score ☐ Download ➡ 1Z0-084 ☐ for free by simply entering ➡ www.exam4pdf.com ☐ website !!! 1Z0-084 Valid Torrent
- Get Unparalleled New 1Z0-084 Exam Testking and Pass Exam in First Attempt ☐ Search for ☐ 1Z0-084 ☐ and download it for free immediately on ➡ www.pdfvce.com ☐ Instant 1Z0-084 Download
- Practice Oracle 1Z0-084 Exam Questions in Your Preferred Format with www.pass4test.com ♥ ☐ Download “ 1Z0-084 ” for free by simply entering { www.pass4test.com } website ☐ 1Z0-084 Valid Torrent
- Latest New 1Z0-084 Exam Testking - Win Your Oracle Certificate with Top Score ☐ Search for 「 1Z0-084 」 and download it for free on ▶ www.pdfvce.com ◀ website ☐ 1Z0-084 Sample Questions Pdf
- 100% Pass-Rate New 1Z0-084 Exam Testking Help You to Get Acquainted with Real 1Z0-084 Exam Simulation ☐ Copy URL ☀ www.prep4away.com ☀ ☐ open and search for ➡ 1Z0-084 ☐ ☐ to download for free ◀ Actual 1Z0-084 Test Pdf
- 1Z0-084 Valid Torrent ☐ Actual 1Z0-084 Test Pdf ☐ Reliable 1Z0-084 Test Question ☐ Search for [1Z0-084] and easily obtain a free download on (www.pdfvce.com) ☐ New 1Z0-084 Test Pass4sure
- Quiz Professional Oracle - New 1Z0-084 Exam Testking ☐ Search for ✓ 1Z0-084 ☐ ✓ ☐ and easily obtain a free download on ▷ www.pdfdumps.com ◁ ☐ New 1Z0-084 Test Pass4sure
- Practice Oracle 1Z0-084 Exam Questions in Your Preferred Format with Pdfvce ◀ The page for free download of ▷ 1Z0-084 ◁ on ➤ www.pdfvce.com ☐ will open immediately ☐ Reliable 1Z0-084 Dumps Book
- 1Z0-084 New Study Materials ☐ Valid 1Z0-084 Exam Pass4sure ☐ 1Z0-084 Clearer Explanation ☐ Open 「 www.prep4sures.top 」 enter [1Z0-084] and obtain a free download ☐ 1Z0-084 New Study Materials
- New 1Z0-084 Exam Testking: 2025 Oracle Realistic New Oracle Database 19c Performance and Tuning Management Exam Testking Pass Guaranteed Quiz ☐ Search for “ 1Z0-084 ” and download it for free on ➡ www.pdfvce.com ☐ ☐ website ☐ 1Z0-084 Exam Question
- Reliable 1Z0-084 Test Question ☐ Instant 1Z0-084 Download ☐ 1Z0-084 Free Test Questions ☐ Open ☐ www.lead1pass.com ☐ and search for “ 1Z0-084 ” to download exam materials for free ☐ Valid 1Z0-084 Exam Pass4sure
- cou.alnoor.edu.iq, theliteracysphere.com, vanidigitalschool.com, vxlxemito123.blogspot.com, www.fahanacademy.com,

www.stes.tyc.edu.tw, daotao.wisebusiness.edu.vn, www.stes.tyc.edu.tw, adewde.onesmablog.com, tahike9295.ltfblog.com,
Disposable vapes

BTW, DOWNLOAD part of Rea4Prep 1Z0-084 dumps from Cloud Storage: <https://drive.google.com/open?id=1dDEtZ4ZNxPPxYNMks-6O3yFCDSYioS7i>