

Reliable EX200 training materials bring you the best EX200 guide exam: Red Hat Certified System Administrator - RHCSA



Übrigens, Sie können die vollständige Version der ExamFragen EX200 Prüfungsfragen aus dem Cloud-Speicher herunterladen:
<https://drive.google.com/open?id=1VfXqbSOoWxObD3dWUs2YU3VVYQKDQQrv>

In Bezug auf die RedHat EX200 Zertifizierungsprüfung ist die Zuverlässigkeit nicht zu ignorieren. Die Schulungsmaterialien zur EX200 Zertifizierungsprüfung von ExamFragen werden besonders entworfen, um Ihre Effizienz zu erhöhen. Unsere Website hat weltweit die höchste Erfolgsquote.

Es gibt viele Methoden, die RedHat EX200 Zertifizierungsprüfung zu bestehen. Einerseits kann man viel Zeit und Energie auf die RedHat EX200 Zertifizierungsprüfung aufwenden, um die Fachkenntnisse zu konsolidieren. Andererseits kann man mit weniger Zeit und Geld die zielgerichteten RedHat EX200 Prüfungsfragen von ExamFragen benutzen.

>> EX200 Fragen&Antworten <<

Die anspruchsvolle EX200 echte Prüfungsfragen von uns garantiert Ihre bessere Berufsaussichten!

Die RedHat EX200 Zertifizierungsprüfung zu bestehen ist nicht einfach. Die richtige Ausbildung zu wählen ist der erste Schritt zu Ihrem Erfolg. Und eine zuverlässige Informationsquelle zu wählen ist die Garantie für den Erfolg. ExamFragen hat gute und zuverlässige Informationsquellen. Wenn Sie Produkte von ExamFragen wählen, versprechen wir Ihnen nicht nur, die RedHat EX200 Zertifizierungsprüfung 100% zu bestehen, sondern Ihnen auch einen einjährigen kostenlosen Update-Service zu bieten.

RedHat Red Hat Certified System Administrator - RHCSA EX200 Prüfungsfragen mit Lösungen (Q83-Q88):

83. Frage
SIMULATION

Make a swap partition having 100MB. Make Automatically Usable at System Boot Time.

Antwort:

Begründung:

See explanation below.

Explanation/Reference:

Explanation:

Use fdisk /dev/hda ->To create new partition.

Type n-> For New partition

It will ask for Logical or Primary Partitions. Press l for logical.

It will ask for the Starting Cylinder: Use the Default by pressing Enter Key.

Type the Size: +100M ->You can Specify either Last cylinder of Size here.

Press P to verify the partitions lists and remember the partitions name. Default System ID is 83 that means Linux Native.

Type t to change the System ID of partition.

Type Partition Number

Type 82 that means Linux Swap.

Press w to write on partitions table.

Either Reboot or use partprobe command.

mkswap /dev/hda? ->To create Swap File system on partition.

swapon /dev/hda? ->To enable the Swap space from partition.

free -m->Verify Either Swap is enabled or not.

vi /etc/fstab/dev/hda? swap swap defaults 0 0

Reboot the System and verify that swap is automatically enabled or not.

84. Frage

Add user: user1, set uid=601

Password: redhat

The user's login shell should be non-interactive.

Antwort:

Begründung:

Answer see in the explanation.

Explanation/Reference:

```
# useradd -u 601 -s /sbin/nologin user1
```

```
# passwd user1
```

```
redhat
```

85. Frage

Binding to an external validation server.

System server.domain11.example.com provides a LDAP validation service, your system should bind to this service as required:

Base DN of validation service is dc=example,dc=com

LDAP

is used for providing account information and validation information Connecting and using the certification of

http://server.domain11.example.com/pub/EXAMPLE-CA-CERT to encrypt

After the correct configuration, ldapuser1 can log into your system, it does not have HOME directory until you finish autofs questions, ldapuser1 password is password.

Antwort:

Begründung:

see explanation below.

Explanation

yum -y install sssd authconfig-gtk krb5-workstation authconfig-gtk // open the graphical interface Modify user account database to

ldap, fill up DN and LDAP SERVER as questions required, use TLS to encrypt connections making tick, write

http://server.domain11.example.com/pub/EXAMPLE-CA-CERT to download ca, authentication method choose ldap password.

You can test if the ldapuser is added by the following command:

```
Id ldapuser1
```

Note: user password doesn't need to set

86. Frage

Part 1 (on Node1 Server)

Task 13 [Archiving and Transferring Files & SELinux]

Create a backup file named /root/backup.tar.bz2. The backup file should contain the content of /usr/local and should be zipped with bzip2 compression format.

Furthermore, ensure SELinux is in enforcing mode. If it is not, change SELinux to enforcing mode.

Antwort:

Begründung:

```
* [root@node1 ~]# tar cvf /root/backup.tar /usr/local/
tar: Removing leading '/' from member names
/usr/local/
/usr/local/bin/
/usr/local/etc/
[root@node1 ~]# ls
backup.tar
[root@node1 ~]# file backup.tar
backup.tar: POSIX tar archive (GNU)
[root@node1 ~]# bzip2 backup.tar
[root@node1 ~]# ls
backup.tar.bz2
[root@node1 ~]# file backup.tar.bz2
backup.tar.bz2: bzip2 compressed data, block size = 900k
*
[root@node1 ~]# sestatus
SELinux status: enabled
[root@node1 ~]# cat /etc/selinux/config
SELINUX=enforcing
SELINUXTYPE=targeted
[root@node1 ~]# reboot
### For Checking ###
[root@node1 ~]# sestatus
SELinux status: enabled
```

87. Frage

SIMULATION

Configure your NFS services. Share the directory by the NFS Shared services.

Antwort:

Begründung:

See explanation below.

Explanation/Reference:

Explanation: /etc/init.d/rpcbind start

/etc/init.d/nfslock start

/etc/init.d/nfs start

chkconfig rpcbind on

chkconfig nfslock on

chkconfig nfs on

showmount -e localhost

88. Frage

.....

Laden Sie die neuesten ExamFragen EX200 PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:

<https://drive.google.com/open?id=1VfXqbSOoWxObD3dWUs2YU3VVYQKDQQrv>