

Salesforce Salesforce-MuleSoft-Developer-I試験の認証資格は一層重要になった



BONUS!!! Pass4Test Salesforce-MuleSoft-Developer-Iダンプの一部を無料でダウンロード：<https://drive.google.com/open?id=1UzGsYnSHpJZ7uEBaqSK7EmCUNAkqB9yO>

社会の発展と相対的な法律と規制の完成により、私たちのキャリア分野でのSalesforce-MuleSoft-Developer-I証明書は、私たちの国にとって必要になります。Salesforce-MuleSoft-Developer-Iに合格して証明書を取得することが、あなたの立場を変えて目標を達成するための最も迅速で直接的な方法かもしれません。そして、Salesforce-MuleSoft-Developer-I試験に合格するためのお手伝いをいたします。このキャリアで最も本物のブランドと見なされているプロの専門家は、お客様に最新の有効なSalesforce-MuleSoft-Developer-I試験シミュレーションを提供するために絶え間ない努力を行っています

Salesforce Salesforce-MuleSoft-Developer-I 認定試験の出題範囲：

トピック	出題範囲
トピック 1	Processing Records: Processing records includes methods for processing individual records in a collection and explaining how Mule events are processed by the For Each scope. It also involves using the Batch Job with Batch Steps and a Batch Aggregator.
トピック 2	Structuring Mule Applications: Structuring Mule applications covers parameterizing an application and defining and reusing global configurations. It includes breaking an application into multiple flows using private flows, subflows, and the Flow Reference component.
トピック 3	Accessing and Modifying Mule Events: It describes the Mule event data structure. Moreover, the topic focuses on usage of transformers and enriching Mule events.
トピック 4	Transforming Data with DataWeave: It involves writing DataWeave scripts and using DataWeave functions. This topic also includes defining and using DataWeave variables, functions, and modules, and applying correct syntax.
トピック 5	Designing APIs: Designing APIs involves describing the lifecycle of the modern API and using RAML to define various aspects of an API. It includes identifying when to use query parameters vs URI parameters, and defining API parameters.
トピック 6	Deploying and Managing APIs and Integrations: It includes packaging Mule applications for deployment and deploying them to CloudHub. This topic also involves using CloudHub properties, creating and deploying API proxies, connecting an API implementation to API Manager, and applying policies to secure an API.

- Debugging and Troubleshooting Mule Applications: Using breakpoints to inspect a Mule event during runtime, installing missing Maven dependencies, and reading and deciphering Mule log error messages are sub-topics of this topic.

>> Salesforce-MuleSoft-Developer-I トレーニング 費用 <<

完璧Salesforce Salesforce-MuleSoft-Developer-I | 一番優秀なSalesforce-MuleSoft-Developer-I トレーニング 費用試験 | 試験の準備方法Salesforce Certified MuleSoft Developer (Mule-Dev-201)日本語版対応参考書

Salesforce-MuleSoft-Developer-I試験問題のさまざまなバージョンを知りたい場合があります。まず、PDFバージョンは読みやすく、印刷しやすいです。次に、ソフトウェアバージョンは実際のSalesforce-MuleSoft-Developer-I実際のテストガイドをシミュレートしますが、Windowsオペレーティングシステムでのみ実行できます。第三に、オンライン版はあらゆる電子機器をサポートし、オフライン使用もサポートします。初めて、オンライン環境でSalesforce-MuleSoft-Developer-I試験問題を開く必要があり、それをオフラインで使用できます。全体として、受験者が試験に合格するのを支援することが常に求められています。Salesforce-MuleSoft-Developer-I実際のテストガイドが最適です。

Salesforce Certified MuleSoft Developer (Mule-Dev-201) 認定 Salesforce-MuleSoft-Developer-I 試験問題 (Q109-Q114):

質問 # 109

Refer to the exhibits. The main flow contains an HTTP Request in the middle of the flow. The HTTP Listeners and HTTP Request use default configurations.

A web client submits a request to the main flow's HTTP Listener that includes query parameters for the pedigree of the piano. What values are accessible to the Logger component at the end of the main flow?



- A. payload
- B. payload
producer var
- C. payload
pedigree query params producer var
- D. payload
pedigree query params

正解: B


解説:

In this case as outbound call is made using HTTP: POST /child , all attributes will be replaced by this invocation. Hence query

parameter will not be accessible at logger. Hence correct answer is option 2

質問 # 110

Refer to the exhibit.



What expression correctly specifies input parameters to pass the city and state values to the SQL query?

- A.

```
{
  city: "San Francisco"
  state: "CA"
}
```
- B.

```
{
  inputParams: {
    city: "San Francisco",
    state: "CA"
  }
}
```
- C.

```
{
  inputParams: [
    "San Francisco",
    "CA"
  ]
}
```
- D.

```
{
  [
    "San Francisco",
    "CA"
  ]
}
```


正解: A

解説:

MuleSoft Documentation Reference : <https://docs.mulesoft.com/db-connector/1.9/database-connector-select>

質問 # 111

Refer to the exhibits.



A

web client submits a request to `http://localhost:8081 /flights`. What is the result at the end of the flow?


- A. "string"
- B. "XML"
- C. "object"
- D. "Java"

正解: A

質問 # 112

Refer to the exhibits The Mule application does NOT define any global error handlers.

A web client sends a POST request to the Multi application with this input payload The File Write operation throws a FILECONNECTIVITY error What response message is returned to the web client?



- A. "OTHER ERROR"
- B. "ORDER NOT_CREATED"
- C. "FILECONNECTIVITY"
- D. "File written"

正解: B

質問 # 113

What module and operation will throw an error if a Mule events payload is not number ?

- A. Validation modules Is not Number operation
- B. Validation modules Is Number operation
- C. None of these
- D. Filter modules Is Number operation

正解: B

解説:

Correct answer is Validation modules Is Number operation.

Mule 4 does not use filters anymore. The functionality provided by filters in Mule 3 can be achieved by using the Validation Module.

質問 # 114

.....

従来の見解では、練習資料は、実際の試験に現れる有用な知識を蓄積するために、それらに多くの時間を割く必要があります。Pass4Testただし、Salesforce Certified MuleSoft Developer (Mule-Dev-201)の学習に関する質問はSalesforceその方法ではありません。以前のSalesforce-MuleSoft-Developer-I試験受験者のデータによると、合格率

ちなみに、Pass4Test Salesforce-MuleSoft-Developer-Iの一部をクラウドストレージからダウンロードできます：<https://drive.google.com/open?id=1UzGsYnSHpJZ7uEBaqSK7EmCUNAKgB9vO>