

# Test Fortinet FCSS\_SDW\_AR-7.4 Dumps.zip | Study FCSS\_SDW\_AR-7.4 Tool

Priority Rule

Name

Status

Enabled

Disabled

Source

Address

+

User group

+

Destination

Address

+

Internet service

+

Outgoing Interfaces

If you want to know more about our test preparations materials, you should explore the related FCSS\_SDW\_AR-7.4 exam Page. You may go over our FCSS\_SDW\_AR-7.4 brain dumps product formats and choose the one that suits you best. You can also avail of the free demo so that you will have an idea how convenient and effective our FCSS\_SDW\_AR-7.4 exam dumps are for FCSS\_SDW\_AR-7.4 certification. With CramPDF, you will not only get a single set of PDF dumps for FCSS\_SDW\_AR-7.4 Exams but also a simulate software for real exams. Rather we offer a wide selection of braindumps for all other exams under the FCSS\_SDW\_AR-7.4 certification. This ensures that you will cover more topics thus increasing your chances of success. With the multiple learning modes in FCSS\_SDW\_AR-7.4 practice exam software, you will surely find your pace and find your way to success.

Allowing for there is a steady and growing demand for our FCSS\_SDW\_AR-7.4 real exam with high quality at moderate prices, we never stop the pace of doing better. All newly supplementary updates of our FCSS\_SDW\_AR-7.4 exam questions will be sent to your mailbox one year long. And we shall appreciate it if you choose any version of our FCSS\_SDW\_AR-7.4 practice materials for exam and related tests in the future.

>> Test Fortinet FCSS\_SDW\_AR-7.4 Dumps.zip <<

## 2025 FCSS\_SDW\_AR-7.4 – 100% Free Test Dumps.zip | Authoritative Study FCSS\_SDW\_AR-7.4 Tool

The Fortinet FCSS\_SDW\_AR-7.4 dumps pdf formats are specially created for candidates having less time and a vast syllabus to cover. It has various crucial features that you will find necessary for your FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam preparation. Each FCSS\_SDW\_AR-7.4 practice test questions format supports a different kind of study tempo and you will find each Fortinet FCSS\_SDW\_AR-7.4 Exam Dumps format useful in various ways. For customer satisfaction, CramPDF has also designed a FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) demo version so the candidate can assure the reliability of the Fortinet PDF Dumps.

### Fortinet FCSS\_SDW\_AR-7.4 Exam Syllabus Topics:

Topic	Details

Topic 1	<ul style="list-style-type: none"> <li>SD-WAN Troubleshooting: This part assesses the troubleshooting skills of network support specialists. Candidates should be able to diagnose and resolve issues related to SD-WAN rules, session behaviors, routing inconsistencies, and ADVPN connectivity problems to maintain seamless network operations.</li> </ul>
Topic 2	<ul style="list-style-type: none"> <li>SD-WAN Configuration: This section of the exam measures the skills of network engineers and covers configuring a basic SD-WAN setup. Candidates are expected to demonstrate their ability to define SD-WAN members and zones effectively, ensuring foundational network segmentation and management.</li> </ul>
Topic 3	<ul style="list-style-type: none"> <li>Advanced IPsec: Intended for security engineers, this section covers the deployment of advanced IPsec topologies for SD-WAN, including hub-and-spoke models, ADVPN configurations, and complex multi-hub or multi-region deployments. Candidates need to demonstrate expertise in securing wide-area networks using IPsec technologies.</li> </ul>

## Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q51-Q56):

### NEW QUESTION # 51

Exhibit.

```

SD-WAN rules status and configuration

branch1_fgt # diagnose sys adwan service4 3

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(43), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor(packet loss), link-cost-threshold(0), health-check(HUB1_HC)
Members(3):
1: Seq_num(4 HUB1-VPN1 HUB1), alive, packet loss: 2.000%, selected
2: Seq_num(5 HUB1-VPN2 HUB1), alive, packet loss: 4.000%, selected
3: Seq_num(6 HUB1-VPN3 HUB1), alive, packet loss: 12.000%, selected
Src address(1):
10.0.1.0-10.0.1.255
Dst address(1):
10.0.0.0-10.255.255.255

branch1_fgt (service) # show
config service
edit 3
set name "Corp"
set mode priority
set dst "Corp-net"
set src "LAN-net"
set health-check "HUB1_HC"
set link-cost-factor packet-loss
set link-cost-threshold 0
set priority-members 6 4 5
next

```

Refer to the exhibit, which shows the SD-WAN rule status and configuration.

Based on the exhibit, which change in the measured packet loss will make HUB1-VPN3 the new preferred member?

- A. When HUB1-VPN3 has 4% packet loss
- B. When all three members have the same packet loss
- C. When HUB1-VPN1 has 4% packet loss
- D. When HUB1-VPN1 has 12% packet loss

Answer: B

### NEW QUESTION # 52

Which three characteristics apply to provisioning templates available on FortiManager? (Choose three.)

- A. A template group can include a system template and an SD-WAN template.
- B. A CLI template can be of type CLI script or Perl script.
- C. Each template group can contain up to three IPsec tunnel templates.
- D. CLI templates are applied in order, from top to bottom
- E. A CLI template group can contain CLI templates of both types.

Answer: A,D,E

Explanation:

The provisioning templates in FortiManager are designed for flexible, scalable configuration of large SD-WAN deployments. The official documentation explains:

"Template groups can consist of both system and SD-WAN templates, providing a way to apply consistent settings across multiple devices. CLI templates are evaluated and executed in order from top to bottom within the template group, which is crucial for managing dependencies. Furthermore, CLI template groups can contain both regular CLI templates and advanced (Perl-script-based) templates, allowing complex or conditional configuration logic." This modular design streamlines large deployments by separating system, SD-WAN, and CLI logic into reusable building blocks.

References:

[FCSS\_SDW\_AR-7.4 1-0.docx Q17]

FortiManager Administration Guide 7.4, "Template Groups and CLI Template Processing"

#### NEW QUESTION # 53

Which statement describes FortiGate behavior when you reference a zone in a static route?

- A. FortiGate ignores the static routes defined through members referenced in the zone.
- B. FortiGate routes the traffic through the best performing member of the zone.
- **C. FortiGate installs a static route for each member in the zone.**
- D. FortiGate installs ECMP static routes for the first two members of the zone.

**Answer: C**

#### NEW QUESTION # 54

Which statement describes FortiGate behavior when you reference a zone in a static route?

- A. FortiGate ignores the static routes defined through members referenced in the zone.
- B. FortiGate routes the traffic through the best performing member of the zone.
- **C. FortiGate installs a static route for each member in the zone.**
- D. FortiGate installs ECMP static routes for the first two members of the zone.

**Answer: C**

Explanation:

When you reference a zone in a static route, FortiGate automatically installs a separate static route for each interface (member) in that zone.

#### NEW QUESTION # 55

Refer to the exhibits.

### Global System configuration

```
config system global
    set snat-route-change enable
end
```

### Interface port2 configuration

```
config system interface
    [...]
    edit "port2"
        set vdom "root"
        set mode dhcp
        set allowaccess ping
        set type physical
        set snmp-index 2
    next
    [...]
```

### Routing Table on FortiGate

```
branch1_fgt # get router info routing-table all
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
* - candidate default
```

```
Routing table for VRF=0
S*    0.0.0.0/0 [1/0] via 192.2.0.2, port2, [1/0]
      [1/0] via 192.2.0.10, port1 [10/0]
...
```

The exhibits show the source NAT (SNAT) global setting, port2 interface settings, and the routing table on FortiGate.

The administrator increases the member priority on port2 to 20.

Upon configuration changes and the receipt of new packets, which two actions does FortiGate perform on existing sessions established over port2? (Choose two.)

- A. FortiGate continues routing all existing sessions over port2.
- **B. FortiGate flags the sessions as dirty.**
- C. FortiGate flags the SNAT session as dirty only if the administrator has assigned an IP pool to the firewall policies with NAT.
- **D. FortiGate updates the gateway information of the sessions with SNAT so that they use port1 instead of port2.**
- E. FortiGate routes only new sessions over port2.

**Answer: B,D**

Explanation:

When the member priority of a port is increased (e.g., port2 to 20), FortiGate evaluates existing sessions and applies "dirty" flags where applicable. The SD-WAN session management mechanism is described in detail:

"Upon a change in SD-WAN member priority, all existing sessions using that member are marked as dirty.

For SNAT sessions, the gateway information is updated to ensure future packets are routed through the newly preferred member, in this case, port1. This automatic re-evaluation allows SD-WAN to dynamically respond to topology or priority changes, maintaining optimal routing." This is fundamental to seamless failover and session persistence in Fortinet SD-WAN, ensuring active flows are redirected based on updated priorities or health status.

References:

[FCSS\_SDW\_AR-7.4 1-0.docx Q13]

FortiOS 7.4 SD-WAN Concept Guide, "Session Management During Path Change" FortiGate CLI Reference: diagnose sys session list

**NEW QUESTION # 56**

.....

[illegible]