

Valid Braindumps Fortinet NSE7_EFW-7.2 Free, NSE7_EFW-7.2 Test Assessment



BTW, DOWNLOAD part of ValidDumps NSE7_EFW-7.2 dumps from Cloud Storage: <https://drive.google.com/open?id=1WftPg8dxBCflmrLoT2eAHW2uUvZ6o8DF>

You can use NSE7_EFW-7.2 guide materials through a variety of electronic devices. At home, you can use the computer and outside you can also use the phone. Now that more people are using mobile phones to learn our NSE7_EFW-7.2 study guide, you can also choose the one you like. We have three versions of our NSE7_EFW-7.2 Exam Braindumps: the PDF, the Software and the APP online. And you can free download the demo s to check it out.

Fortinet NSE7_EFW-7.2 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• VPN: Implementing IPsec VPN IKE version 2 is discussed in this topic. Additionally, it delves into implementing auto-discovery VPN (ADVPN) to enable on-demand VPN tunnels between sites.
Topic 2	<ul style="list-style-type: none">• Security profiles: Using FortiManager as a local FortiGuard server is discussed in this topic. Moreover, it delves into configuring web filtering, application control, and the intrusion prevention system (IPS) in an enterprise network.
Topic 3	<ul style="list-style-type: none">• Central management: The topic of Central management covers implementing central management.
Topic 4	<ul style="list-style-type: none">• Routing: It covers implementing OSPF to route enterprise traffic and Border Gateway Protocol (BGP) to route enterprise traffic.
Topic 5	<ul style="list-style-type: none">• System configuration: This topic discusses Fortinet Security Fabric and hardware acceleration. Furthermore, it delves into configuring various operation modes for an HA cluster.

NSE7_EFW-7.2 Test Assessment, NSE7_EFW-7.2 Pdf Torrent

Nowadays, everyone lives so busy every day, and we believe that you are no exception. If you want to save your time, it will be the best choice for you to buy our NSE7_EFW-7.2 study torrent. Because the greatest advantage of our study materials is the high effectiveness. As a powerful tool for a lot of workers to walk forward a higher self-improvement, ValidDumps continue to pursue our passion for advanced performance and human-centric technology. We aimed to help some candidates who have trouble in pass their NSE7_EFW-7.2 Exam and only need few hours can grasp all content of the exam. In recent years, our test torrent has been well received and have reached 99% pass rate with all our dedication.

Fortinet NSE 7 - Enterprise Firewall 7.2 Sample Questions (Q54-Q59):

NEW QUESTION # 54

Exhibit.



Refer to the exhibit, which contains the partial interface configuration of two FortiGate devices.

Which two conclusions can you draw from this configuration? (Choose two)

- A. On failover new primary device uses the same MAC address as the old primary
- B. The VRRP domain uses the physical MAC address of the primary FortiGate
- C. By default FortiGate B is the primary virtual router
- D. 10.1.5.254 is the default gateway of the internal network

Answer: A,D

Explanation:

The Virtual Router Redundancy Protocol (VRRP) configuration in the exhibit indicates that 10.1.5.254 is set as the virtual IP (VRIP), commonly serving as the default gateway for the internal network (A). With vrrp- virtual-mac enabled, both FortiGates would use the same virtual MAC address, ensuring a seamless transition during failover (B). The VRRP domain does not use the physical MAC address (C), and the priority settings indicate that FortiGate-A would be the primary router by default due to its higher priority (D).

NEW QUESTION # 55

Refer to the exhibit, which contains a partial BGP combination.

```

config router bgp
  set as 65200
  set router-id 172.16.1.254
  config neighbor
    edit 100.64.1.254
      set remote-as 65100
    next
  end
end

```

You want to configure a loopback as the OGP source.

Which two parameters must you set in the BGP configuration? (Choose two)

- A. ebgp-enforce-multihop
- B. recursive-next-hop
- C. update-source
- D. ibgp-enforce-multihop

Answer: A,C

Explanation:

To configure a loopback as the BGP source, you need to set the "ebgp-enforce-multihop" and "update-source" parameters in the BGP configuration. The "ebgp-enforce-multihop" allows EBGP connections to neighbor routers that are not directly connected, while "update-source" specifies the IP address that should be used for the BGP session.

NEW QUESTION # 56

Refer to the exhibit, which shows the output of diagnose sys session list.

```

# diagnose sys session list
session info: proto=6 proto_state=01 duration=73 expire=3597 timeout=3600
flags=00000000 sockflag=00000000 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan eos=0/255
state=may_dirty synced none app_ntf
statistic(bytes/packets/allow_err): org=822/11/1 reply=9037/15/1 tuples=2
origin->sink: org pre->post, reply pre->post dev=4->2/2->4
gw=100.64.1.254/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:65464->54.192.15.182:80(100.64.1.1:65464)
hook=pre dir=reply act=dnat 54.192.15.182:80->100.64.1.1:65464(10.0.1.10:65464)
pos/(before,after) 0/(0,0), 0/(0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000098 tos=ff/ff ips_view=0 app_list=0 app=0
dd_type=0 dd_mode=0

```

If the HA ID for the primary device is 0, what will happen if the primary fails and the secondary becomes the primary?

- A. The session state will be preserved but the kernel will need to re-evaluate the session due to NAT being applied.
- B. The secondary device has this session synchronized; however, because application control is applied, the session will be marked dirty and have to be re-evaluated after failover.
- C. The session will be removed from the session table of the secondary device due to the presence of allowed error packets, which will force the client to restart the session with the server.
- D. Traffic for this session continues to be permitted on the new primary device after failover, without requiring the client to restart the session with the server.

Answer: D

Explanation:

<https://community.fortinet.com/t5/FortiGate/Technical-Note-How-to-see-if-a-session-is-synced-in-HA/ta-p/194185>

NEW QUESTION # 57

Which two statements about metadata variables are true? (Choose two.)

- A. They can be used as variables in scripts
- B. The metadata format is \$<metadata_variable_name>.
- C. You create them on FortiGate
- D. They apply only to non-firewall objects.

Answer: A,C

Explanation:

Metadata variables in FortiGate are created to store metadata associated with different FortiGate features.

These variables can be used in various configurations and scripts to dynamically replace the variable with its actual value during processing. A: You create metadata variables on FortiGate. They are used to store metadata for FortiGate features and can be called upon in different configurations. D: They can be used as variables in scripts. Metadata variables are utilized within the scripts to dynamically insert values as per the context when the script runs.

Fortinet FortiOS Handbook: CLI Reference

NEW QUESTION # 58

Refer to the exhibit.



```
config system global
    set admin-https-pki-required disable
    set av-failopen pass
    set check-protocol-header loose
    set memory-use-threshold-extreme 95
    set strict-dirty-session-check enable
    ...
end
```

which contains a partial configuration of the global system. What can you conclude from this output?

- A. Only NPs are disabled
- B. NPs and CPs are disabled
- C. NPs and CPs are enabled
- D. Only CPs are disabled

Answer: B

Explanation:

The configuration output shows various global settings for a FortiGate device. The terms NP (Network Processor) and CP (Content Processor) relate to FortiGate's hardware acceleration features. However, the provided configuration output does not directly mention the status (enabled or disabled) of NPs and CPs.

Typically, the command to disable or enable hardware acceleration features would specifically mention NP or CP in the command syntax. Therefore, based on the output provided, we cannot conclusively determine the status of NPs and CPs, hence option D is the closest answer since the output does not confirm that they are enabled.

References:

* FortiOS Handbook - CLI Reference for FortiOS 5.2

NEW QUESTION # 59

.....

With the NSE7_EFW-7.2 certification exam you can climb up the corporate ladder faster and achieve your professional career objectives. Do you plan to enroll in the Fortinet NSE7_EFW-7.2 certification exam? Looking for a simple and quick way to crack the NSE7_EFW-7.2 test? If your answer is yes then you need to start Fortinet NSE7_EFW-7.2 Test Preparation with Fortinet NSE7_EFW-7.2 PDF Questions and practice tests. With the ValidDumps Fortinet NSE 7 - Enterprise Firewall 7.2 NSE7_EFW-7.2 practice test questions you can prepare yourself shortly for the final Fortinet NSE7_EFW-7.2 exam.

NSE7_EFW-7.2 Test Assessment: https://www.validdumps.top/NSE7_EFW-7.2-exam-torrent.html

- NSE7_EFW-7.2 Exam Guide ☐ NSE7_EFW-7.2 Exam Guide ☐ Latest NSE7_EFW-7.2 Training ☐ Download ➡ NSE7_EFW-7.2 ☐ for free by simply entering ▷ www.getvalidtest.com ◁ website ☐ NSE7_EFW-7.2 Pass4sure
- NSE7_EFW-7.2 Dump Check ☐ Interactive NSE7_EFW-7.2 EBook ☐ Vce NSE7_EFW-7.2 File ☐ Download ☐ NSE7_EFW-7.2 ☐ for free by simply searching on “www.pdfvce.com” ☐ NSE7_EFW-7.2 Exam Guide
- NSE7_EFW-7.2 Reliable Test Duration ☂ Latest NSE7_EFW-7.2 Training ☐ NSE7_EFW-7.2 Passed ☐ Copy URL 《 www.itcerttest.com 》 open and search for 《 NSE7_EFW-7.2 》 to download for free ☐ NSE7_EFW-7.2 Dump Check
- Hottest NSE7_EFW-7.2 Certification ☐ NSE7_EFW-7.2 Test Dumps Pdf ☐ NSE7_EFW-7.2 Reliable Test Notes ☐ ☐ Copy URL 【 www.pdfvce.com 】 open and search for ➡ NSE7_EFW-7.2 ☐ to download for free ☐ ☐ NSE7_EFW-7.2 Pass4sure
- 100% Pass Fortinet - Valid Valid Braindumps NSE7_EFW-7.2 Free ☐ Open website { www.testkingpdf.com } and search for (NSE7_EFW-7.2) for free download ☐ Hottest NSE7_EFW-7.2 Certification
- 2025 Valid Braindumps NSE7_EFW-7.2 Free | Accurate 100% Free Fortinet NSE 7 - Enterprise Firewall 7.2 Test Assessment ☐ Open website ☐ www.pdfvce.com ☐ and search for ▷ NSE7_EFW-7.2 ◁ for free download ☐ Vce NSE7_EFW-7.2 File
- 100% Pass Fortinet - Valid Valid Braindumps NSE7_EFW-7.2 Free ☐ Easily obtain free download of (NSE7_EFW-7.2) by searching on { www.testsdumps.com } ☐ NSE7_EFW-7.2 Exam Guide
- TOP Valid Braindumps NSE7_EFW-7.2 Free 100% Pass | The Best Fortinet Fortinet NSE 7 - Enterprise Firewall 7.2 Test Assessment Pass for sure ☐ Download ☐ NSE7_EFW-7.2 ☐ for free by simply searching on 「 www.pdfvce.com 」 ☐ NSE7_EFW-7.2 Reliable Test Duration
- Free PDF Quiz 2025 Fantastic Fortinet NSE7_EFW-7.2: Valid Braindumps Fortinet NSE 7 - Enterprise Firewall 7.2 Free ☐ Open website ➡ www.pdfdumps.com ☐ ☐ and search for ► NSE7_EFW-7.2 ◀ for free download ☐ Latest NSE7_EFW-7.2 Training
- Prepare for the Fortinet Exam on the Go with NSE7_EFW-7.2 PDF Dumps ☐ Open website ➡ www.pdfvce.com ☐ and search for ➡ NSE7_EFW-7.2 ☐ for free download ☐ Study NSE7_EFW-7.2 Demo
- Fortinet Valid Braindumps NSE7_EFW-7.2 Free | High Pass-Rate NSE7_EFW-7.2 Test Assessment: Fortinet NSE 7 - Enterprise Firewall 7.2 ☐ Easily obtain (NSE7_EFW-7.2) for free download through ➡ www.prep4away.com ☐ ☐ NSE7_EFW-7.2 Valid Exam Fee
- abalearningcentre.com.hk, pct.edu.pk, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, aselebelateefatacademy.com, rickwal443.pages10.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, m871v.com, artofmanmaking.com, Disposable vapes

BTW, DOWNLOAD part of ValidDumps NSE7_EFW-7.2 dumps from Cloud Storage: <https://drive.google.com/open?id=1WftPg8dxBCflmrLoT2eAHW2uUvZ6o8DF>