

VMware 3V0-41.22 Exam Simulator & New 3V0-41.22 Exam Format



DOWNLOAD the newest GuideTorrent 3V0-41.22 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1nNn8CxXow26WSCDy7fC_O8nufXzsEdVr

Our 3V0-41.22 real dumps was designed by many experts in different area, they have taken the different situation of customers into consideration and designed practical 3V0-41.22 study materials for helping customers save time. Whether you are a student or an office worker, we believe you will not spend all your time on preparing for 3V0-41.22 Exam. With our simplified information, you are able to study efficiently.

To prepare for the VMware 3V0-41.22 Exam, candidates must have a solid understanding of VMware NSX-T Data Center 3.x architecture, virtualization, networking, and security concepts. They should also have experience working with VMware vSphere and be familiar with the NSX-T Data Center user interface. VMware recommends that candidates take the VMware NSX-T Data Center: Install, Configure, Manage [V3.0] course to prepare for the exam. This course provides hands-on training in deploying and managing VMware NSX-T Data Center 3.x environments, and covers all the topics and concepts that are tested in the certification exam.

>> **VMware 3V0-41.22 Exam Simulator** <<

New 3V0-41.22 Exam Format, Pdf 3V0-41.22 Format

We offer money back guarantee if anyone fails but that doesn't happen if one uses our 3V0-41.22 dumps. These 3V0-41.22 exam dumps are authentic and help you in achieving success. Do not lose hope and only focus on your goal if you are using GuideTorrent 3V0-41.22 PDF. It is a package of 3V0-41.22 braindumps that is prepared by the proficient experts. These 3V0-41.22 Exam Questions dumps are of high quality and are designed for the convenience of the candidates. These are based on the 3V0-41.22 Exam content that covers the entire syllabus. The 3V0-41.22 practice test content is very easy and simple to understand.

VMware Advanced Deploy VMware NSX-T Data Center 3.X Sample Questions (Q15-Q20):

NEW QUESTION # 15

SIMULATION

Task 14

An administrator has seen an abundance of alarms regarding high CPU usage on the NSX Managers. The administrator has successfully cleared these alarms numerous times in the past and is aware of the issue. The administrator feels that the number of alarms being produced for these events is overwhelming the log files.

You need to:

- * Review CPU Sensitivity and Threshold values.

Complete the requested task.

Notes: Passwords are contained in the user_readme.txt. This task is not dependent on other tasks. This task should take approximately 5 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To review CPU sensitivity and threshold values, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to System > Settings > System Settings > CPU and Memory Thresholds.

You will see the current values for CPU and memory thresholds for NSX Manager, NSX Controller, and NSX Edge. These values determine the percentage of CPU and memory usage that will trigger an alarm on the NSX Manager UI.

You can modify the default threshold values by clicking Edit and entering new values in the text boxes. For example, you can increase the CPU threshold for NSX Manager from 80% to 90% to reduce the number of alarms for high CPU usage. Click Save to apply the changes.

You can also view the historical data for CPU and memory usage for each component by clicking View Usage History. You can select a time range and a granularity level to see the usage trends and patterns over time

NEW QUESTION # 16

Task 6

You are asked to integrate NSX manager with LDAP to better control NSX administrators' roles and responsibilities. Ensure users can manage the NSX environment utilizing Active Directory login credentials.

You need to:

* Configure NSX Manager LDAP integration to the corp.local domain using the following configuration detail:

• Configure NSX Manager LDAP integration to the corp.local domain using the following configuration detail:	
LDAP identity source name:	corp.local
Domain Name:	corp.local
BASE DN:	DC=CORP,DC=local
Type:	Active Directory over LDAP
Active Directory host name:	controlcenter.corp.local
LDAP Protocol:	LDAP
LDAP Port:	389
User Start TLS:	disabled
Bind identity user name:	administrator@corp.local
Bind identity password:	VMware1234567890

* Configure the user nsx-admin@corp.local Active Directory account as an Enterprise Admin access role.

Complete the requested task.

Notes:

Passwords are contained in the user_readme.txt. You may want to move to other tasks/steps while waiting for configuration changes to be applied. This task should take approximately 15 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To integrate NSX Manager with LDAP to better control NSX administrators' roles and responsibilities, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to System > User Management > LDAP and click Add Identity Source.

Enter a name for the identity source, such as corp.local.

Enter the domain name of your Active Directory server, such as DC=corp,DC=local.

Select Active Directory over LDAP as the type from the drop-down menu.

Click Set to configure LDAP servers. You can add up to three LDAP servers for failover support, to each domain.

Enter the hostname or IP address of your LDAP server, such as corpdserver.corp.local.

Select LDAP as the protocol from the drop-down menu.

Enter the port number for the LDAP server, such as 389.

Click Connection Status to test the connection to the LDAP server. If successful, you will see a green check mark and a message saying "Connection successful".

Optionally, you can enable StartTLS to use encryption for the LDAP connection. To do this, toggle the Use StartTLS button and

enter the certificate of the LDAP server in PEM format in the text box below.

Click Save to add the LDAP server.

Repeat steps 6 to 12 to add more LDAP servers if needed.

Enter the bind entry user name and password for the LDAP server, such as Administrator@corp.local and VMware1!.

Click Save to create the identity source.

Navigate to System > User Management > Users and Roles and click Add Role Assignment for LDAP.

Select corp.local as the domain from the drop-down menu.

Enter nsx-admin@corp.local in the search box and select it from the list that appears.

Select Enterprise Admin as the role from the drop-down menu.

Click Save to assign the role to the user.

You have successfully integrated NSX Manager with LDAP and configured nsx-admin@corp.local Active Directory account as an Enterprise Admin access role.

NEW QUESTION # 17

Task 11

upon testing the newly configured distributed firewall policy for the Boston application, it has been discovered that the Boston-Web virtual machines can be "pinged" via ICMP from the main console. Corporate policy does not allow pings to the Boston VMs.

You need to:

* Troubleshoot ICMP traffic and make any necessary changes to the Boston application security policy.

Complete the requested task.

Notes: Passwords are contained in the user _readme.txt. This task is dependent on Task 5.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To troubleshoot ICMP traffic and make any necessary changes to the Boston application security policy, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to Security > Distributed Firewall and select the firewall policy that applies to the Boston application. For example, select Boston-web-Application.

Click Show IPSec Statistics and view the details of the firewall rule hits and logs. You can see which rules are matching the ICMP traffic and which actions are taken by the firewall.

If you find that the ICMP traffic is allowed by a rule that is not intended for it, you can edit the rule and change the action to Drop or Reject. You can also modify the source, destination, or service criteria of the rule to make it more specific or exclude the ICMP traffic.

If you find that the ICMP traffic is not matched by any rule, you can create a new rule and specify the action as Drop or Reject. You can also specify the source, destination, or service criteria of the rule to match only the ICMP traffic from the main console to the Boston web VMs.

After making the changes, click Publish to apply the firewall policy.

Verify that the ICMP traffic is blocked by pinging the Boston web VMs from the main console again. You should see a message saying "Request timed out" or "Destination unreachable".

NEW QUESTION # 18

SIMULATION

Task 13

You have been asked to configure the NSX backups for the environment so that if the NSX Manager fails it can be restored with the same IP address to the original primary Data Center that is in an Active / Standby configuration. Backups should be scheduled to run once every 24 hours as well as when there are changes published to the NSX environment. Ensure that backups are completed on their respective environment. Verify the backup file has been created on the SFTP server.

* Credentials needed to complete the task:

SFTP User:	sftpuser
Password:	VMware1!
SFTP IP:	192.168.110.91
Hostname:	ubuntu-01.corp.local

You need to:

* Verify that an SFTP server is available on the network and obtain SFTP Fingerprint.

* Configure NSX Backups via NSX Appliance Backup

* Configure Scheduling Criteria

Backup Configuration Criteria

Backup Schedule:	Once backup per 24 hours
Additional Backup Triggers:	Detect NSX configuration (5 min time interval)
Primary Data Center Configuration:	Active / Standby
Backup locations:	All backups on respective NSX environment
Additional Notes:	NSX Manager shall be restored with same IP address
Directory Path:	/data
Passphrase:	VMware!!

Complete the requested task.

Notes: Passwords are contained in the user_readme.txt. This task is not dependent on other tasks. This task should take approximately 15 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To configure the NSX backups for the environment, you need to follow these steps:

Verify that an SFTP server is available on the network and obtain SFTP fingerprint. You can use the search_web("SFTP server availability") tool to find some information on how to set up and check an SFTP server. You can also use the ssh-keyscan command to get the fingerprint of the SFTP server. For example, ssh-keyscan -t ecdsa sftp_server will return the ECDSA key of the sftp_server. You can compare this key with the one displayed on the NSX Manager UI when you configure the backup settings.

Configure NSX Backups via NSX Appliance Backup. Log in to the NSX Manager UI with admin credentials. The default URL is https://<nsx-manager-ip-address>. Select System > Lifecycle Management > Backup & Restore. Click Edit under the SFTP Server label to configure your SFTP server. Enter the FQDN or IP address of the backup file server, such as 10.10.10.100. The protocol text box is already filled in. SFTP is the only supported protocol. Change the default port if necessary. The default TCP port is 22. In the Directory Path text box, enter the absolute directory path where the backups will be stored, such as /data. The directory must already exist and cannot be the root directory (/). Avoid using path drive letters or spaces in directory names; they are not supported. In the Passphrase text box, enter a passphrase that will be used to encrypt and decrypt the backup files, such as VMware!!. Click Save to create the backup configuration.

Configure Scheduling Criteria. On the Backup & Restore page, click Edit under the Schedule label to configure your backup schedule. Select Enabled from the drop-down menu to enable scheduled backups. Select Daily from the Frequency drop-down menu to run backups once every 24 hours. Select a time from the Time drop-down menu to specify when the backup will start, such as 12:00 AM. Select Enabled from the Additional Backup Trigger drop-down menu to run backups when there are changes published to the NSX environment. Click Save to create the backup schedule.

Verify that a backup file has been created on the SFTP server. On the Backup & Restore page, click Start Backup to run a manual backup and verify that it completes successfully. You should see a message saying "Backup completed successfully". You can also check the status and details of your backups on this page, such as backup size, duration, and timestamp. Alternatively, you can log in to your SFTP server and check if there is a backup file in your specified directory path, such as /data.

NEW QUESTION # 19

SIMULATION

Task 4

You are tasked with creating a logical load balancer for several web servers that were recently deployed.

You need to:

• Create a standalone Tier-1 gateway with the following configuration details:	
Name:	T1-LB
Linked Tier-0 Gateway:	None
Edge Cluster:	lb-edge-cluster
Service Interface:	Name: T1-LB IP Address / Mask: 192.168.220.10/24 Connected To (Segment): Columbus-LS
Static Route:	Add a default gateway to 192.168.220.1
• Create a load balancer and attach it to the newly created Tier-1 gateway with the following configuration details:	
Name:	Web-lb
Size:	small
Attachment:	T1-LB

• Configure the load balancer with the following configuration detail:	
◦ Create an HTTP application profile with the following configuration detail:	
Name:	web-lb-app-profile
• Create an HTTP application profile with the following configuration detail:	
Name:	web-lb-app-redirect-profile
Redirection:	HTTP to HTTPS redirection
• Create an HTTP monitor with the following configuration detail:	
Name:	web-lb-monitor
Port:	80
• Create an L7 HTTP virtual server with the following configuration detail:	
Name:	web-lb-virtual-server
IP Address:	192.168.220.20
Port:	80
Load Balancer:	web-lb
Server Pool:	None
Application Profile:	web-lb-app-redirect-profile
• Create an L4 TCP virtual server with the following configuration detail:	
Name:	web-lb-virtual-server-https
IP Address:	192.168.220.20
Port:	443
Load Balancer:	web-lb
Server Pool:	Columbus-web-servers
Application Profile:	default-tcp-lb-app-profile

Complete the requested task.

Notes:

Passwords are contained in the user_readme.txt. Do not wait for configuration changes to be applied in this task as processing may take some time to complete. This task should take up to 35 minutes to complete and is required for subsequent tasks.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To create a logical load balancer for several web servers, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > Load Balancing > Load Balancers and click Add Load Balancer.

Enter a name and an optional description for the load balancer. Select the tier-1 gateway where you want to attach the load balancer from the drop-down menu or create a new one by clicking New Tier-1 Gateway. Click Save.

Navigate to Networking > Load Balancing > Application Profiles and click Add Application Profile.

Enter a name and an optional description for the application profile. Select HTTP as the application type from the drop-down menu.

Optionally, you can configure advanced settings such as persistence, X-Forwarded-For, SSL offloading, etc., for the application profile. Click Save.

Navigate to Networking > Load Balancing > Monitors and click Add Monitor.

Enter a name and an optional description for the monitor. Select HTTP as the protocol from the drop-down menu. Optionally, you can configure advanced settings such as interval, timeout, fail count, rise count, etc., for the monitor. Click Save.

Navigate to Networking > Load Balancing > Server Pools and click Add Server Pool.

Enter a name and an optional description for the server pool. Select an existing application profile from the drop-down menu or create a new one by clicking New Application Profile. Select an existing monitor from the drop-down menu or create a new one by clicking New Monitor. Optionally, you can configure advanced settings such as algorithm, SNAT translation mode, TCP multiplexing, etc., for the server pool. Click Save.

Click Members > Set > Add Member and enter the IP address and port number of each web server that you want to add to the server pool. For example, enter 192.168.10.10:80 and 192.168.10.11:80 for two web servers listening on port 80. Click Save and then Close.

Navigate to Networking > Load Balancing > Virtual Servers and click Add Virtual Server.

Enter a name and an optional description for the virtual server. Enter the IP address and port number of the virtual server that will receive the client requests, such as 10.10.10.100:80. Select HTTP as the service profile from the drop-down menu or create a new one by clicking New Service Profile. Select an existing server pool from the drop-down menu or create a new one by clicking New Server Pool. Optionally, you can configure advanced settings such as access log, connection limit, rate limit, etc., for the virtual server. Click Save.

You have successfully created a logical load balancer for several web servers using NSX-T Manager UI.

• • • • •

New 3V0-41.22 Exam Format: <https://www.guidetorrent.com/3V0-41.22-pdf-free-download.html>

- BTW, DOWNLOAD part of GuideTorrent 3V0-41.22 dumps from Cloud Storage: https://drive.google.com/open?id=1nNn8CxXow26WSCDy7fC_O8nufXzsEdVr